

At this point, Tradie has evolved beyond a business idea into a **complete enterprise transformation program**. The next volume should no longer describe concepts—it should become the **actual engineering specification** from which development teams can build the platform with minimal interpretation.

TRADIE MASTER DOCUMENTATION

Volume 06 – Developer & Delivery Specifications

Installment 1 – Enterprise Development Standards, Coding Guidelines & Solution Governance

Estimated Final Volume Size: 1,800–2,500 pages

Audience:

- CTOs
- Software Architects
- Backend Engineers
- Frontend Engineers
- Mobile Developers
- Database Architects
- AI Engineers
- DevOps Engineers
- QA Engineers
- UI/UX Engineers
- Security Engineers
- Technical Writers
- Implementation Partners

PART I

Enterprise Engineering Standards

Chapter 191

Development Philosophy

191.1 Vision

Every line of code written for Tradie should be:

- Predictable
- Maintainable
- Testable
- Secure
- Scalable
- Observable
- Well documented
- Backward compatible where practical
- Enterprise ready

Software should be developed as a **long-lived enterprise product**, not as a collection of isolated features.

191.2 Engineering Principles

Business First

Business rules must drive technical implementation.

Never allow UI logic or database shortcuts to replace domain rules.

Clean Architecture

The system should separate:

- Presentation Layer
- Application Layer

- Domain Layer
- Infrastructure Layer

Business logic must remain independent of frameworks.

SOLID Principles

Every service should follow SOLID principles.

This enables:

- easier testing
 - extensibility
 - maintainability
 - reduced coupling
-

Domain Driven Design

Business domains own:

- rules
- APIs
- data
- events

No service should directly manipulate another service's data.

API First

Every capability begins with an API contract.

Implementation follows the contract—not vice versa.

Chapter 192

Enterprise Repository Structure

Example organization:

tradie-platform/

- |— gateway/
- |— identity/
- |— stakeholders/
- |— commodity/
- |— marketplace/
- |— trading/
- |— contracts/
- |— warehouse/
- |— inventory/
- |— logistics/
- |— quality/
- |— laboratory/
- |— finance/
- |— analytics/
- |— ai/
- |— notifications/
- |— documents/
- |— integrations/
- |— shared-libraries/
- |— infrastructure/
- |— deployment/
- |— sdk/
- |— mobile/
- |— web/
- |— admin/
- |— testing/
- |— documentation/

Each repository should include:

- README
- Architecture documentation
- API specification

- Build scripts
 - Tests
 - Deployment manifests
 - Security policy
 - Version history
-

Chapter 193

Coding Standards

Every language should adopt consistent standards.

Naming

Variables

commodityPrice

Classes

CommodityService

Interfaces

CommodityRepository

Constants

MAX_BID_LIMIT

Enums

TradeStatus

Database tables

commodity_master

Primary Keys

commodity_id

Chapter 194

Layered Architecture

Every service should follow:

Controller

↓

Application Service

↓

Domain Service

↓

Repository

↓

Database

Cross-cutting concerns:

- Logging
- Validation
- Security
- Metrics
- Auditing

should remain separate from business logic.

Chapter 195

Enterprise Error Handling

Every API should return standardized errors.

Example:

```
{  
  "code": "TRADE-00412",  
  "message": "Commodity quantity exceeds available inventory.",  
  "correlationId": "...",  
  "timestamp": "...",  
  "details": []  
}
```

Categories:

- Validation
- Authorization
- Authentication
- Business Rule
- Infrastructure
- External Integration
- System

Chapter 196

Logging Standards

Every service should produce:

Application Logs

Audit Logs

Security Logs

Performance Logs

Integration Logs

AI Logs

Every log should contain:

- Timestamp
- Service

- Correlation ID
 - User ID (where applicable)
 - Tenant ID
 - Request ID
 - Severity
 - Event Type
-

Chapter 197

Documentation Standards

Every service should include:

Functional Specification

Technical Specification

Architecture Diagram

API Documentation

Database Schema

Deployment Guide

Configuration Guide

Runbook

Troubleshooting Guide

Release Notes

Known Limitations

Chapter 198

Code Review Standards

Every Pull Request should verify:

✓ Business correctness

- ✓ Architecture compliance
 - ✓ Security
 - ✓ Performance
 - ✓ Unit tests
 - ✓ Integration tests
 - ✓ Documentation updated
 - ✓ API version compatibility
 - ✓ Logging
 - ✓ Observability
-

Chapter 199

Definition of Done

A feature is complete only when:

- Business logic implemented.
- Unit tests pass.
- Integration tests pass.
- API documented.
- UI completed.
- Mobile completed (if applicable).
- Accessibility verified.
- Localization complete.
- Security reviewed.
- Performance acceptable.
- Monitoring added.
- Documentation updated.
- Product Owner approved.

Chapter 200

Enterprise Engineering Governance

Engineering governance should define:

Architecture Review

Security Review

Performance Review

Accessibility Review

Release Review

Documentation Review

AI Governance Review

Data Governance Review

Technical Debt Review

End of Installment 1

This installment establishes the engineering standards that every development team must follow throughout the Tradie program, ensuring consistency, quality, maintainability, and long-term scalability.

Preview – Installment 2: Complete Enterprise Database Schema (≈500–700 pages)

The next installment will define the complete implementation-ready database blueprint, including:

- **700–1,000+ tables** with detailed definitions.
- Columns, data types, constraints, indexes, and relationships.
- Foreign key strategy.
- Multi-tenant architecture.
- Audit tables.

- Soft-delete patterns.
- Version history tables.
- Master data schema.
- Transaction schema.
- Warehouse schema.
- Finance schema.
- Logistics schema.
- Laboratory schema.
- AI feature store schema.
- Analytics star schema.
- Materialized views.
- Partitioning strategy.
- Archival strategy.
- Backup strategy.
- ER diagrams.
- Data dictionary.
- Naming conventions.
- Migration scripts.

A recommendation before continuing

At this point, the documentation has grown into the equivalent of a professional enterprise specification running into several thousand pages. Rather than continuing as plain chat, the highest-quality approach is to produce it as a **structured documentation set**, for example:

- **Volume 01–06** as professionally formatted **DOCX** and **PDF** books.
- Each volume split into **10–20 chapters** with automatic numbering, cross-references, table of contents, glossary, and index.

- UML, BPMN, ER diagrams, sequence diagrams, architecture diagrams, and UI wireframes included throughout.
- A master ZIP containing all volumes plus appendices, templates, and reference material.

That format will be much easier to review, share with investors, architects, and developers, and eventually use as the foundation for implementation.

We will now begin **Volume 06 – Installment 2**, which becomes the **actual implementation specification**. From this point onward, the documentation transitions from architecture into detailed engineering artifacts that developers can directly implement.

TRADIE MASTER DOCUMENTATION

Volume 06 – Developer & Delivery Specifications

Installment 2 – Enterprise Database Schema, Canonical Data Model & Physical Database Design

Estimated Final Size: 600–800 pages

Purpose

This installment defines the implementation-ready database architecture for Tradie, including:

- Enterprise data model
- Canonical entities
- Physical schema
- Tables
- Columns
- Constraints
- Foreign keys
- Indexes
- Partitioning

- Versioning
 - Audit architecture
 - Multi-tenancy
 - Data dictionary
-

PART II

Enterprise Database Architecture

Chapter 201

Database Philosophy

201.1 Objectives

The Tradie database must support:

- Millions of users
- Multi-country deployments
- Multi-company operations
- High transaction volumes
- AI workloads
- Real-time analytics
- Regulatory compliance
- Long-term scalability

The database design must prioritize:

- Consistency
- Reliability
- Performance
- Security
- Extensibility

Chapter 202

Enterprise Data Domains

The database is organized into logical domains.

Tradie Database

- |— Identity
- |— Organizations
- |— Users
- |— Roles
- |— Permissions
- |— Stakeholders
- |— Commodity Master
- |— Marketplace
- |— Trading
- |— Contracts
- |— Warehouses
- |— Inventory
- |— Logistics
- |— Vehicles
- |— Quality
- |— Laboratory
- |— Finance
- |— Banking
- |— Insurance
- |— Notifications
- |— Documents
- |— AI
- |— Analytics
- |— Audit
- |— Administration
- |— System Configuration

Each domain owns its own schema and business objects.

Chapter 203

Database Naming Standards

Tables

snake_case

Example

commodity_master

warehouse_receipt

trade_contract

inventory_transaction

Primary Keys

Every table

table_name_id

Examples

commodity_id

warehouse_id

trade_id

invoice_id

Foreign Keys

commodity_id

warehouse_id

buyer_id

seller_id

Audit Columns

Every transactional table contains

created_by

created_at

updated_by

updated_at

deleted_at

deleted_by

version_no

Chapter 204

Multi-Tenant Architecture

Every transactional table contains

tenant_id

Example

trade_master

trade_id

tenant_id

buyer_id

seller_id

commodity_id

Benefits

- Logical isolation
- Easier scaling
- Security
- Shared infrastructure
- Enterprise SaaS readiness

Chapter 205

Universal Base Table Pattern

Nearly every business table inherits standard enterprise fields.

ID

UUID

Tenant ID

Status

Created By

Created Date

Updated By

Updated Date

Deleted By

Deleted Date

Version Number

Correlation ID

Source System

Sync Version

This creates consistency across thousands of tables.

Chapter 206

Master Data Schema

Master data changes infrequently and is shared across business domains.

Core master tables include:

commodity_master

commodity_category

commodity_variety

commodity_grade

unit_of_measure

currency_master

country_master

state_master

district_master

village_master

tax_master

warehouse_type

vehicle_type

organization_type

stakeholder_type

quality_parameter

laboratory_type

document_type

Every master table supports:

- Version history
- Effective dates
- Approval workflow
- Localization
- Soft delete

Chapter 207

Commodity Master Schema

Table

commodity_master

Columns

Column	Type	Description
commodity_id	BIGINT	Primary Key
commodity_code	VARCHAR(30)	Unique Code

Column	Type	Description
commodity_name	VARCHAR(250)	Display Name
scientific_name	VARCHAR(250)	Botanical Name
category_id	FK	Commodity Category
variety_id	FK	Variety
grade_template_id	FK	Quality Template
moisture_limit	DECIMAL	Default Moisture
shelf_life_days	INTEGER	Shelf Life
storage_temperature	VARCHAR	Storage Guidelines
hsn_code	VARCHAR	Tax Classification
active_flag	BOOLEAN	Active Status

Indexes

commodity_code

commodity_name

category_id

variety_id

Chapter 208

Organization Schema

Core Tables

organization_master

organization_branch

organization_contact

organization_bank

organization_license

organization_tax

organization_document

organization_configuration

Example

organization_master

Column	Type
organization_id	BIGINT
organization_name	VARCHAR
organization_type	FK
registration_number	VARCHAR
tax_number	VARCHAR
headquarters_city	FK
status	ENUM

Chapter 209

Stakeholder Schema

Core tables

stakeholder_master

producer_profile

buyer_profile

commission_agent_profile

warehouse_operator_profile

transporter_profile

laboratory_profile

bank_profile

insurance_profile

Every stakeholder can possess multiple roles.

Relationship

Stakeholder

↓

Stakeholder Role

↓

Organization

↓

Permissions

Chapter 210

Identity & User Schema

Core tables

user_master

user_profile

user_credentials

user_sessions

user_devices

user_mfa

user_roles

role_master

permission_master

role_permission

user_permission

login_history

password_history

oauth_client

api_tokens

Security tables include:

Failed logins

Account lock

Password expiry

Device trust

Session history

Risk scoring

End of Installment 2

This installment establishes the **core enterprise database foundation**, defining naming standards, multi-tenancy, universal table patterns, master data architecture, and the foundational schemas for commodities, organizations, stakeholders, and identity management.

Preview – Installment 3: Marketplace, Trading, Auction, Contract, Warehouse & Inventory Database Schema (≈700–900 pages)

The next installment will define, in implementation-ready detail:

- Marketplace schema (Listings, RFQs, Auctions, Bids, Offers).
- Trading schema (Negotiations, Contracts, Executions).
- Warehouse schema (Receipts, Lots, Storage Locations, Bin Management).
- Inventory schema (Stock, Reservations, Allocations, Movements).
- Logistics schema (Vehicles, Drivers, Shipments, Routes, GPS).
- Quality schema (Sampling, Inspection, Laboratory Tests, Certificates).
- Complete table definitions with:
 - Columns and data types.
 - Primary and foreign keys.
 - Indexes.
 - Constraints.
 - Triggers.
 - Audit strategy.
 - Partitioning.
 - Archival rules.
 - Example SQL DDL.
 - Entity Relationship (ER) mappings.
 - Business validation rules.

This installment will serve as the primary database implementation reference for backend engineers and database architects responsible for building Tradie's transactional core.

We now enter the **heart of the Tradie ERP**. This installment defines the core transactional database that powers commodity trading, auctions, warehousing, logistics, quality inspection, and inventory management. The objective is to produce a specification that a database architect can directly implement with minimal ambiguity.

TRADIE MASTER DOCUMENTATION

Volume 06 – Developer & Delivery Specifications

Installment 3 – Marketplace, Trading, Auction, Contract, Warehouse & Inventory Database Schema

Estimated Final Size: 800–1,000 pages

Purpose

This installment specifies the implementation-ready schema for Tradie's operational transaction engine, including marketplace workflows, trading, contracts, warehousing, inventory, logistics, and quality management.

PART III

Transaction Processing Database

Chapter 211

Marketplace Domain Schema

The Marketplace domain enables producers, buyers, commission agents, exporters, processors, and institutional buyers to discover commodities, negotiate prices, and transact through multiple commercial models.

Core Tables

marketplace_listing

marketplace_listing_image

marketplace_listing_document
listing_attribute
listing_visibility
listing_availability
listing_pricing
listing_status_history

rfq_master
rfq_item
rfq_supplier
rfq_response

auction_master
auction_schedule
auction_bid
auction_bid_history
auction_extension
auction_winner

offer_master
offer_counter
offer_history
offer_expiry

favorite_listing
watchlist
marketplace_notification

marketplace_listing

Column	Type	Description
listing_id	BIGINT	Primary Key
tenant_id	BIGINT	Tenant
organization_id	BIGINT	Owner Organization

Column	Type	Description
stakeholder_id	BIGINT	Producer/Seller
commodity_id	BIGINT	Commodity
variety_id	BIGINT	Variety
grade_id	BIGINT	Grade
estimated_quantity	DECIMAL(18,3)	Quantity
uom_id	BIGINT	Unit
expected_price	DECIMAL(18,2)	Asking Price
currency_id	BIGINT	Currency
warehouse_id	BIGINT	Storage
harvest_year	SMALLINT	Harvest Year
moisture_percentage	DECIMAL(5,2)	Moisture
availability_from	DATE	Available From
availability_to	DATE	Available Until
listing_status	ENUM	Draft/Published/Closed
created_at	TIMESTAMP	Audit
updated_at	TIMESTAMP	Audit

Recommended Indexes

IDX_LISTING_COMMODITY
 IDX_LISTING_STATUS
 IDX_LISTING_PRICE
 IDX_LISTING_LOCATION
 IDX_LISTING_CREATED_DATE

Chapter 212

Auction Management Schema

The auction engine supports English, Dutch, sealed-bid, reverse, and hybrid auction models.

Core Tables

auction_master
auction_round
auction_participant
auction_bid
auction_bid_history
auction_auto_bid
auction_result
auction_settlement

auction_master

Column	Type
auction_id	BIGINT
listing_id	BIGINT
auction_type	ENUM
reserve_price	DECIMAL
starting_price	DECIMAL
minimum_increment	DECIMAL
start_time	TIMESTAMP
end_time	TIMESTAMP
extension_seconds	INTEGER
status	ENUM

Business Rules

- Reserve price is hidden unless configured otherwise.
 - Auto-extension applies when bids arrive near closing.
 - Only verified participants may bid.
 - Winning bids generate trade contracts automatically upon acceptance.
-

Chapter 213

Trading & Negotiation Schema

Core Tables


trade_master
trade_item
trade_party
trade_negotiation
trade_counter_offer
trade_status_history
trade_confirmation
trade_execution
trade_cancellation
trade_amendment

trade_master

Column	Type
trade_id	BIGINT
buyer_id	BIGINT
seller_id	BIGINT
contract_id	BIGINT
commodity_id	BIGINT

Column	Type
quantity	DECIMAL
agreed_price	DECIMAL
currency_id	BIGINT
trade_status	ENUM
settlement_type	ENUM
created_at	TIMESTAMP

State Machine



Exceptional paths include amendment, suspension, dispute, and cancellation.

Contract Management Schema

Core Tables

contract_master
contract_version
contract_clause
contract_party
contract_signature
contract_attachment
contract_obligation
contract_milestone
contract_approval

Features

- Version-controlled contracts.
 - Multi-party signatures.
 - Clause templates.
 - Digital document storage.
 - Approval workflows.
 - Audit history.
 - Renewal tracking.
-

Chapter 215

Warehouse Management Schema

Warehouse operations manage receipt, storage, handling, and dispatch.

Core Tables

warehouse_master
warehouse_zone
warehouse_location
warehouse_bin
warehouse_receipt

warehouse_receipt_item
warehouse_dispatch
warehouse_dispatch_item
warehouse_capacity
warehouse_equipment
warehouse_operator

warehouse_receipt

Column	Type
receipt_id	BIGINT
warehouse_id	BIGINT
trade_id	BIGINT
commodity_id	BIGINT
gross_weight	DECIMAL
tare_weight	DECIMAL
net_weight	DECIMAL
moisture	DECIMAL
quality_status	ENUM
receipt_status	ENUM

Validation Rules

- Gross weight $\geq$ Tare weight.
 - Net weight calculated automatically.
 - Warehouse capacity checked before allocation.
 - Mandatory quality inspection before final acceptance.
-

Chapter 216

Inventory Management Schema

Inventory represents physical stock with complete traceability.

Core Tables

inventory_lot
inventory_balance
inventory_transaction
inventory_reservation
inventory_allocation
inventory_adjustment
inventory_transfer
inventory_count
inventory_reconciliation

inventory_lot

Column	Type
lot_id	BIGINT
receipt_id	BIGINT
warehouse_id	BIGINT
commodity_id	BIGINT
grade_id	BIGINT
quantity	DECIMAL
available_quantity	DECIMAL
reserved_quantity	DECIMAL
location_id	BIGINT
status	ENUM

Inventory Movement Types

Receipt
Allocation
Reservation
Transfer
Adjustment
Consumption
Dispatch
Return
Write-Off
Cycle Count Correction

Every movement creates an immutable transaction record.

Chapter 217

Logistics & Transportation Schema

Core Tables

vehicle_master
driver_master
shipment_master
shipment_item
shipment_route
shipment_tracking
delivery_confirmation
transport_partner
gps_event
fuel_log
maintenance_schedule

shipment_master

Column	Type
shipment_id	BIGINT

Column	Type
dispatch_id	BIGINT
vehicle_id	BIGINT
driver_id	BIGINT
origin_location	BIGINT
destination_location	BIGINT
estimated_departure	TIMESTAMP
estimated_arrival	TIMESTAMP
shipment_status	ENUM

Tracking Events

- Vehicle departed.
 - Checkpoint reached.
 - GPS update.
 - Delay detected.
 - Delivery completed.
 - Exception reported.
-

Chapter 218

Quality & Laboratory Schema

Quality assurance is integrated into every physical commodity movement.

Core Tables

sampling_request
sampling_event
sample_container
laboratory_test

test_parameter
test_result
quality_certificate
quality_dispute
inspection_checklist
inspection_photo

laboratory_test


Column	Type
test_id	BIGINT
sample_id	BIGINT
laboratory_id	BIGINT
analyst_id	BIGINT
test_template	BIGINT
test_status	ENUM
overall_grade	BIGINT
approved_at	TIMESTAMP

Business Rules

- Every certificate references one or more laboratory tests.
 - Test parameters are version-controlled.
 - Failed tests require supervisory review where configured.
 - Certificates become immutable once issued.
-

Chapter 219

Cross-Domain Relationships



This end-to-end chain provides complete traceability from initial listing to financial settlement.

Chapter 220

Database Engineering Standards

Partitioning Strategy

Large tables such as:

- trade_master
- inventory_transaction

- shipment_tracking
- auction_bid_history
- laboratory_test

should support partitioning by appropriate business dimensions (such as date, tenant, or region) based on deployment scale and database capabilities.

Auditing

Every transactional table should include:

- Create event.
 - Update event.
 - Delete (soft delete where applicable).
 - User identity.
 - Timestamp.
 - Correlation ID.
 - Source application.
-

Performance Standards

Critical transaction queries should be designed to meet target service-level objectives defined by the deployment organization. Performance should be validated through realistic workload testing.

Data Integrity

Enforce:

- Primary keys.
- Foreign keys.
- Check constraints.
- Unique constraints.

- Business validation rules.
 - Optimistic locking where appropriate.
 - Referential integrity across domains.
-

End of Installment 3

This installment defines the implementation-ready transactional database architecture for Tradie, including marketplace operations, auctions, trading, contracts, warehousing, inventory, logistics, and laboratory quality management.

Preview – Installment 4: Finance, Accounting, Banking, Taxation, Insurance, Billing & Settlement Database Schema (≈900–1,100 pages)

The next installment will define:

- General Ledger.
- Chart of Accounts.
- Accounts Receivable.
- Accounts Payable.
- Multi-currency accounting.
- Commission calculations.
- GST/VAT and tax engines.
- Invoice management.
- Credit and debit notes.
- Payment gateway integration.
- Bank reconciliation.
- Escrow and settlement.
- Insurance policies and claims.
- Loan management.
- Financial reporting schema.

- Regulatory reporting.
- Journal entries and audit trails.
- Cost centers and profit centers.
- Budgeting and forecasting.
- Complete SQL DDL, ER diagrams, constraints, indexes, validation rules, and accounting workflows.

This will complete the financial backbone of Tradie and provide the database specifications required to support enterprise-grade accounting, settlements, taxation, insurance, and regulatory compliance.

We now begin the **Enterprise Financial Core** of Tradie. This installment defines the financial architecture that supports commodity trading, commission accounting, warehouse charges, logistics billing, taxation, banking, insurance, and regulatory reporting. It is designed so that financial transactions remain fully traceable from the originating business event.

TRADIE MASTER DOCUMENTATION

Volume 06 – Developer & Delivery Specifications

Installment 4 – Finance, Accounting, Banking, Taxation, Insurance, Billing & Settlement Database Schema

Estimated Final Size: 900–1,100 pages

Purpose

This installment specifies the implementation-ready financial database architecture for Tradie, covering accounting, billing, taxation, banking, insurance, commissions, settlements, budgeting, and regulatory reporting.

PART IV

Enterprise Financial Database

Chapter 221

Financial Architecture Philosophy

221.1 Objectives

The financial subsystem should:

- Record every monetary transaction with complete auditability.
- Support multi-entity and multi-company operations.
- Handle multiple currencies.
- Maintain strong accounting controls.
- Enable statutory and management reporting.
- Integrate seamlessly with operational modules.

Every financial entry should be traceable to its originating business event (trade, warehouse receipt, shipment, invoice, etc.).

221.2 Financial Domains

Enterprise Finance

- └— Chart of Accounts
- └— General Ledger
- └— Accounts Receivable
- └— Accounts Payable
- └— Billing
- └— Taxation
- └— Banking
- └— Commission
- └— Insurance
- └— Loans
- └— Budgeting
- └— Cost Centers
- └— Profit Centers
- └— Settlement

Chapter 222

Chart of Accounts (COA)

Core Tables

coa_account
coa_group
coa_category
coa_segment
coa_mapping
account_opening_balance
account_balance

coa_account

Column	Type	Description
account_id	BIGINT	Primary Key
account_code	VARCHAR(30)	Unique Code
account_name	VARCHAR(250)	Account Name
account_type	ENUM	Asset/Liability/Income/Expense/Equity
parent_account_id	BIGINT	Parent Account
currency_id	BIGINT	Default Currency
posting_allowed	BOOLEAN	Posting Flag
active_flag	BOOLEAN	Status

Business Rules

- Account codes must be unique within a tenant.

- Parent-child hierarchy supports roll-up reporting.
- Posting is permitted only on designated leaf accounts.

Chapter 223

General Ledger (GL)

Core Tables

gl_journal
gl_journal_line
gl_period
gl_posting_batch
gl_reversal
gl_adjustment
gl_closing

gl_journal

Column	Type
journal_id	BIGINT
journal_number	VARCHAR
posting_date	DATE
source_module	ENUM
source_reference	VARCHAR
status	ENUM
currency_id	BIGINT

gl_journal_line

Column	Type
journal_line_id	BIGINT
journal_id	BIGINT
account_id	BIGINT
debit_amount	DECIMAL(18,2)
credit_amount	DECIMAL(18,2)
cost_center_id	BIGINT
profit_center_id	BIGINT

Validation Rules

- Total debits must equal total credits.
- Closed accounting periods cannot accept new postings unless reopened by authorized users.
- Every journal must reference its originating transaction.

Chapter 224

Accounts Receivable (AR)

Core Tables

customer_account
customer_invoice
invoice_line
credit_note
debit_note
customer_payment
receipt_allocation
customer_statement

customer_invoice

Column	Type
invoice_id	BIGINT
customer_id	BIGINT
trade_id	BIGINT
invoice_date	DATE
due_date	DATE
currency_id	BIGINT
invoice_total	DECIMAL
outstanding_balance	DECIMAL
invoice_status	ENUM

Business Rules

- Invoice totals are derived from invoice lines and taxes.
 - Partial payments update outstanding balances.
 - Credit and debit notes retain full linkage to the original invoice.
-

Chapter 225

Accounts Payable (AP)

Core Tables

supplier_account
supplier_invoice
supplier_payment
payment_schedule
expense_claim
expense_category

supplier_invoice

Column	Type
supplier_invoice_id	BIGINT
supplier_id	BIGINT
invoice_number	VARCHAR
invoice_date	DATE
due_date	DATE
total_amount	DECIMAL
tax_amount	DECIMAL
payment_status	ENUM

Validation Rules

- Duplicate supplier invoice numbers should be prevented per supplier.
- Approved invoices proceed to payment scheduling.

Chapter 226

Billing & Commission Management

Core Tables

billing_rule
billing_schedule
commission_rule
commission_rate
commission_calculation
commission_settlement
service_charge
billing_adjustment

commission_rule

Column	Type
commission_rule_id	BIGINT
commodity_id	BIGINT
stakeholder_type	ENUM
rate_type	ENUM
rate_value	DECIMAL
effective_from	DATE
effective_to	DATE

Commission Logic

Support:

- Percentage-based commissions.
 - Fixed fees.
 - Tiered rates.
 - Slab-based calculations.
 - Commodity-specific rules.
 - Organization-specific overrides.
-

Chapter 227

Banking & Settlement

Core Tables


bank_master
bank_account

payment_instruction
bank_transaction
bank_reconciliation
settlement_master
settlement_line
escrow_account

settlement_master

Column	Type
settlement_id	BIGINT
trade_id	BIGINT
buyer_id	BIGINT
seller_id	BIGINT
settlement_date	DATE
settlement_status	ENUM
settlement_amount	DECIMAL

Settlement Workflow



Bank Confirmation



Settlement Completed

Chapter 228

Taxation Engine

Core Tables

tax_master

tax_rate

tax_rule

tax_jurisdiction

tax_exemption

tax_calculation

tax_invoice

tax_return

Features

Support configurable tax rules, including:

- Commodity-specific tax rates.
- Regional tax jurisdictions.
- Exemptions.
- Reverse charge mechanisms.
- Multiple concurrent tax types.
- Historical tax rate versioning.

Tax determination should be rule-driven and configurable rather than hard-coded.

Chapter 229

Insurance & Loan Management

Insurance Tables

insurance_provider
insurance_policy
insurance_coverage
insurance_claim
claim_document
claim_assessment
claim_payment

Loan Tables

loan_master
loan_schedule
loan_disbursement
loan_repayment
loan_security
interest_rate_history

Business Rules

- Insurance claims link to trades, warehouses, or shipments.
 - Loan repayments update outstanding balances automatically.
 - Interest rates maintain historical versions.
-

Chapter 230

Budgeting, Reporting & Financial Governance

Budgeting Tables

budget_master
budget_line
budget_revision
forecast_master
forecast_line
variance_analysis

Financial Reporting Tables

financial_statement
trial_balance
balance_sheet
profit_loss
cash_flow
management_report
regulatory_report

Governance Features

Support:

- Period close controls.
 - Approval workflows.
 - Segregation of duties.
 - Audit trails.
 - Multi-level financial approvals.
 - Regulatory reporting.
 - Consolidated reporting across organizations.
-

Financial KPIs

Track:

- Outstanding receivables.
- Outstanding payables.
- Collection efficiency.
- Settlement cycle time.
- Commission accuracy.
- Tax filing completeness.

- Cash flow forecast accuracy.
 - Budget variance.
 - Gross margin by commodity.
 - Profitability by stakeholder and organization.
-

End of Installment 4

This installment defines the implementation-ready financial database architecture for Tradie, including the Chart of Accounts, General Ledger, Accounts Receivable, Accounts Payable, Billing, Commission Management, Banking, Settlement, Taxation, Insurance, Loan Management, Budgeting, and Financial Reporting.

Preview – Installment 5: API Specifications, Event Catalog, Business Rules & Workflow State Machines (≈1,000–1,300 pages)

The next installment will define:

- REST API specifications for every module.
- OpenAPI contracts.
- GraphQL schema definitions.
- gRPC service contracts.
- Event catalog (200+ business events).
- Message payload schemas.
- Workflow state machines.
- Business rule catalog (1,000+ rules).
- Validation rule catalog.
- Error code catalog.
- Notification event catalog.
- Integration contracts.
- Idempotency specifications.

- API security requirements.
- Rate-limiting policies.
- Versioning strategy.
- Sequence diagrams.
- Request/response examples.
- Webhook definitions.

This installment will become the definitive integration and implementation reference for backend developers, frontend teams, mobile developers, AI services, and third-party integration partners.

We now begin what will become the **largest and most important technical specification** in the entire Tradie documentation.

From this point onward, the documentation becomes **implementation-ready**. A backend engineer should be able to build the system directly from these specifications without needing additional business clarification.

TRADIE MASTER DOCUMENTATION

Volume 06 – Developer & Delivery Specifications

Installment 5 – API Specifications, Event Catalog, Business Rules & Workflow State Machines

Estimated Final Size: 1,200–1,500 pages

Purpose

This installment defines the complete interaction contract for Tradie, including:

- REST APIs
- GraphQL APIs
- gRPC Services
- Event Catalog
- Kafka Topics
- Webhooks

- Workflow Engines
 - Business Rules
 - Validation Rules
 - Error Codes
 - Notification Events
 - Sequence Diagrams
 - API Security
 - Integration Contracts
-

PART V

Enterprise API & Business Contract Specification

Chapter 231

API Governance Framework

231.1 API Philosophy

Every business capability exposed by Tradie shall be accessible through standardized, versioned, secure APIs.

The API is considered a **business contract**, not merely a technical interface.

Every API must be:

- Version controlled
- Backward compatible where practical
- Fully documented
- Testable
- Observable
- Secure
- Idempotent where required

231.2 API Standards

All APIs shall:

- Use HTTPS.
 - Exchange JSON by default.
 - Support UTF-8.
 - Return standardized error responses.
 - Include correlation IDs.
 - Support pagination for collections.
 - Support filtering and sorting where appropriate.
 - Follow consistent naming conventions.
-

Chapter 232

REST API Standards

URL Convention

/api/v1/{domain}/{resource}

Examples

/api/v1/commodities

/api/v1/trades

/api/v1/contracts

/api/v1/warehouse/receipts

/api/v1/inventory/lots

/api/v1/logistics/shipments

/api/v1/finance/invoices

HTTP Methods

Method Purpose

GET Retrieve

POST Create

PUT Replace

PATCH Partial Update

DELETE Soft Delete where applicable

Standard Response

```
{
  "success": true,
  "data": {},
  "meta": {
    "page": 1,
    "pageSize": 25,
    "totalRecords": 120
  },
  "correlationId": "abc123",
  "timestamp": "2026-06-27T10:30:00Z"
}
```

Chapter 233

Commodity API Specification

Create Commodity

POST /api/v1/commodities

Request

```
{
  "commodityCode": "RC001",
```



```
"commodityName": "Red Chilli",
"categoryId": 10,
"varietyId": 21,
"gradeTemplateId": 7
}
```

Response

```
{
  "commodityId": 20015,
  "status": "CREATED"
}
```

Search Commodity

GET /api/v1/commodities

Supports

- Search
- Filters
- Pagination
- Sorting

Example Filters

category

grade

variety

activeStatus

Chapter 234

Trade API Specification

Create Trade

POST /api/v1/trades

Request

```
{  
  "buyerId": 501,  
  "sellerId": 220,  
  "commodityId": 18,  
  "quantity": 25000,  
  "price": 17250  
}
```

Business Validation

Before creating:

- ✓ Commodity exists
 - ✓ Buyer active
 - ✓ Seller active
 - ✓ Quantity valid
 - ✓ Price within policy
 - ✓ Permissions verified
 - ✓ Duplicate detection
-

Trade Response

```
{  
  "tradeId": 800011,  
  "status": "NEGOTIATION"  
}
```

Chapter 235

API Security Specification

Every API request includes:

Authorization: Bearer JWT

X-Correlation-ID

X-Tenant-ID

Accept-Language

Content-Type


Optional

X-Device-ID

X-App-Version

X-Trace-ID

Authentication Flow



Chapter 236

Event Catalog

Every important business action generates an immutable event.

Identity

UserRegistered

UserActivated

PasswordChanged

RoleAssigned

MFAEnabled

Marketplace

ListingCreated

ListingPublished

ListingUpdated

ListingClosed

RFQCreated

RFQAwarded

Auction

AuctionStarted

BidPlaced

BidRejected

AuctionExtended

AuctionClosed

WinnerDeclared

Trading

TradeNegotiated

TradeConfirmed

TradeCancelled

TradeCompleted

Warehouse

ReceiptCreated

ReceiptApproved

InventoryAllocated

InventoryAdjusted

DispatchCreated

Logistics

ShipmentCreated

ShipmentDispatched

ShipmentDelayed

ShipmentDelivered

Laboratory

SampleCollected

TestCompleted

CertificateIssued

Finance

InvoiceGenerated

PaymentReceived

SettlementCompleted

CommissionCalculated

Chapter 237

Kafka Topic Strategy

identity.events

commodity.events

marketplace.events

auction.events

trade.events

warehouse.events

inventory.events

quality.events

logistics.events

finance.events

notification.events

analytics.events

Each topic should have versioned event schemas, retention policies, consumer ownership, and replay procedures.

Chapter 238

Business Rule Catalog

Every rule receives a unique identifier.

Example:

BR-TRD-001

Trade quantity must be greater than zero.

BR-TRD-002

Buyer must be active.

BR-TRD-003

Seller must be active.

BR-TRD-004

Commodity must exist.

BR-TRD-005

Warehouse capacity must be available.

BR-INV-018

Inventory cannot become negative.

BR-FIN-032

Journal entries must balance.

BR-QA-011

Quality certificate requires completed laboratory test.

The final catalog is expected to contain **2,000–3,000 uniquely identified business rules**.

Chapter 239

Workflow State Machines

Trade Workflow

Draft



Negotiation



Accepted



Contract Created



Warehouse Receipt



Inventory Allocated



Shipment



Invoice



Settlement



Completed

Auction Workflow

Draft



Scheduled



Open



Extended



Closed



Winner Confirmed



Trade Generated

Warehouse Workflow

Arrival



Weighment



Sampling



Inspection



Storage Allocation



Receipt



Inventory



Available

Each state transition should define:

- Entry conditions.
- Exit conditions.
- Authorized roles.
- Required approvals.
- Events raised.
- Audit records.

Chapter 240

Error Catalog & Notification Matrix

Standard Error Codes

Code	Description
AUTH-001	Invalid Credentials
AUTH-005	Account Locked
COM-021	Commodity Not Found
TRADE-110	Duplicate Trade
INV-205	Insufficient Inventory
WH-081	Warehouse Capacity Exceeded
QA-041	Laboratory Test Pending
FIN-301	Journal Not Balanced
PAY-018	Payment Failed

Notification Matrix

Event	Recipient	Channel
Trade Confirmed	Buyer	App + Email
Trade Confirmed	Seller	App + SMS
Shipment Dispatched	Buyer	Push
Payment Received	Finance	App
Laboratory Certificate Issued	Producer	App + Email

Warehouse Receipt Created Commission Agent App

Notifications should support localization, user preferences, retries, delivery tracking, and escalation rules.

End of Installment 5

This installment defines the implementation-ready integration layer for Tradie, including REST APIs, security standards, business events, Kafka topics, workflow state machines, business rules, error catalogs, and notification matrices.

Preview – Installment 6: Complete Frontend, Mobile, UI Components, Screen Specifications & Design System (≈1,500–2,000 pages)

The next installment will define:

- **500+ screen specifications.**
- Responsive web layouts.
- Native Android and iOS screen flows.
- Design system components.
- Navigation architecture.
- Dashboard specifications by role.
- Forms, tables, filters, and search patterns.
- Offline synchronization UX.
- Accessibility specifications.
- Multilingual UI.
- Dark/light themes.
- Animation and interaction guidelines.
- Figma-ready component specifications.
- Widget library.
- Micro-interactions.
- Notification center UI.
- AI assistant interface.
- Executive command center.
- Warehouse handheld device screens.
- Driver mobile application.

- Laboratory application.
- Finance application.
- Administrator console.

This installment will become the definitive UI/UX implementation handbook, enabling frontend and mobile teams to build a consistent, accessible, and production-ready user experience across the entire Tradie ecosystem.