

Assignment – 2(CSS)

Subject: CSW-1 (CSE 2141)

Name: Anupam chandra

Regd. No: 2341003015

Secton: 23412G1

Branch: B.Tech (CSE)

Q1. Create an HTML page with headings and paragraphs. Apply inline styles to the h1 and h2 headings, such as changing the font color and size. Use internal styles for the h3 and h4 headings by applying styles using the id attribute, such as setting text alignment and font-weight. Additionally, link an external stylesheet to define the body background color, style the h5 heading, and set the paragraph's text color and font size using the class attribute. Ensure the external stylesheet is properly linked to the HTML page.

CODE:-

```
<html>
<head>
  <title>Anupam Chandra 2341003015 CSS Assignment 1 Q1</title>

  <link rel="stylesheet" href="CSSA1Q1.css">

  <style>

    #id1 {
      text-align: center; font-weight: bold;
    }

    #id2{
      text-align: right; font-weight:normal;
    }
  </style>
</head>

<body>
```

```
<h1 style="color: rgb(19, 240, 203); font-size: 36px;">This is First heading
with (inline).</h1>
<h2 style="color: rgb(240, 76, 11); font-size: 30px;">This is Second
heading(inline).</h2>
<h3 id="id1">This is third heading (internal).</h3>
<h4 id="id2">This is fourth heading (internal).</h4>
<h5 class="h5">This is fifth heading styled (external)</h5>
<p class="para2">This is the paragraph (external).</p>

</body>
</html>
```

EXTERNAL CSS FILE:

```
body {
    background-color:orange;
}

.h5{
    color: rgb(69, 236, 61);
    font-size: 21px;
}

.para {
    color:brown;
    font-size: 18px;
}
```

This is First heading with (inline).

This is Second heading(inline).

This is third heading (internal).

This is fourth heading (internal).

This is fifth heading styled (external).

This is the paragraph (external).

Q2. Imagine you are designing a webpage for a product display. You want to style the product container using the CSS box model. The product container should have a content width of 400px, padding of 20px on all sides, a border of 10px, and a margin of 15px around it. Inside this container, place an image of the product along with a brief description. Arrange three products in a row and ensure that the images and descriptions are properly aligned within each container.

```
<html>
  <head>
    <title>Anupam Chandra 2341003015 CSS Assignment 1 Q2</title>
    <style>

* {
  margin: 21px;
  padding: 21px;
  box-sizing: border-box;
}

.product-container {
  display: flex;
  justify-content: space-between;
}

.product {
  width: 400px;
  padding: 20px;
```

```


border: 15px solid #72c4e7;
text-align: center;
}

.product-image { max-width: 100%; height: auto;}

.product-font {
margin-top: 10px;
font-size: 16px;
color: #33e4c7;
}

</style>
</head>
<body>
  <div class="product-container">
    <div class="product">
      
      <p>This is the kindle basic 10th generatin with 8gb of storage.</p>
    </div>
    <div class="product">
      
      <p>this is kobo e book reader with better features.</p>
    </div>
    <div class="product">
      
      <p>This is remarkable 2.a go to note taking device.</p>
    </div>
  </div>
</body>
</html>

```



Q3. Add a

element and an image element. Write "My Special Div" as inline text inside the like

My Special Div

. Change the text color of the when the user moves the mouse over the image, and change it back when the user moves the mouse out of the image.

```
<html>
<head>
  <title> Anupam Chandra 2341003015 CSS Assignment 1 Q2</title>
  <style>
    .my-div { font-size: 29px; color: rgb(26, 210, 238);}

    .ruskin_bond {
      width: 221px;
      height: auto;
      display: block;
```

```

        margin-top: 50px; }

        .ruskin_bond:hover+ .my-div {
color: rgb(245, 63, 31);
}
</style>
</head>

<body>

<div class="my-div">My Special Div</div>

</body>
</html>

```



My Special Div

CSS A1 Q1 output normally



My Special Div

CSS A1 Q2 output after hovering the mouse

Q4. Add an image as the background of a element and change the image source when the user hovers the mouse over the image. In other words, when the user moves the mouse pointer over the image, the background image should change.

```
<html>
<head>
  <title>Anupam Chandra 2341003015 css Assignment 2 Q4</title>
  <style>
    .container {
      width: 500px;
      height: 500px;
      background-image: url("Kindle-10thGen.jpg");
      background-size: 100%;
      background-repeat: x;

    }

    .container:hover {
      background-image: url("kobo.jpeg");
      background-size: 100%;
    }
  </style>
</head>
<body>
  <div class="container"></div>
</body>
</html>
```





Hallway there she turned back and pushed a top drawer of her desk shut in the side. She went out. The door closed. There was silence. Outside the window trees hissed. Far off I heard the whine of a vacuum cleaner. I picked the unlighted cigarette off my bed, put it in my mouth and read up. I went around the desk and pulled open the drawer she had come back to shut.

It wasn't any of my business. I was just curious. It wasn't any of my business that she had a small Colt automatic in the drawer. I shut it and sat down again.

She was gone about four minutes. She opened the door and stared at it and said, "Mr. Murrack will see you now."

We went along some more hallway and the exposed half of a double glass door and metal aside. I went in and the door was closed behind me.

It was so dark in there that at first I couldn't see anything but the redwood light coming through thick bushes and screens. Then I saw that the room was a sort of war porch that had been allowed to get completely overgrown. It was furnished with green tape and read stuff. There was a red chair tongue out by the window. It had a curved back

Hallway there she turned back and pushed a top drawer of her desk shut in the side. She went out. The door closed. There was silence. Outside the window trees hissed. Far off I heard the whine of a vacuum cleaner. I picked the unlighted cigarette off my bed, put it in my mouth and read up. I went around the desk and pulled open the drawer she had come back to shut.

It wasn't any of my business. I was just curious. It wasn't any of my business that she had a small Colt automatic in the drawer. I shut it and sat down again.

She was gone about four minutes. She opened the door and stared at it and said, "Mr. Murrack will see you now."

We went along some more hallway and the exposed half of a double glass door and metal aside. I went in and the door was closed behind me.

It was so dark in there that at first I couldn't see anything but the redwood light coming through thick bushes and screens. Then I saw that the room was a sort of war porch that had been allowed to get completely overgrown. It was furnished with green tape and read stuff. There was a red chair tongue out by the window. It had a curved back

Q5. Create an unordered list using the SOA Logo image as the list marker by applying the list-style-image property with proper padding, background-size, and positioning for correct alignment. Ensure the image is set to no-repeat. Set the font of the unordered list text to the sans-serif font family.

CODE:-

```
<html>
<head>
<title>Anupam Chandra 2341003015 CSS Assignment 1 Q5</title>
<style>

    ul {
        list-style:none;

        font-family: sans-serif;
    }

    li {
        background-image: url("soaiter.jpeg");
        background-size: 21px 21px;
        background-repeat: no-repeat;
        background-position: 0 50%;
        padding-left: 29px;
        margin-bottom: 18px; }
</style>
</head>
<body>

    <h3>Institutions under the Siksha 'O' Anusandhan deemed to be university:-
</h3>
    <ul>
        <li>Sum hospital and medical College </li>
        <li>Institute Of Technical Education and Research </li>
        <li> School of Hotel Management </li>
        <li> Institute of Business Studies </li>
        <li> Institute of Law</li>
        <li> Institute of Agricultural Sciences </li>
    </ul>

</body>
</html>
```

OUTPUT:

Institutions under the Siksha 'O' Anusandhan deemed to be university:-

-  Sum hospital and medical College
-  Institute Of Technical Education and Research
-  School of Hotel Management
-  Institute of Business Studies
-  Institute of Law
-  Institute of Agricultural Sciences

Q6. Create a webpage that displays an HTML table. Apply CSS styles (such as border, border-collapse, width, height, padding, etc.) to enhance its appearance. Additionally, set a background color for the 1st, 4th, 7th, 10th, and every third row.

CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>

<title>Anupam Chandra 2341003015 CSS Assignment 1 Q6</title>
<style>
```

```

*{
    margin: 0;
    padding: 0;
}

html,body{
    height: 100%;
    width: 100%;
    padding: 10px;
}
tr:nth-child(3n-1){
    background-color: rgb(54, 242, 236);
}
table{
    border-collapse: collapse;
    height: 50px;
    width: 900px;
}

</style>
</head>
<body>
    <table border="1">
        <tr>
            <th>Name</th>
            <th>Regd. no.</th>
            <th>Dept</th>
            <th>Marks</th>
            <th>Address</th>
        </tr>
        <tr>
            <td>Tushar</td>
            <td>1001</td>
            <td>cse</td>
            <td>80</td>
            <td>jsr</td>
        </tr>
        <tr>
            <td>rahul</td>
            <td>1002</td>
            <td>cse</td>

```

```
<td>90</td>
<td>rnc</td>
</tr>
<tr>
<td>shyam</td>
<td>1003</td>
<td>cse</td>
<td>100</td>
<td>puri</td>
</tr>
<tr>
<td>shubham</td>
<td>1004</td>
<td>cse</td>
<td>50</td>
<td>washinton dc</td>
</tr>
<tr>
<td>balmukund</td>
<td>1005</td>
<td>cse</td>
<td>90</td>
<td>brazil</td>
</tr>
<tr>
<td>shantosh</td>
<td>1006</td>
<td>cse</td>
<td>80</td>
<td>jsr</td>
</tr>
<tr>
<td>Ashneer</td>
<td>1007</td>
<td>cse</td>
<td>80</td>
<td>Assam</td>
</tr>
<tr>
<td>jagjit</td>
<td>1008</td>
<td>cse</td>
<td>60</td>
<td>nagaland</td>
```

```
</tr>
<tr>
  <td>piyush</td>
  <td>1009</td>
  <td>cse</td>
  <td>20</td>
  <td>kashmir</td>
</tr>
<tr>
  <td>damoder</td>
  <td>1010</td>
  <td>cse</td>
  <td>80</td>
  <td>jammu</td>
</tr>

<tr>
  <td>swapnil</td>
  <td>1011</td>
  <td>cse</td>
  <td>81</td>
  <td>darbhanga</td>
</tr>

<tr>
  <td>manish</td>
  <td>1012</td>
  <td>cse</td>
  <td>55</td>
  <td>patna</td>
</tr>

<tr>
  <td>prakash</td>
  <td>1013</td>
  <td>cse</td>
  <td>89</td>
  <td>munger</td>
</tr>

<tr>
  <td>shreyash</td>
  <td>1014</td>
```

```

        <td>cse</td>
        <td>68</td>
        <td>laheriasarai</td>
    </tr>
</table>
</body>
</html>

```

OUTPUT:

Name	Regd. no.	Dept	Marks	Address
Tushar	1001	cse	80	jsr
rahul	1002	cse	90	rnc
shyam	1003	cse	100	puri
shubham	1004	cse	50	washington dc
balmukund	1005	cse	90	brazil
shantosh	1006	cse	80	jsr
Ashneer	1007	cse	80	Assam
jagjit	1008	cse	60	nagaland
piyush	1009	cse	20	kashmir
damoder	1010	cse	80	jammu
swapnil	1011	cse	81	darbhanga
manish	1012	cse	55	patna
prakash	1013	cse	89	munger
shreyash	1014	cse	68	laheriasarai

Q7. Create a vertical menu bar that sticks to either the left or right side of the page. Additionally, make the menu bar fixed so that it remains in the same position even when the user scrolls down the page. (To add a scrollbar to the page, you can simulate longer content by adding padding at the bottom of the page using the div element.)

CODE:-

```

<!DOCTYPE.html>
<html>
<head>
<title>Anupam Chandra 2341003015 CSS Assignment 1 Q7</title>
<style>

```

```
.dropbtn {
  background-color: white;
  color: gray;
  padding: 12px;
  font-size: 20px;
  border: none;
}

.dropdown {
  position: fixed;
  display: inline-block;
}

.dropdown-content {
  display: none;
  position: fixed;
  background-color: rgb(90, 243, 220);
  min-width: 100%;
  box-shadow: 0px 7px 14px 0px rgba(0, 0, 0, 0.9);
}

.dropdown-content a {
  color: black;
  padding: 12px 16px;
  text-decoration: none;
  display: block;
}

.dropdown-content a:hover {
  background-color: rgb(213, 71, 46);
}

.dropdown:hover .dropdown-content {
  display: block;
}

.dropdown:hover .dropbtn {
  background-color: red;
}
</style>
</head>
<body>
  <h2>I like to read fiction the most.</h2>
```



```

<div class="dropdown">
  <button class="dropbtn">Books</button>
  <div class="dropdown-content">

    <a href="#">Fiction</a>
    <a href="#">Non-fiction</a>
    <a href="#">Biographies</a>
    <a href="#">Self-help</a>
  </div>
</div>
<br><br><br><br><br><br><br><br><br><br>
<h2>When it comes to reading,everyone has
  atleast a slightly diiferent taste from another
person.And it's really important to other's taste
on books too.Books are generally of four kinds;which are
listed in the vertical navigation bar.</h2>
</body>
</html>

```

OUTPUTS:

I like to read fiction the most



When it comes to reading,everyone has atleast a slightly diiferent taste from another person.And it's really important to other's taste on books too.Books are generally of four kinds;which are listed in the vertical navigation bar

I like to read fiction the most



When it comes to reading,everyone has atleast a slightly diiferent taste from another person.And it's really important to other's taste on books too.Books are generally of four kinds;which are listed in the vertical navigation bar

Q8. Create a page having image with horizontal repetition, a horizontal navigation bar with hover effect and sticky position, and some style text. Image encircled with border and outline of different style, width, and color. Increase the page height for the scroll effect.

CODE:-

```
<html>
<head>
  <title>Anupam Chandra 2341003015 CSS Assignment 1 Q8</title>

  <style>

    * {
      margin: 0;
      padding: 0;
      box-sizing: border-box;
    }

    body {
      font-family: sans-serif;
      line-height: 1.6;
    }
    h1{
      text-align:center;
    }

    .navbar {
      background-color: #333;
      position: sticky;
      top: 0;
      display: flex;
      justify-content: center;
      padding: 10px 0;
    }

    .navbar a {
      color: white;
      padding: 14px 20px;
```

```
    text-decoration: none;
    text-transform: uppercase;
    font-weight: bold;
}

.navbar a:hover {
    background-color: #575757;
}

.image-container {
    display: flex;
    justify-content: center;
    margin-top: 20px;
}

.image-container img {
    border-radius: 80%;
    border: 5px solid #47e627;
    outline: 10px dashed #39eadb;
    padding: 5px;
    outline-offset: 5px;
}

.repeated-image {
    width: 100%;
    height: 200px;
    background-image: url('kobo.jpeg');
    background-repeat: repeat-x;
    background-size: contain;
    margin: 30px 0;
}

.styled-text {
    text-align: center;
    margin: 30px;
    font-size: 1.5rem;
    color: #333;
}
```

```

</style>

</head>
<body>

<div class="navbar">
  <a href="#catalogue">Catalogue</a>
  <a href="#network">Network</a>
  <a href="#services">Services</a>
  <a href="#contactUs">Contact Us</a>
</div>

<div class="image-container">
  
</div>

<div class="repeated-image"></div>
<h1>E-reader</h1>
<h2>
  Kobo Libra 2: A well-rounded e-reader with a large, high-resolution
display and a comfortable grip.
  Kobo Sage: A premium device with a larger screen and more storage for avid
readers.
  Kobo Clara 2E: A budget-friendly option that offers essential features without
breaking the bank.
  Why Choose a Kobo eReader?
  Quality and Reliability: Kobo is known for producing durable and reliable e-
readers.
  Extensive Library: The Kobo Store offers a vast selection of books, ensuring
you'll always have something to read.
  Customization: Tailor your reading experience to your preferences.
  Value for Money: Kobo e-readers often provide excellent value for their price.
  Would you like to know more about it?

  Ereaders are ideal for bibliophiles who prefer a print-like reading experience
but want the option to take their

```

entire library with them wherever they go. There are lots of manufacturers and reading platforms to consider, so it can be confusing to figure out which is right for you. PCMag has been reviewing ereaders for nearly two decades since the very first Kindle, so you can trust that our top picks are based on sound analysis. The Editors' Choice-winning Amazon Kindle Paperwhite and the nearly identical Paperwhite Kids currently top our list since they provide access to a vast digital library and work reliably. Of course, one of the other models here might suit your needs better, so it's worth clicking through to our full reviews. Below the list, we also provide some buying advice to help you during your search.

</h2>

<h3>Quality and Reliability: Kobo is known for producing durable and reliable e-readers.

Extensive Library: The Kobo Store offers a vast selection of books, ensuring you'll always have something to read.

Customization: Tailor your reading experience to your preferences.

Value for Money: Kobo e-readers often provide excellent value for their price</h3>

<div class="styled-text">

<p>

A premium device with a larger screen and more storage for avid readers.

Kobo Clara 2E: A budget-friendly option that offers essential features without breaking the bank.

Why Choose a Kobo

</p>

</div>

</body>

</html>

OUTPUT:-



Q9. Add a dropdown element with multiple values. Style each dropdown entry differently, such as using different fonts, colors, sizes, etc. When the user hovers over an element, a dropdown box should appear in that area of the webpage.

CODE:-

```
<!DOCTYPE html>
<html>
<head>
<title>Anupam Chandra 2341003015 CSS Assignment 1 Q9</title>
<style>
.dropbtn {
  background-color: white;
  cursor: pointer;
  color: black;
  padding: 12px;
  font-size: 20px;
  border: none;
}

.dropdown {
  position: relative;
  display: inline-block;
}

.dropdown-content {
  display: none;
  position: absolute;
  background-color: black;
  min-width: 100%;
  box-shadow: 0px 7px 14px 0px rgba(0, 0, 0, 0.9);
}

.dropdown-content a {
  padding: 12px 16px;
  text-decoration: none;
  display: block;
}

.dropdown-content a:hover {
  background-color: red;
}

.dropdown:hover .dropdown-content {
  display: block;
}
```



```
.dropdown:hover .dropbtn {
  background-color: rgb(46, 235, 153);
}

.opt1 a{
  font-family:"Times New Roman";
  font-size: 20px;
  color: yellow;
}

.opt2 a{
  font-family:"Arial";
  font-size: 25px;
  color: green;
}

.opt3 a{
  font-family:"Courier";
  font-size: 30px;
  color: pink;
}

.opt4 a{
  font-family:"Times New Roman";

  font-size: 29px;
  color: rgb(14, 195, 223);
}

.opt5 a{
  font-family:"Courier";
  font-size: 18px;
  color: rgb(197, 12, 234);
}

</style>
</head>
<body>
  <h2>Hover around to see the dropdown menu</h2>

  <div class="dropdown">
```

```

    <button class="dropbtn">Top selling indian authors</button>
    <div class="dropdown-content">
<div class="opt1">
    <a href="#">Ruskin bond</a>
</div>
<div class="opt2">
<a href="#">Arundhati roy</a>
</div>
<div class="opt3">
<a href="#">Amish tripathi</a>
</div>

<div class="opt4">
    <a href="#">Aditya baliarsingh</a>
</div>
<div class="opt5">
    <a href="#">Shyam</a>
</div>
</div>
</div>
</body>
</html>

```

OUTPUT:-

Hover around to see the dropdown menu

Top selling indian authors

Hover around to see the dropdown menu

Top selling indian authors

Ruskin bond

Arundhati roy

Amish
tripathi

Aditya baliarsingh

Shyam

Hover around to see the dropdown menu



Q10. Create a registraton page that features the SOA logo centered on the page, along with form elements including text input fields, a password field, an email field, a radio button, a dropdown list, and a submit button. Additionally, apply CSS to style each form element for a be er appearance.

CODE:-

```
<html>
<head>
<title>Anupam Chandra 2341003015 CSS Assignment 1 Q10</title>
```

```
<style>
/* Reset some default styling */
* { margin: 0; padding: 0; box-sizing: border box; }
body { font-family: Arial, sans-serif;
background-color: #f5f5f5; display: flex;
justify-content: center; align-items: center;
height: 100vh; }
/* Centering the form container */
.container { background-color: white; padding:
30px; border-radius: 10px; box-shadow: 0 8px
16px rgba(0, 0, 0, 0.2);
max-width: 400px; width: 100%; text-align:
center; }
h2 { font-size: 24px; margin-bottom: 10px; }
/* SOA Logo */
logo { display: block; margin: 0 auto 20px; }
/* Form styling */
form { display: flex; flex-direction: column;
gap: 15px; }
input[type="text"], input[type="password"],
input[type="email"], select { width: 100%;
padding: 12px; border-radius: 5px;
border: 1px solid #ccc; font-size: 16px; }
input[type="password"] :invalid { border-color:
red; }
/* Styling the radio buttons */
.radio-group { display: flex; justify-content:
center; gap: 20px; font-size: 16px; }
/* Submit and Clear Buttons */
.button-group { display: flex; justify-content:
space-between; }
input[type="submit"], input[type="reset"] {
background-color: #4CAF50; color: white;
padding: 12px; border: none;
border-radius: 5px; cursor: pointer; font-size:
16px; width: 48%; }
input[type="submit"]:hover,
input[type="reset"]:hover { background-color:
yellow; }
input[type="reset"] { background-color: #f44336;
}

/* Styling the dropdown list */
```

```
select { background-color: white; }

.hint {font-size: 12px; color: #555; text-align:
left;}

</style> </head>
<body>

    <!-- Container for registration form -->

    <div class="container">

        <!-- Heading for Registration Form -->

        <h2>SOA Registration Form</h2>

        <!-- SOA Logo -->

        <!-- Registration Form -->

        <form action="Test1.html" method="POST">

            <!-- Text Input for Name (No numbers
allowed) -->

            <input type="text" name="name" placeholder="Full Name" pattern="[A-Za-z\s]+"
title="Only letters and spaces allowed"
required>

            <div class="hint">Hint: Only letters and spaces allowed in the name.</div>

            <input type="email" name="email"
placeholder="Email" title="Please enter a valid
email" required>

            <!-- Email Input -->

            <div class="hint">Hint: Please enter a valid
email address (e.g., name@example.com).</div>
```

```

<!-- Password Input -->

<input type="password" name="password"
placeholder="Password"
pattern="(?!.\d)(?!.[a-z])(?!.*[A
Z])(?!.*[!#$%^&+=]).{8,}"
title="Password must contain at least 8
characters, including 1 uppercase, 1 lowercase,
1 digit, and 1 special character" required>

<div class="hint">Hint: Must be at least 8
characters with at least 1 uppercase letter, 1
lowercase letter, 1 digit, and 1

special symbol.</div>
<!-- Confirm Password -->

<input type="password" name="password"
placeholder="Confirm Password"
pattern="(?!.\d)(?!.[a-z])(?!.*[A
Z])(?!.*[!#$%^&+=]).{8,}"
title="Password must contain at least 8
characters, including 1 uppercase, 1 lowercase,
1 digit, and 1 special character" required>

<div class="hint">Hint: Must be at least 8
characters with at least 1 uppercase letter, 1
lowercase letter, 1 digit, and 1

special symbol.</div>

<!-- Radio Button Group -->

<div class="radio-group">

<label> <input type="radio" name="gender"
value="male" required> Male </label>

<label> <input type="radio" name="gender"
value="female" required> Female </label> <label>
<input type="radio" name="gender" value="Others"

```

```

required> Others </label>

</div>
<!-- Dropdown List for Course Selection -->

<select name="course" required>

    <option value="" disabled selected>Select
Course</option>

    <option value="B.Tech.">B.Tech.</option>
    <option value="M.Tech.">M.Tech.</option>
    <option value="BCA">BCA</option>
    <option value="MCA">MCA</option>
    <option value="Ph.D.">Ph.D.</option>

</select>

<!-- Button Group (Submit and Clear Buttons) -->
<div class="button-group">
    <input type="submit" value="Register">
    <input type="reset" value="Clear">
</div>
</form>
</div>
</body>
</html>

```

.....SUCCESSFULLY SUBIMT SCREEN..... File name
(TEST1.html)

```

<html>
<head>
<title>Registration Confirmation</title>
<style>
body { font-family: Arial, sans-serif;
background-color: #f5f5f5;
display: flex;
justify-content: center;
align-items: center;
height: 100vh;

```



```
text-align: center; }
.message-container { background-color: white;
padding: 40px;
border-radius: 10px;
box-shadow: 0 8px 16px rgba(0, 0, 0, 0.2);
max-width: 400px;
width: 100%; }
h2 { color: #4CAF50; }
p { font-size: 16px; }
</style>
</head>
<body>
<!-- Confirmation message container -->
<div class="message-container">
<h2>Registration Done Successfully!</h2>
<p>Thank you for registering with SOA.</p>
</div>
</body>
</html>
```

OUTPUT:-

SOA Registration Form



Hint: Only letters and spaces allowed in the name.

Hint: Please enter a valid email address (e.g., name@example.com).

Hint: Must be at least 8 characters with at least 1 uppercase letter, 1 lowercase letter, 1 digit, and 1 special symbol.

Hint: Must be at least 8 characters with at least 1 uppercase letter, 1 lowercase letter, 1 digit, and 1 special symbol.

☐ Male ☐ Female ☐ Others



Register

Clear

Registration Done Successfully!

Thank you for registering with SOA.