

## PART - 1

Question 1:What does HTML stand for?

- 1.Hyper Text Markup Language
- 2.Home Tool Markup Language
- 3.Hyperlinks and Text Markup Language

answer 1

Question 2:Who is making the Web standards?

- 1.The World Wide Web Consortium
- 2.Microsoft
- 3.Mozilla
- 4.Google

answer 1

Question 3:Choose the correct HTML element for the largest heading:

- 1.<h1>
- 2.<h6>
- 3.<head>
- 4.<heading>

answer 1

Question 4:What is the correct HTML element for inserting a line break?

- 1.<br>
- 2.<lb>
- 3.<break>

answer 1

Question 5:What is the correct HTML for adding a background color?

- 1.<body style="background-color:yellow;">
- 2.<background>yellow</background>
- 3.<body bg="yellow">

answer 1

Question 6: Choose the correct HTML element to define important text

1. <strong>
2. <important>
3. <b>
4. <i>

answer 1

Question 7: Choose the correct HTML element to define emphasized text

1. <em>
2. <italic>
3. <i>

answer 1

Question 8: What is the correct HTML for creating a hyperlink?

1. <a href="http://www.w3schools.com">W3Schools</a>
2. <a name="http://www.w3schools.com">W3Schools.com</a>
3. <a url="http://www.w3schools.com">W3Schools.com</a>
4. <a>http://www.w3schools.com</a>

answer 1

Question 9: Which character is used to indicate an end tag?

1. /
2. ^
3. \*
4. <

answer 1

Question 10: How can you open a link in a new tab/browser window?

1. <a href="url" target="\_blank">
2. <a href="url" new>

3.<a href="url" target="new">

answer 1

Question 11:Which of these elements are all <table> elements?

- 1.<table><tr><td>
- 2.<thead><body><tr>
- 3.<table><head><tfoot>
- 4.<table><tr><tt>

answer 1

Question 12:Inline elements are normally displayed without starting a new line.

- 1.True
- 2.False

answer 1

Question 13:How can you make a numbered list?

- 1.<ol>
- 2.<list>
- 3.<ul>
- 4.<dl>

answer 1

Question 14:How can you make a bulleted list?

- 1.<dl>
- 2.<list>
- 3.<ol>
- 4.<ul>

answer 4

Question 15:What is the correct HTML for making a checkbox?

- 1.<input type="checkbox">
- 2.<checkbox>
- 3.<check>

4.<input type="check">

answer 1

Question 16:What is the correct HTML for making a text input field?

- 1.<input type="text">
- 2.<textinput type="text">
- 3.<input type="textfield">
- 4.<textfield>

answer 1

Question 17:What is the correct HTML for making a drop-down list?

- 1.<select>
- 2.<list>
- 3.<input type="list">
- 4.<input type="dropdown">

answer 1

Question 18:What is the correct HTML for making a text area?

- 1.<textarea>
- 2.<input type="textbox">
- 3.<input type="textarea">

answer 1

Question 19:What is the correct HTML for inserting an image?

- 1.<image src="image.gif" alt="MyImage">
- 2.<img alt="MyImage">image.gif</img>
- 3.
- 4.<img href="image.gif" alt="MyImage">

answer 3

Question 20: What is the correct HTML for inserting a background image?

- 1.<body style="background-image:url(background.gif)">
- 2.<body bg="background.gif">
- 3.<background img="background.gif">

answer 1

## PART-2

Question21.If we want define style for an unique element, then which css selector will we use ?

- A. IdB. text
- C. classD. name

Answer : Option A

Question22. If we don't want to allow a floating div to the left side of an element, which css property will we use ?

- A. marginB. clear
- C. floatD. padding

Answer : Option B

Question23.Suppose we want to arragnge five nos. of DIVs so that DIV4 is placed above DIV1. Now, which css property will we use to control the order of stack?

- A. d-indexB. s-index
- C. x-indexD. z-index

Answer : Option D

Question24. Can we align a Block element by setting the left and right margins ?

- A. Yes, we can
- B. Not Possible

Answer : Option B

Question25.If we want to wrap a block of text around an image, which css property will we use ?

- A. wrap
- B. push
- C. float
- D. align

Answer : Option C

Question26. Can we define the text direction via css property ?

- A. Yes, we can
- B. No, we can't

Answer : Option A

Question27.Is it possible to declare font-weight, font-face & font-size by using ONLY ONE css property ?

- A. Yes, it's possible
- B. No, not possible

Answer : Option A

Question28. If we want to show an Arrow as cursor, then which value we will use ?

- A. pointerB. default
- C. arrowD. arr

Answer : Option B

Question29.If we want to use a nice looking green dotted border around an image, which css property will we use?

- A. border-colorB. border-decoration
- C. border-styleD. border-line

Answer : Option C

Question30.Which of the following properties will we use to display border around a cell without any content ?

- A. empty-cell
- B. blank-cell
- C. noncontent-cell
- D. void-cell

Answer : Option A

Question31.What should be the table width, so that the width of a table adjust to the current width of the browser window?

- A. 640 pixelsB. 100%
- C. full-screenD. 1024 px

Answer : Option B

Question 32. Which element is used in the <HEAD> section on an HTML / XHTML page, if we want to use an external style sheet file to decorate the page ?

- A. <src>
- B. <link>
- C. <style>
- D. <css>

Answer : Option B

Question 33. Which attribute can be added to many HTML / XHTML elements to identify them as a member of a specific group ?

- A. Id
- B. div
- C. class
- D. span

Answer : Option C

Question 34. When we write , what "img.png" inside double quote implies?

- A. element
- B. attribute
- C. value
- D. operator

Answer : Option C

Question 35. How can we write comment along with CSS code ?

- A. /\* a comment \*/
- B. // a comment //



- C. / a comment /
- D. <' a comment'>

Answer : Option A

Question 36.Which css property you will use if you want to add some margin between a DIV's border and its inner text ?

- A. spacing
- B. margin
- C. padding
- D. inner-margin

Answer : Option C

Question 37.Which CSS property is used to control the text size of an element ?

- A. font-style
- B. text-size
- C. font-size
- D. text-style

Answer : Option C

Question 38.The default value of "position" attribute is \_\_\_\_\_.

- A. fixed
- B. absolute
- C. inherit
- D. relative

Answer : Option D

Question39.How will you make all paragraph elements 'RED' in color ?

- A. p.all {color: red;}
- B. p.all {color: #990000;}
- C. all.p {color: #998877;}
- D. p {color: red;}

Answer : Option D

Question40.By default Hyperlinks are displayed with an underline. How do you remove the underline from all hyperlinks by using CSS code ?

- A. a {text: no-underline;}
- B. a {text-decoration:none;}
- C. a {text-style: no-underline;}
- D. a {text-decoration: no-underline;}

Answer : Option B

### PART-3

Question 41 - Which of the following is true about variable naming conventions in JavaScript?

A - JavaScript variable names must begin with a letter or the underscore character.

B - JavaScript variable names are case sensitive.

C - Both of the above.

D - None of the above.

Answer : C

Question 42 - Which of the following is a valid type of function javascript supports?

A - named function

B - anonymous function

C - Both of the above.

D - None of the above.

Answer : C

Question 43 - Which built-in method returns the length of the string?

A - length()

B - size()

C - index()

D - None of the above.

Answer : A

Question 44 - Which built-in method reverses the order of the elements of an array?

A - changeOrder(order)

B - reverse()

C - sort(order)

D - None of the above.

Answer : B

Question45 - Which of the following function of Number object defines how many total digits to display of a number?

A - toExponential()

B - toFixed()

C - toLocaleString()

D - toPrecision()

Answer : D

Question 46 - Which of the following function of String object returns a number indicating whether a reference string comes before or after or is the same as the given string in sort order?

A - localeCompare()

B - search()

C - substr()

D - concat()

Answer : A

Question 47 - Which of the following function of String object creates a string to blink as if it were in a <blink> tag?

A - anchor()

B - big()

C - blink()

D - italics()

Answer : C

Question 48 - Which of the following function of Array object returns a new array comprised of this array joined with other array(s) and/or value(s)?

A - concat()

B - pop()

C - push()

D - some()

Answer : A

Question 49 - Which of the following function of Array object creates a new array with all of the elements of this array for which the provided filtering function returns true?

A - concat()

B - every()

C - filter()

D - some()

Answer : C

Question 50 - Which of the following function of Array object adds and/or removes elements from an array?

A - toSource()

B - sort()

C - splice()

D - unshift()

Answer : C

## PART-4

1. What is the use of === in javaScript explain?
2. What is the callback function?How to Declare?
3. What is the difference between margin and padding ?
4. What is the difference between HTML4 AND HTML5 ?
5. How to debug javaScript explain few lines ?

## PART-5

1. Create Student Registration Form in HTML5,
2. Apply above form CSS3
3. Apply above form validation using JavaScript