



















B10_27_T90X_W2_KA_HFT				KITE(35.01.24341.44)
SpecReference :				
Higher resolution images are resized by 70% Fri Feb 13 19:10:48 IST 2026				
Detailed Test Report				

Test Script Id	Test Script Objective			Result
KPIT_TC_DRT_HFT_020	KPIT_TC_DRT_HFT_020 : To verify active call is muted when Mute button is selected on the In-call screen			Pass
Function Block [Result]	Command	Expected Result	Actual Result	Status
Set Device to ROBOT MG400 and External Camera Basler [SUCCESS]	SET_DEVICE	Set ROBOT device [MGROBOT] to perform operation	Robot device with deviceId [MGROBOT] is set successfully to perform operation	[Pass]
	SET_DEVICE	Set camera device [camera1] as DUT to perform operations	Camera device is set to perform operation	[Pass]
Go to Homescreen Page1 [SUCCESS]	RESETARM	Reset Arm successfully executed.	Reset Arm successfully executed.	[Pass]
	IMAGE_GRAB	Grab the image from connected DUT with image name as [GrabbedImage.png]	Successfully grabbed image from connected DUT with image name as [GrabbedImage.png]	[Pass]
	CLICK_BY_IMAGE			[Pass] 1. Image found [with confidence 99.0%]. 2. Position identified in image [147.0]:[262.0], 3. Robot click performed .
	WAIT	Wait for [500] milliseconds	Wait for [500] milliseconds completed successfully	[Pass]
	CLICK_BY_IMAGE			[Pass] 1. Image found [with confidence 99.0%]. 2. Position identified in image [147.0]:[262.0], 3. Robot click performed .
Switch Control to Phone2 [SUCCESS]	SET_DEVICE	Set AppiumAndroid device with device Id [AndroidPhone2] as DUT to perform operation	AppiumAndroid device with device ID [AndroidPhone2] set successfully	[Pass]
	WAIT	Wait for [200] milliseconds	Wait for [200] milliseconds completed successfully	[Pass]
	SET_HOME	Go to Android home screen	Android Device set to Home screen	[Pass]
	SET_HOME	Go to Android home screen	Android Device set to Home screen	[Pass]
Launch KITE App on Android Phone [SUCCESS]	SET_HOME	Go to Android home screen	Android Device set to Home screen	[Pass]
	WAIT	Wait for [500] milliseconds	Wait for [500] milliseconds completed successfully	[Pass]
	CLICK_BY_TEXT	Click on text [KITE App]	Clicked on element with text [KITE App]	[Pass]
	WAIT	Wait for [200] milliseconds	Wait for [200] milliseconds completed successfully	[Pass]
	IF	VERIFY_TEXT_BY_ID shall PASS	 IF [Failed], VERIFY_TEXT_BY_ID Result-[Element at id (android:id/alertTitle) not found, Refer Screenshot: D:/KITE/KITE/ReportData/Failed Test steps screenshots/screenshot_26_02_13_07_09_38_539.png]	[Fail]








Test Script Id	Test Script Objective			Result
KPIT_TC_DRT_HFT_020	KPIT_TC_DRT_HFT_020 : To verify active call is muted when Mute button is selected on the In-call screen			Pass
Function Block [Result]	Command	Expected Result	Actual Result	Status
	ELSE_IF	VERIFY_TEXT_BY_ID shall PASS	 ELSE_IF [Failed], VERIFY_TEXT_BY_ID Result- [Element at id (android:id/alertTitle) not found, Refer Screenshot: D:\KITE\KITE\ReportData\Failed Test steps screenshots/screenshot_26_02_13_07_09_44_049.png]	[Fail]
	ENDIF	NA	 NA	[Fail]
Select Phone Tab on KITE App [SUCCESS]	CLICK_BY_TEXT	Click on text [PHONE]	Clicked on element with text [PHONE]	[Pass]
	WAIT	Wait for [200] milliseconds	Wait for [200] milliseconds completed successfully	[Pass]
Make Call to Phone1 from Remote Phone [SUCCESS]	DEFINE	Define Variable [\$Phone1Number]	Defined Variable [\$Phone1Number]	[Pass]
	GET_DATA_FROM_FILE	Get data from [Bench_Configuration.xlsx] Excel file	Successfully fetched the value [9730521106] of variable [Phone1Number] from the [Bench_Configuration.xlsx] file	[Pass]
	SET_TEXT_BY_ID	Set text [9730521106] at element with id [com.kpit.testensemble.kiteapp:id/edtPhoneNumber]	Text [9730521106] set successfully at id [com.kpit.testensemble.kiteapp:id/edtPhoneNumber]	[Pass]
	CLICK_BY_ID	Click on element at id as [com.kpit.testensemble.kiteapp:id/btnDial]	Clicked on element at id [com.kpit.testensemble.kiteapp:id/btnDial]	[Pass]
Set Device to ROBOT MG400 and External Camera Basler [SUCCESS]	SET_DEVICE	Set ROBOT device [MGROBOT] to perform operation	Robot device with deviceId [MGROBOT] is set successfully to perform operation	[Pass]
	SET_DEVICE	Set camera device [camera1] as DUT to perform operations	Camera device is set to perform operation	[Pass]
Wait till Incoming Call Screen Displayed [SUCCESS]	RESETARM	Reset Arm successfully executed.	Reset Arm successfully executed.	[Pass]
	IMAGE_GRAB	Grab the image from connected DUT with image name as [GrabbedImage.png]	Successfully grabbed image from connected DUT with image name as [GrabbedImage.png]	[Pass]
	WHILENOT	OCR_VERIFY_TEXT_BY_RECT shall FAIL		[ROI1] [Pass] Text Verified Successfully Detected Text: Incoming Call...
	END_WHILE	NA		[ROI1] [Pass] Text Verified Successfully Detected Text: Incoming Call...

Result : ■ Pass ■ Statement is not considered for result evaluation(loop and conditional statements)
■ Fail ■ Statement is executed asynchronously
■ Verify Manually



Test Script Id	Test Script Objective			Result
KPIT_TC_DRT_HFT_020	KPIT_TC_DRT_HFT_020 : To verify active call is muted when Mute button is selected on the In-call screen			Pass
Function Block [Result]	Command	Expected Result	Actual Result	Status
Accept Incoming Call from ICB [SUCCESS]	RESETARM	Reset Arm successfully executed.	Reset Arm successfully executed.	[Pass]
	IMAGE_GRAB	Grab the image from connected DUT with image name as [GrabbedImage.png]	Successfully grabbed image from connected DUT with image name as [GrabbedImage.png]	[Pass]
	CLICK_BY_IMAGE			[Pass] 1. Image found [with confidence 95.0%], 2. Position identified in image [382.0][777.0], 3. Robot click performed .
Validate BT Active Call Screen [SUCCESS]	RESETARM	Reset Arm successfully executed.	Reset Arm successfully executed.	[Pass]
	IMAGE_GRAB	Grab the image from connected DUT with image name as [GrabbedImage.png]	Successfully grabbed image from connected DUT with image name as [GrabbedImage.png]	[Pass]
	COMPARE_SCREEN_SECTION			[ROI1] 98% [Pass] Section Found on Screen [ROI2] 88% [Pass] Section Found on Screen [ROI3] 98% [Pass] Section Found on Screen [ROI4] 98% [Pass] Section Found on Screen
Dial Number Using Remote Phone Keypad and Validate Active Call is Audible on ICB [SUCCESS]	SET_DEVICE	Set AppiumAndroid device with device Id [AndroidPhone2] as DUT to perform operation	AppiumAndroid device with device ID [AndroidPhone2] set successfully	[Pass]
	CAPTURE_SCREEN	Capture screenshot from DUT	Screenshot captured successfully with image name as [GrabbedImage.png]	[Pass]
	IF	CLICK_BY_TEXT shall PASS	IF [Pass], CLICK_BY_TEXT Result-[SUCCESS : Clicked on element with text (Keypad)]	[Pass]
	ENDIF	NA	NA	[Pass]
	SET_DEVICE	Set device [ICB_SPEAKER] to perform operations	Device is set to perform operation	[Pass]
	LISTEN_AUDIO	LISTEN_AUDIO should execute asynchronously	LISTEN_AUDIO is executing asynchronously	INPROGRESS
	SET_DEVICE	Set AppiumAndroid device with device Id [AndroidPhone2] as DUT to perform operation	AppiumAndroid device with device ID [AndroidPhone2] set successfully	[Pass]
	CLICK_BY_TEXT	Click on text [1]	Clicked on element with text [1]	[Pass]
	CLICK_BY_TEXT	Click on text [1]	Clicked on element with text [1]	[Pass]
	CLICK_BY_TEXT	Click on text [1]	Clicked on element with text [1]	[Pass]
	LISTEN_AUDIO	Record audio in file named [audio] with maxStartSilenceDuration : [1500]ms and maxStopSilenceDuration : [1500]ms.	Successfully recorded audio for [4.7] seconds.	[Pass]
	WAIT_FOR_LISTEN_AUDIO	Wait for listen audio to complete	Listen audio completed successfully. Waited for 1 Seconds	[Pass]
	IF	VERIFY_BUZZER shall PASS	IF [Failed], VERIFY_BUZZER Result-[Recorded Audio length is less than Reference Audio length]	[Fail]
	ELSE_IF	 VERIFY_BUZZER shall PASS	 ELSE_IF [Failed], VERIFY_BUZZER Result-[Buzzer Comparison Failed. Matching percentage : 77.43046581745148]	[Fail]
	ELSE_IF	 VERIFY_BUZZER shall PASS	 ELSE_IF [Pass], VERIFY_BUZZER Result-[SUCCESS : Buzzer Comparison Successful. Matching percentage: 97.30659127235413]	[Pass]
	RETURN_FUNCTION_BLOCK_PASS	Breaks currently executing function block and marks function block as pass. Remaining function block commands does not execute	Return function block pass completed successfully	[Pass]
Set Device to ROBOT MG400 and External Camera Basler [SUCCESS]	SET_DEVICE	Set ROBOT device [MGROBOT] to perform operation	Robot device with deviceId [MGROBOT] is set successfully to perform operation	[Pass]
	SET_DEVICE	Set camera device [camera1] as DUT to perform operations	Camera device is set to perform operation	[Pass]
Select Mute Button on BT Active Call Screen [SUCCESS]	RESETARM	Reset Arm successfully executed.	Reset Arm successfully executed.	[Pass]
	IMAGE_GRAB	Grab the image from connected DUT with image name as [GrabbedImage.png]	Successfully grabbed image from connected DUT with image name as [GrabbedImage.png]	[Pass]

Test Script Id	Test Script Objective			Result
KPIT_TC_DRT_HFT_020	KPIT_TC_DRT_HFT_020 : To verify active call is muted when Mute button is selected on the In-call screen			Pass
Function Block [Result]	Command	Expected Result	Actual Result	Status
	CLICK_BY_IMAGE			[Pass] 1. Image found [with confidence 98.0%]. 2. Position identified in image [936.0][779.0]. 3. Robot click performed .
Dial Number Using Remote Phone Keypad and Validate Active Call is Muted on ICB [SUCCESS]	SET_DEVICE	Set AppiumAndroid device with device Id [AndroidPhone2] as DUT to perform operation	AppiumAndroid device with device ID [AndroidPhone2] set successfully	[Pass]
	CAPTURE_SCREEN	Capture screenshot from DUT	Screenshot captured successfully with image name as [GrabbedImage.png]	[Pass]
	IF	CLICK_BY_TEXT shall PASS	 IF [Failed], CLICK_BY_TEXT Result:[Element with text (Keypad) not visible, Refer Screenshot: D:/KITE/KITE/ReportData/Failed Test steps screenshots/screenshot_26_02_13_07_10_23_497.png]	[Fail]
	ENDIF	NA	 NA	[Fail]
	SET_DEVICE	Set device [ICB_SPEAKER] to perform operations	Device is set to perform operation	[Pass]
	LISTEN_AUDIO	LISTEN_AUDIO should execute asynchronously	LISTEN_AUDIO is executing asynchronously	INPROGRESS
	SET_DEVICE	Set AppiumAndroid device with device Id [AndroidPhone2] as DUT to perform operation	AppiumAndroid device with device ID [AndroidPhone2] set successfully	[Pass]
	CLICK_BY_TEXT	Click on text [1]	Clicked on element with text [1]	[Pass]
	CLICK_BY_TEXT	Click on text [1]	Clicked on element with text [1]	[Pass]
	CLICK_BY_TEXT	Click on text [1]	Clicked on element with text [1]	[Pass]
	LISTEN_AUDIO	Record audio in file named [audio] with maxStartSilenceDuration : [1500]ms and maxStopSilenceDuration : [1500]ms.	Successfully recorded audio for [4.6] seconds.	[Pass]
	WAIT_FOR_LISTEN_AUDIO	Wait for listen audio to complete	Listen audio completed successfully. Waited for 1 Seconds	[Pass]
	IF	VERIFY_BUZZER shall PASS	IF [Failed], VERIFY_BUZZER Result:[Recorded Audio length is less than Reference Audio length]	[Fail]

Result : ■ Pass ■ Statement is not considered for result evaluation(loop and conditional statements)
■ Fail ■ Statement is executed asynchronously
■ Verify Manually

Test Script Id	Test Script Objective			Result
KPIT_TC_DRT_HFT_020	KPIT_TC_DRT_HFT_020 : To verify active call is muted when Mute button is selected on the In-call screen			Pass
Function Block [Result]	Command	Expected Result	Actual Result	Status
	ELSE_IF	 VERIFY_BUZZER shall PASS	 ELSE_IF [Failed], VERIFY_BUZZER Result-[Buzzer Comparision Failed. Matching percentage : 78.86260151863098]	[Fail]
	ELSE_IF	VERIFY_BUZZER shall PASS	ELSE_IF [Failed], VERIFY_BUZZER Result-[Recorded Audio length is less than Referenece Audio length]	[Fail]
	ELSE	NA	NA	[Pass]
	RETURN_FUNCTION_BLOCK_PASS	Breaks currently executing function block and marks function block as pass. Remaining function block commands does not execute	Return function block pass completed successfully	[Pass]
Set Device to ROBOT MG400 and External Camera Basler [SUCCESS]	SET_DEVICE	Set ROBOT device [MGROBOT] to perform operation	Robot device with deviceId [MGROBOT] is set successfully to perform operation	[Pass]
	SET_DEVICE	Set camera device [camera1] as DUT to perform operations	Camera device is set to perform operation	[Pass]
Select Hangup Button on BT Active Call Screen [SUCCESS]	RESETARM	Reset Arm successfully executed.	Reset Arm successfully executed.	[Pass]
	IMAGE_GRAB	Grab the image from connected DUT with image name as [GrabbedImage.png]	Successfully grabbed image from connected DUT with image name as [GrabbedImage.png]	[Pass]
	CLICK_BY_IMAGE			[Pass] 1. Image found [with confidence 89.0%], 2. Position identified in image [382.0][760.0], 3. Robot click performed .
Wait till Active Call Ends on BT Active Call Screen [SUCCESS]	RESETARM	Reset Arm successfully executed.	Reset Arm successfully executed.	[Pass]
	IMAGE_GRAB	Grab the image from connected DUT with image name as [GrabbedImage.png]	Successfully grabbed image from connected DUT with image name as [GrabbedImage.png]	[Pass]
	WHILE	OCR_VERIFY_TEXT_BY_RECT shall PASS		[ROI1] [Pass] Text Verified Successfully Detected Text: Ending Call
	WAIT	Wait for [300] milliseconds	Wait for [300] milliseconds completed successfully	[Pass]
	IMAGE_GRAB	Grab the image from connected DUT with image name as [GrabbedImage.png]	Successfully grabbed image from connected DUT with image name as [GrabbedImage.png]	[Pass]
	END_WHILE	NA	NA	[Pass]
	WHILE	OCR_VERIFY_TEXT_BY_RECT shall PASS		[ROI1] [Pass] Text Verified Successfully Detected Text: Ending Call
	WAIT	Wait for [300] milliseconds	Wait for [300] milliseconds completed successfully	[Pass]
	IMAGE_GRAB	Grab the image from connected DUT with image name as [GrabbedImage.png]	Successfully grabbed image from connected DUT with image name as [GrabbedImage.png]	[Pass]
	END_WHILE	NA	NA	[Pass]
	WHILE	OCR_VERIFY_TEXT_BY_RECT shall PASS		[ROI1] [Pass] Text Verified Successfully Detected Text: Ending Call
	WAIT	Wait for [300] milliseconds	Wait for [300] milliseconds completed successfully	[Pass]
	IMAGE_GRAB	Grab the image from connected DUT with image name as [GrabbedImage.png]	Successfully grabbed image from connected DUT with image name as [GrabbedImage.png]	[Pass]
	END_WHILE	NA	NA	[Pass]
	WHILE	OCR_VERIFY_TEXT_BY_RECT shall PASS		[ROI1] [Pass] Text Verified Successfully Detected Text: Ending Call
	WAIT	Wait for [300] milliseconds	Wait for [300] milliseconds completed successfully	[Pass]
	IMAGE_GRAB	Grab the image from connected DUT with image name as [GrabbedImage.png]	Successfully grabbed image from connected DUT with image name as [GrabbedImage.png]	[Pass]
	END_WHILE	NA	NA	[Pass]

Result : ■ Pass ■ Statement is not considered for result evaluation(loop and conditional statements)
■ Fail ■ Statement is executed asynchronously
■ Verify Manually

Test Script Id	Test Script Objective			Result
KPIT_TC_DRT_HFT_020	KPIT_TC_DRT_HFT_020 : To verify active call is muted when Mute button is selected on the In-call screen			Pass
Function Block [Result]	Command	Expected Result	Actual Result	Status
	WHILE	OCR_VERIFY_TEXT_BY_RECT shall PASS		[ROI1] [Fail] Detected text does not match with input text!! Detected Text: on aioe ote.en eaepee eter eee
	END_WHILE	NA		[ROI1] [Fail] Detected text does not match with input text!! Detected Text: on aioe ote.en eaepee eter eee