PHARMACOVIGILANCE SYSTEM MASTER FILE (PSMF)

Document control field	Entry / status
Document status	Controlled draft for review; not approved for regulatory submission
Version	0.1
Preparation date	2026-10-16
Organisation / legal entity	Workora
PSMF reference number	Not provided
QPPV name and contact details	Not provided
Prepared by	Durga Chandra Kanth samayam
PV / QPPV review	Pending
Quality review	Pending
Final approval and date	Pending
Source files reviewed	psmf_section_checklist.txt; safety_system_inventory.csv; sop_register.csv

Document purpose, scope and evidence rules

This document consolidates information available in the three supplied files into a structured PSMF main-body summary. It records the listed systems and SOPs, addresses the headings in the supplied checklist, and identifies evidence needed to complete the summary.

The supplied files do not include an organisational chart, named QPPV details, a safety-data-source inventory, detailed PV process documentation, system architecture and supporting validation records, performance-indicator results, quality-system records, or audit history. These items remain subject to verification and completion using the organisation's controlled records.

Evidence convention: 'Recorded in supplied file' means the value is transcribed from a supplied file and has not been independently verified. 'Not supplied' means the evidence was not present in the files reviewed; it does not mean that the activity or record does not exist. Proposed workflow stages and evidence lists are completion aids, not claims that the organisation has implemented those arrangements.

Contents

Document purpose, scope and evidence rules 1
Contents 2
1. QPPV responsibilities and oversight 3
2. Organisational structure 4
3. Sources of safety data 4
4. Computerised systems and safety database 5
  4.1 System architecture and controls 5
5. PV processes and SOP index 6
  5.1 Signal management workflow and supporting evidence 7
6. Performance indicators 7
7. Quality system 8
  7.1 Audit history 8
  7.2 Quality-system evidence to add 8
8. Annexes and supporting evidence index 8
9. Open-item and readiness register 9
10. Summary conclusion 11
11. Review and approval 11

1. QPPV responsibilities and oversight

The supplied SOP register assigns the QPPV owner role to Case Intake, Medical Review, Aggregate Reports, Vendor Oversight, and Audit and CAPA. These entries establish recorded SOP ownership only. They do not independently demonstrate the full scope of QPPV authority, actual oversight performed, access to safety information, or the effectiveness of the pharmacovigilance system.

Expected QPPV responsibilities (to be confirmed against the appointment letter and job description, not asserted as implemented): maintaining an overview of the PV system and its performance; authority to ensure corrective action and system improvement; access to the PSMF; oversight of system functioning, quality, compliance and inspection/audit readiness; awareness of critical issues such as the open remediation items below; and a documented deputy/back-up arrangement. Supporting evidence for each point must be added from controlled records.

Oversight area	**Source-file evidence**	**Supporting evidence / confirmation required**
Case intake and processing	PV-SOP-001 Case Intake; owner role QPPV	Approved procedure; intake channels; triage and validity checks; processing and submission controls; reconciliation; timeliness monitoring; escalation records.
Medical review	PV-SOP-002 Medical Review; owner role QPPV	Medical assessment and review criteria; decision authority; quality-review records; documented review and escalation.
Aggregate reporting	PV-SOP-004 Aggregate Reports; owner role QPPV	Applicable products/markets/report types; schedule tracking; review/approval records; submission evidence and late-report escalation.
Vendor oversight	PV-SOP-005 Vendor Oversight; owner role QPPV	Vendor list; PV agreements; allocation of responsibilities; oversight metrics; reconciliation; issue logs; periodic review evidence.
Quality and corrective actions	PV-SOP-007 Audit and CAPA; owner role QPPV	Deviation and audit access; findings; CAPA ownership and deadlines; overdue-action escalation; effectiveness checks.
Signal management	PV-SOP-003 Signal Management is owned by Safety Operations, not the QPPV; PV-SYS-04 Signal analytics is owned by Quality and recorded as Remediation open	Confirm how the QPPV oversees signal detection, assessment and decisions (review forums, sign-off, escalation); confirm that the signal-analytics remediation does not impair signal detection.
System-level oversight	Safety database recorded as Validated; three other systems recorded as Remediation open	Evidence of QPPV review of relevant system status, critical issues, data integrity, continuity, access and escalations, including dates and decisions.

The supplied files do not include QPPV appointment details, oversight records, meeting minutes, signed reviews or documented escalations. These should be added or referenced if available. SOP ownership must

not be presented as proof that a procedure was executed or that oversight was effective. Ownership of the Audit and CAPA SOP does not, by itself, establish that the QPPV independently conducts audits.

2. Organisational structure

The SOP register and system inventory identify the following role/function labels: QPPV, Safety Operations, Quality Assurance, Quality and IT. The supplied files do not define the complete legal-entity structure, reporting lines, country/local PV roles, staffing, deputy arrangements, or interfaces with affiliates, partners and service providers.

Role / function evidenced	Evidence in supplied files	Completion / verification requirement
QPPV	Owner role for PV-SOP-001, 002, 004, 005 and 007	Confirm full name, contact details, qualifications, appointment, authority, reporting line, access to safety information, deputy/cover and escalation arrangements.
Safety Operations	Owner role for PV-SOP-003 and 008	Confirm team structure, responsibilities, resources and escalation route.
Quality Assurance	Owner role for PV-SOP-006	Confirm quality governance, reporting line and responsibilities for continuity planning.
Quality	Owner of document management and signal analytics systems in inventory	Confirm whether this is a department/function and document system-control responsibilities.
IT	Owner of safety database and training records systems in inventory	Confirm access administration, technical support, security, backup/restore and supplier responsibilities.

Required evidence, if available: approved organisation chart; role descriptions; QPPV appointment and qualification records; delegation/cover plan; contact and escalation list; and agreements defining PV responsibilities with affiliates, license partners or vendors, where applicable. Do not infer reporting relationships from the owner labels in the supplied files.

3. Sources of safety data

The supplied checklist requires a description of safety-data sources. No source inventory was included in the files reviewed. The actual products, territories, data sources, intake channels, literature sources, study sources, partner/affiliate sources and reconciliation arrangements in scope therefore remain unverified.

Required catalogue field	Current evidence status
Source / channel name and type	Not supplied — compile from controlled records.
Products, territories and populations in scope	Not supplied.
Responsible internal function / external provider	Not supplied, except for function labels in the SOP and system inventories.
Receipt method and monitoring frequency	Not supplied.
Forwarding, processing, reconciliation and escalation controls	Not supplied.
Periodic completeness review	Not supplied.

Source procedures and record references	Not supplied.

If available, attach or reference an approved source inventory, process maps, literature-search strategy and monitoring records, partner/vendor agreements, reconciliation logs and evidence of periodic source-completeness review. Do not add a source merely because it is common in pharmacovigilance; confirm that it is in scope.

4. Computerised systems and safety database

The following details are transcribed from safety_system_inventory.csv. The status labels and dates have not been independently verified against underlying validation, access-review, backup or remediation records.

System ID	Purpose	Owner	Recorded status	Recorded backup frequency	Recorded last access review
PV-SYS-01	Safety database	IT	Validated	Weekly	2026-05-20
PV-SYS-02	Document management	Quality	Remediation open	Weekly	2026-02-28
PV-SYS-03	Training records	IT	Remediation open	Weekly	2026-06-27
PV-SYS-04	Signal analytics	Quality	Remediation open	Weekly	2026-05-05

Interpretation: 'Validated' is the status recorded in the inventory and is not, on its own, independent evidence that validation remains adequate for the system's intended use. 'Remediation open' identifies an unresolved status in the source inventory; the nature, risk and required actions are not described in the supplied file. A recorded backup frequency does not prove successful backup execution or successful restoration. A review date does not establish the outcome or appropriateness of access.

Observations from the inventory: (a) PV-SYS-03 Training records and PV-SYS-02 Document management are both 'Remediation open', so the training-completion percentages and SOP version data used in Section 5 come from systems whose control status is unresolved and should be reconciled to source records; (b) PV-SYS-04 Signal analytics is 'Remediation open' and supports the signal-management process described in Section 5.1; (c) as at 2026-10-16 the recorded last access reviews are 3 to 8 months old (oldest: PV-SYS-02, 2026-02-28; most recent: PV-SYS-03, 2026-06-27) - confirm the approved review frequency and whether any review is overdue; (d) weekly backup is recorded for all four systems, including the safety database - confirm this meets the approved recovery-point objective for case data.

4.1 System architecture and controls

No system-context diagram, data-flow diagram, supplier/version details, hosting/location information, interface specification, access model, validation package, audit-trail procedure, data-migration record, disaster-recovery objective or restore-test result was supplied. The architecture and control environment cannot therefore be described as verified.

- Provide a controlled system-context/data-flow diagram covering safety-data receipt, case entry, medical review, reporting, signal review, document storage and applicable interfaces.

- For each system, record supplier/version, intended use, business/system owner, hosting/location, interfaces, access model, criticality and relevant agreements.
- Provide validation/qualification evidence, change-control history, periodic review, audit-trail review approach and data-integrity controls.
- For PV-SYS-02, PV-SYS-03 and PV-SYS-04, identify the actual issue, risk/impact assessment, interim controls, accountable owner, issue/CAPA reference, target date, current status and closure/effectiveness evidence.
- Verify backup execution and retain restore-test results, recovery objectives and disaster-recovery/business-continuity test evidence.
- Document access-review outcomes and approvals; do not treat the listed review dates alone as proof of successful reviews.

5. PV processes and SOP index

The following SOP data are transcribed from sop_register.csv. The supplied file does not establish whether these are the latest approved versions, whether training percentages are current, or whether all procedures were implemented effectively. Dates are standardised to YYYY-MM-DD for readability; verify them against the controlled SOP repository where available.

SOP ID	Title	Owner role	Recorded version	Recorded effective date	Recorded training completion
PV-SOP-001	Case Intake	QPPV	4.2	2025-02-25	95%
PV-SOP-002	Medical Review	QPPV	4.3	2025-04-01	87%
PV-SOP-003	Signal Management	Safety Operations	3.3	2025-04-21	93%
PV-SOP-004	Aggregate Reports	QPPV	4.5	2025-02-08	97%
PV-SOP-005	Vendor Oversight	QPPV	2.2	2025-03-25	98%
PV-SOP-006	Business Continuity	Quality Assurance	3	2026-01-04	92%
PV-SOP-007	Audit and CAPA	QPPV	3.5	2025-05-26	96%
PV-SOP-008	Literature Monitoring	Safety Operations	1.1	2026-07-06	94%

Training interpretation: the percentages above are transcribed from the register. The file does not state the reporting date, learner population/denominator, approved completion threshold, whether incomplete training is overdue, or whether exceptions were risk-assessed. The 87% value for Medical Review is the lowest listed percentage, but the supplied data alone do not establish a compliance breach. Likewise, higher percentages do not independently establish compliance.

The SOP index should be reconciled with the controlled master SOP list before approval. Full SOP texts and underlying training records were not supplied.

Ownership note: PV-SOP-003 (Signal Management), PV-SOP-006 (Business Continuity) and PV-SOP-008 (Literature Monitoring) are not QPPV-owned; document how the QPPV retains oversight of these processes. PV-SOP-008 (v1.1) became effective on 2026-07-06, so the literature-monitoring process has limited operating history - confirm it was in place before that date under another procedure. Note that

dd/mm versus mm/dd ambiguity was resolved as month/day/year because several register dates (e.g. 5/20/2026, 2/25/2025) can only be read that way; verify against the controlled repository.

5.1 Signal management workflow and supporting evidence

PV-SOP-003 is listed as Signal Management, version 3.3, effective 2025-04-21, with Safety Operations as owner and 93% training completion. The actual approved workflow was not included in the supplied files. The stages below are a proposed completion framework only and must be confirmed against the current approved SOP before being described as the organisation's implemented process.

1. Signal detection: identify and document potential signals from defined sources and applicable analytics outputs.
2. Validation and prioritisation: record criteria, clinical relevance, prioritisation method, responsible reviewer and decision rationale.
3. Assessment: document the evidence reviewed, case series where relevant, expectedness considerations and potential benefit-risk implications.
4. Recommendation and decision: record the decision, rationale, decision-maker, escalation and any resulting regulatory or product-information actions.
5. Implementation and communication: track agreed actions, owners, due dates, communications and required submissions.
6. Monitoring and closure: document follow-up, effectiveness review, closure rationale and retention of the signal history.

If available, attach or reference the approved procedure, signal register, assessment reports, decision records, meeting minutes, action tracker and closure evidence. No actual signal cases, assessments, decisions or closure records were supplied.

6. Performance indicators

The supplied checklist requires performance indicators. No KPI definitions, targets, reporting periods, results, trends, breach records or governance-review minutes were included. Performance cannot be assessed from the supplied files.

KPI area	Information required for completion
Case processing / reporting timeliness	Approved definition, denominator, target, period, actual result, trend, breaches and corrective actions.
Case quality	Quality-review criteria, error rate, critical errors, trends and remediation.
Signal management	Triage/assessment timeliness, open signals by age/status, overdue actions and closure effectiveness.
Aggregate reports	On-time completion/submission, late or missed reports and escalation.
Vendor oversight	Reconciliation completion, overdue deliverables, deviations and vendor CAPA status.
Training	Completion by SOP, reporting date, denominator, overdue learners, role-critical training and escalation.
System controls	Validation/remediation status, backup/restore-test outcomes, access-review completion and critical incidents.
Audit/CAPA	Findings by severity, overdue CAPAs, recurrence and effectiveness-check results.

Populate these fields only from approved reports and records. Targets must come from the organisation's approved governance process; no targets or results should be inferred from the inventory or SOP register.

7. Quality system

The SOP register includes PV-SOP-007 (Audit and CAPA) and PV-SOP-006 (Business Continuity). The system inventory records remediation open for document management, training records and signal analytics. No quality manual, deviation register, CAPA log, change-control log, training matrix, audit schedule, audit reports, management-review minutes or effectiveness-check evidence was supplied.

7.1 Audit history

No audit history was present in the supplied files. This does not establish that no audits or inspections occurred. Record the period reviewed and identify the records searched before drawing any conclusion about audit history.

Audit-history field	Current status
Audit/inspection register and period covered	Not supplied.
Audits performed, scope and dates	Not supplied.
Findings and severity	Not supplied.
CAPA references, owners, due dates and status	Not supplied.
Effectiveness checks and recurrence assessment	Not supplied.
Inspection history and commitments	Not supplied.

7.2 Quality-system evidence to add

- Approved quality-system overview and document-control procedure.
- Deviation/non-compliance register and impact assessments.
- CAPA log with owners, deadlines, status, closure evidence and effectiveness checks.
- Change-control records for SOPs, systems, vendors and process changes.
- Training matrix, training records, overdue-training reports and escalation evidence.
- Audit programme, audit reports, inspection records and management-review minutes.
- Business-continuity and disaster-recovery plan and test results, including follow-up actions.

Where system remediation items are linked to quality records, cross-reference the relevant issue/CAPA IDs in the system inventory or remediation register. No such IDs were provided in the supplied files.

8. Annexes and supporting evidence index

The index below distinguishes source material provided from supporting evidence that was not included. 'Not supplied' means not present in the three files reviewed; it does not mean the record does not exist.

Annex	Evidence item	Status based on supplied files
A	Approved organisational chart and PV role descriptions	Not supplied
B	QPPV appointment, qualifications, contact and deputy/cover plan	Not supplied
C	Safety-data-source inventory and intake/reconciliation map	Not supplied
D	Safety-system architecture and data-flow diagram	Not supplied

E	System validation, access-review, backup and restore-test evidence	Partial inventory supplied; underlying evidence not supplied
F	Current approved SOPs and controlled SOP index	SOP register supplied; full SOPs and current-version verification not supplied
G	Training matrix and underlying training records	Percentages supplied only; reporting date and supporting records not supplied
H	Signal log, assessments, decisions and action tracker	Not supplied
I	KPI definitions, periodic reports, trends and governance review	Not supplied
J	Audit/inspection register, reports, findings and CAPA evidence	Not supplied
K	Vendor/partner list, agreements, oversight and reconciliation records	Not supplied
L	Business continuity / disaster recovery plan and test evidence	SOP entry supplied; plan and test evidence not supplied

Before final approval, change each annex status to 'Attached' or 'Referenced' only when the corresponding document is actually included or identified by a valid controlled reference. Otherwise retain 'Not supplied' or 'Pending' as appropriate.

9. Open-item and readiness register

Priority	Open item	Action required	Owner	Due date / status
Critical	Organisation, PSMF reference and QPPV details	Verify legal entity, assigned reference, QPPV identity/contact and approval route from controlled records.	Not assigned	Open
High	Three systems recorded as Remediation open	Document issue, impact/risk assessment, interim controls, accountable owner, issue/CAPA reference, target date and closure evidence for PV-SYS-02, 03 and 04.	Not assigned	Open
High	Organisational structure and QPPV oversight	Add chart, responsibilities, appointment/qualification evidence, authority, access, deputy/cover, escalation and actual oversight records.	Not assigned	Open
High	Safety-data-source inventory	Document sources, scope, responsible functions, receipt/monitoring, processing, reconciliation and completeness	Not assigned	Open

		controls.		
High	Signal-management evidence	Confirm actual workflow against approved SOP; provide signal register, assessments, decisions, actions and closure evidence.	Not assigned	Open
High	Audit history and CAPA evidence	Populate audit/inspection history and trace findings through corrective action and effectiveness review.	Not assigned	Open
High	Performance indicators	Add approved KPI definitions, targets, periods, actual results, trends, breaches and governance review.	Not assigned	Open
Medium	SOP currency and training data	Verify versions/dates against controlled repository; confirm training reporting date, denominator, threshold and exceptions.	Not assigned	Open
Medium	Architecture, backup/restore and access controls	Provide diagrams, validation scope, access-review outcomes, backup logs and restore-test evidence.	Not assigned	Open
Medium	Annex traceability and approvals	Attach or reference actual evidence, update annex status, complete review and approval fields.	Not assigned	Open
High	Data reliability and QPPV oversight of signal management	Reconcile training and SOP data to source records given PV-SYS-02/03 remediation; document QPPV oversight of PV-SOP-003, 006 and 008 (not QPPV-owned).	Not assigned	Open
Medium	Access-review currency and backup frequency	Confirm approved access-review interval (reviews are 3-8 months old) and that weekly backup meets recovery-point objectives for the safety database.	Not assigned	Open

Priority labels are proposed document-completion priorities based on the gaps visible in the supplied files. They are not a formal regulatory risk classification or a determination of system non-compliance.

10. Summary conclusion

The supplied records provide a preliminary inventory of four computerised systems and eight SOPs, including their recorded owners, versions, effective dates and training-completion percentages. The safety database (PV-SYS-01) is recorded as 'Validated', while document management (PV-SYS-02), training records (PV-SYS-03) and signal analytics (PV-SYS-04) are recorded as 'Remediation open'. Weekly backups and last-access-review dates are also recorded in the inventory.

The available evidence is insufficient to establish the completeness or overall compliance of the pharmacovigilance system. The organisational structure, QPPV oversight arrangements, safety-data-source inventory, detailed system architecture and supporting control evidence, operational process records, performance indicators, quality-system records and audit history require further verification. The document should remain a controlled draft until relevant information has been verified, outstanding issues assessed, supporting records incorporated or referenced, and the document reviewed and approved through the applicable process.

11. Review and approval

Review / approval role	Name	Signature / electronic approval reference	Date
Prepared by	To be completed	To be completed	To be completed
PV / QPPV review	To be completed	To be completed	To be completed
Quality review	To be completed	To be completed	To be completed
Final approval	To be completed	To be completed	To be completed

Approval fields must be completed only by the authorised reviewers through the applicable controlled process. This document has not been approved by a named QPPV or Quality representative in the supplied source records.