RISK MANAGEMENT PLAN (RMP)

1. Product and dataset overview

Losartan is selected because the supplied synthetic product-reference file lists fatigue as "Unexpected" for this product. The pack does not confirm that the medicine is newly launched and does not provide an authorised product label, complete safety dossier, or exposure denominator. Those materials would be required for a real RMP.

Dataset item	Observed finding
All reports in aggregate file	320
Losartan reports	38
Losartan reports labelled serious	3 (7.9%)
Seriousness criteria recorded	1 hospitalisation; 2 other medically important condition
Losartan reports with IV route recorded	22 of 38
Losartan reports with 500 mg dose recorded	6 of 38

2. Safety specification

Signal / safety concern for assessment: Fatigue is recorded in the losartan reports and is marked "Unexpected" in the supplied reference table. This pattern merits validation and signal assessment, but reporting frequency alone does not establish causality or confirm a new adverse reaction.

Important identified risks: No new important identified risk can be confirmed from this synthetic pack alone. Check the authorised product information and cumulative evidence before assigning this category.

Important potential risks: Fatigue may be assessed as a potential safety concern only after case validity, clinical plausibility, confounding factors, and the applicable reference safety information are reviewed. Do not classify it as an established risk solely from these reports.

Missing information: The training pack does not characterise safety in specific populations or special circumstances. Any proposed missing-information category must be justified using the actual product dossier, indication, label, and evidence; it cannot be definitively assigned from this dataset.

3. Pharmacovigilance plan

• **Routine activities:** Collect, validate, code, assess, and report suspected adverse reactions; follow up incomplete cases; conduct ongoing signal detection and evaluation; review cumulative safety data; and update product information when supported by evidence.

• **Case review priority:** Review all 3 losartan reports labelled serious first. Verify seriousness criteria, clinical history, concomitant medicines, onset, outcome, dose, route, dechallenge/rechallenge, and reporter details where follow-up is possible.

• **Additional activities:** The supplied data alone do not justify a specific additional study or targeted activity. Consider one only if a validated signal or unresolved safety question is identified and the activity is proportionate.

4. Risk-minimisation measures

• **Routine measures:** Use the approved product information and patient leaflet; support appropriate prescribing, dose selection, clinically indicated monitoring, and reporting of suspected adverse reactions.

• **Additional measures:** No specific additional measure can be justified from the current pack alone. If a clinically important risk is later confirmed, select a risk-specific intervention (such as targeted healthcare-professional communication or patient education) and document its audience, implementation, and rationale.

5. Effectiveness measures

If additional risk-minimisation measures are introduced, define in advance how implementation and impact will be evaluated for example, reach/distribution, healthcare-professional or patient understanding, adherence to recommended monitoring, prescribing behaviour, and relevant safety outcomes. Specify baseline, target, timeframe, data source, and review responsibility.

6. Assumptions, data quality, and limitations

- The README states that all cases and identifiers are fictional and intended for education only.
- The dataset includes multiple medicines and does not provide an exposure denominator. Report counts cannot estimate incidence or compare risk between products.
- 22 losartan records list an intravenous route and 6 list a 500 mg dose. These are data-quality flags requiring source verification; they should not be silently corrected or interpreted as confirmed clinical facts.
- Seriousness and severity are not interchangeable. The supplied “Serious” and “SeriousnessCriterion” fields are treated as source labels pending case-level validation.
- The synthetic reference table is not an authorised Summary of Product Characteristics or validated Company Core Data Sheet. “Unexpected” is interpreted only as the label supplied in this exercise.

7. Executive conclusion

The supplied training pack supports a provisional safety-assessment plan focused on validating the fatigue reports labelled unexpected, reviewing the serious cases, and resolving dose/route inconsistencies. It does not establish causality, prove a new safety signal, or support a specific additional risk-minimisation intervention on its own. A real RMP would require the authorized product information, cumulative safety evidence, exposure information, and documented signal assessment.