

| EDG results 2 with EF

| EDG results 2 with EF

| Synthetic Data Results

| Comparison (num_trials = 50)

| Noise only on F and Nyström on distance

m \ alpha	0.10	0.20	0.30
10	4.5791 (0.7718)	10.9781 (1.0724)	16.7387 (1.0087)
20	0.2858 (0.4594)	2.1083 (0.7896)	5.8884 (0.6345)
30	0.0000 (0.0000)	0.1643 (0.4093)	2.0015 (0.8050)
40	0.0000 (0.0000)	0.0000 (0.0000)	0.4309 (0.5482)
50	0.0000 (0.0000)	0.0000 (0.0000)	0.0602 (0.2529)
60	0.0000 (0.0000)	0.0000 (0.0000)	0.0000 (0.0000)

| Noise only on F and Nyström on gram

m \ alpha	0.10	0.20	0.30
10	4.5233 (0.7304)	10.6147 (0.9115)	16.3183 (0.8786)
20	0.2846 (0.4618)	2.1120 (0.7933)	5.8755 (0.6368)
30	0.0000 (0.0000)	0.1581 (0.3880)	1.9853 (0.7934)
40	0.0000 (0.0000)	0.0000 (0.0000)	0.4278 (0.5400)
50	0.0000 (0.0000)	0.0000 (0.0000)	0.0605 (0.2516)
60	0.0000 (0.0000)	0.0000 (0.0000)	0.0000 (0.0000)

| Noise only on F and RPCA on D

m \ alpha	0.10	0.20	0.30
10	0.0000 (0.0000)	0.0000 (0.0000)	0.0000 (0.0000)
20	0.0000 (0.0000)	0.0000 (0.0000)	0.0000 (0.0000)

m \ alpha	0.10	0.20	0.30
30	0.0000 (0.0000)	0.0000 (0.0000)	0.0000 (0.0000)
40	0.0000 (0.0000)	0.0000 (0.0000)	0.0000 (0.0000)
50	0.0000 (0.0000)	0.0000 (0.0000)	0.0000 (0.0000)
60	0.0000 (0.0000)	0.0000 (0.0000)	0.0000 (0.0000)

I Noise on both E and F and Nyström on distance

m \ alpha	0.10	0.20	0.30
10	9.8361 (9.8301)	20.4674 (10.9776)	27.6181 (12.4508)
20	0.2151 (0.4530)	3.7997 (6.3329)	11.0055 (7.6910)
30	0.0000 (0.0000)	0.3781 (1.4785)	3.1479 (6.2552)
40	0.0000 (0.0000)	0.0000 (0.0000)	0.5760 (0.5777)
50	0.0000 (0.0000)	0.0000 (0.0000)	0.1490 (0.4791)
60	0.0000 (0.0000)	0.0000 (0.0000)	0.0553 (0.3911)

I Noise on both E and F and Nyström on gram

m \ alpha	0.10	0.20	0.30
10	22.8692 (92.8372)	39.3842 (67.4742)	25.0978 (11.2270)
20	0.1839 (0.3893)	2.8183 (3.2728)	8.8638 (8.2213)
30	0.0000 (0.0000)	0.1491 (0.3334)	1.6832 (0.5864)
40	0.0000 (0.0000)	0.0000 (0.0000)	3.0775 (17.9544)
50	0.0000 (0.0000)	0.0000 (0.0000)	0.0684 (0.1881)
60	0.0000 (0.0000)	0.0000 (0.0000)	0.0042 (0.0296)

I Noise on both E and F and RPCA on D

m \ alpha	0.10	0.20	0.30
10	0.0000 (0.0000)	0.0000 (0.0000)	0.0000 (0.0000)
20	0.0000 (0.0000)	0.0000 (0.0000)	0.0000 (0.0000)
30	0.0000 (0.0000)	0.0000 (0.0000)	0.0000 (0.0000)

m \ alpha	0.10	0.20	0.30
40	0.0000 (0.0000)	0.0000 (0.0000)	0.0000 (0.0000)
50	0.0000 (0.0000)	0.0000 (0.0000)	0.0000 (0.0000)
60	0.0000 (0.0000)	0.0000 (0.0000)	0.0000 (0.0000)

I Noise in E, F and G; RPCA on D

m \ alpha	0.10	0.20	0.30
10	0.0000 (0.0000)	0.0000 (0.0000)	0.0000 (0.0000)
20	0.0000 (0.0000)	0.0000 (0.0000)	0.0000 (0.0000)
30	0.0000 (0.0000)	0.0000 (0.0000)	0.0000 (0.0000)
40	0.0000 (0.0000)	0.0000 (0.0000)	0.0000 (0.0000)
50	0.0000 (0.0000)	0.0000 (0.0000)	0.0000 (0.0000)
60	0.0000 (0.0000)	0.0000 (0.0000)	0.0000 (0.0000)