

# Cisco Secure Workload - CSA CCM Compliance Report

## Cisco Secure Workload - CSA CCM Compliance Report

### Customer-Facing Compliance Report

**Framework:** Cloud Security Alliance Cloud Controls Matrix (CCM) v4

**Primary audience:** Cloud service providers preparing CSA STAR submissions (self-assessment, STAR Level 1) or CSA STAR Certification / Attestation (Level 2), and cloud customers using CCM as a control reference.

**CSW positioning:** Infrastructure and Virtualization Security (IVS), Data Security and Privacy Lifecycle (DSP), and Threat and Vulnerability Management (TVM) evidence at the cloud workload layer.

---

### Framework Version Note

References CCM v4. The CCM is updated periodically; validate the version applicable to the customer's STAR (Security, Trust, Assurance, and Risk) submission. CCM domain abbreviations used here (e.g. IVS Infrastructure & Virtualization Security, DSP Data Security and Privacy Lifecycle Management, TVM Threat & Vulnerability Management) are stable in v4.

### CSW UI Navigation Note

Cisco does not yet publish framework-specific CSW UI navigation for this standard; framework-specific navigation is on the product roadmap. This report references CSW *capabilities* and the *evidence artifacts* they produce. The reference design (CSW-CSA-CCM-Technical-Reference design.md) in this folder contains the deeper engineering detail.

---

### How to read the Coverage column

Every report in this set uses the same three coverage words. Coverage describes **what evidence CSW produces** for a topic — it never means the control is passed.

**Direct** — Secure Workload produces the primary evidence artifact for that topic (segmentation, policy, flow/process telemetry, inventory, vulnerability + reachability, forensic reconstruction). Direct is still evidence, not an attestation.

**Supporting** — Secure Workload contributes an input that feeds or complements another control, tool, or process (e.g. detection input only, reconciled against an external register, one log source among several).

**Evidence Required** — Secure Workload has no record for this topic. The customer supplies the contract, the analysis, or the HR / physical-security evidence from another control.


The Coverage ratings in the topic map below are machine-derived from each row's wording and are flagged for SE review before customer use.

## Executive Summary

Cisco Secure Workload (CSW) supports a defined subset of this framework. The strongest customer story is not that CSW “certifies” compliance; it is that CSW turns workload communication and inventory into evidence that the customer, the customer’s compliance team, and the customer’s assessor can review. This report describes which framework topics CSW supports, which it does not, what evidence artifacts CSW produces, and how often the customer should collect them. CSW does **not** replace the customer’s governance, policy, or assessor judgement, and this report is **not** a control attestation.

## Suggested CSW Scope Pattern

CSA-CCM



This scope pattern should be validated with the customer’s architecture, application owners, compliance team, and assessor before it is used for formal evidence.

## In Scope for CSW Evidence

- IVS - Infrastructure and Virtualization Security (segmentation, tenant boundary)
- DSP - Data Security and Privacy Lifecycle (data-flow visibility, segmentation)
- TVM - Threat and Vulnerability Management (reachability-weighted CVE)
- LOG - Logging and Monitoring (workload telemetry as one log source)
- SEF - Security Incident Management, E-Discovery, and Cloud Forensics (forensic input)

## Out of Scope (Must Be Evidenced by Other Controls / Tools / Processes)

- AAA - Audit Assurance and Compliance (governance)
- BCR - Business Continuity Management and Operational Resilience
- CCC - Change Control and Configuration Management beyond CSW workspace
- DCS - Datacenter Security (physical)
- GRC - Governance, Risk Management, and Compliance
- HRS - Human Resources
- IAM - Identity and Access Management lifecycle
- STA - Supply Chain Management beyond CSW egress visibility

## Framework Topic → CSW Capability Map

| Framework topic                                  | Coverage | CSW capability                                                | Evidence artifact                                               |
|--------------------------------------------------|----------|---------------------------------------------------------------|-----------------------------------------------------------------|
| IVS - Infrastructure and Virtualization Security | Direct   | Policy workspace + tenant-boundary deny enforcement           | Workspace snapshot + cross-tenant violation log                 |
| DSP - Data Security (segmentation)               | Direct   | Workload-to-workload allowlist between data-protection scopes | Workspace snapshot + observed-vs-approved flow comparison       |
| TVM - Threat and Vulnerability Management        | Direct   | Reachability-weighted CVE on cloud workloads                  | Prioritised remediation list with compensating-control register |
| LOG - Logging and Monitoring                     | Direct   | Continuous flow + process telemetry; alerts                   | Alert and anomaly log scoped to CSA-CCM                         |
| SEF - Incident Management / Forensics            | Direct   | Forensic flow + process search                                | Investigation pack with timeline and tenant-impact scoping      |

## Evidence Collection Approach

The table below describes per-topic evidence collection - what to collect, the CSW source area, and a suggested cadence. The cadence should be tuned to the customer's audit cycle, regulatory cadence, and risk appetite.

| Topic                                   | What to collect                                    | CSW source                                                                  | Suggested cadence              |
|-----------------------------------------|----------------------------------------------------|-----------------------------------------------------------------------------|--------------------------------|
| Cloud workload inventory across tenants | Workloads grouped by tenant / service offering     | Inventory + scope membership export filtered by tenant and service_offering | Monthly                        |
| Tenant separation evidence              | Cross-tenant deny enforcement and violation log    | Policy workspace export + policy analysis output                            | Continuous; reviewed quarterly |
| Vulnerability + reachability            | CVE list weighted by reach into tenant data scopes | Vulnerability report scoped to CSA-CCM                                      | Monthly                        |
| Monitoring evidence                     | Continuous flow + process telemetry; alerts        | Alert and anomaly log export                                                | Continuous                     |
| Forensic sample                         | Workload-level timeline for one                    | Flow + process search                                                       | Per incident                   |

| Topic | What to collect         | CSW source | Suggested cadence |
|-------|-------------------------|------------|-------------------|
|       | representative incident |            |                   |

## POV / Workshop Approach

1. Confirm the framework version and assessment cycle with the customer's compliance team.
2. Select one business service, regulated boundary, or critical workload group to start with; do not attempt to instrument the entire estate in the POV.
3. Validate workload coverage and install sensors or configure supported connectors. Document the cannot-instrument register; this is itself evidence.
4. Apply labels for application, environment, owner, data class, criticality, compliance scope, and any framework-specific tags (e.g. tenant, prototype, isa\_level, npi, cui, ephi).
5. Observe flows over a representative business window. Minimum two weeks; longer if the customer has month-end, quarterly, or seasonal cycles relevant to the scope.
6. Use ADM to generate a candidate policy. Review with the application owner. Run in Simulation mode for at least two weeks before any enforcement.
7. Package inventory, scope, flows, policy, exceptions, and known gaps as the evidence output. Cross-reference this report's evidence collection table with the customer's existing audit work-papers.

## Boundaries and Complementary Controls

CSW does not replace CSA STAR submission / attestation, CSP organisational and physical controls, identity lifecycle (IAM), key management (KMS), backup and DR, portability and interoperability, or shared-responsibility model decisions.

## Assessor / Auditor Caveat

CSW provides technical evidence inputs. The customer's qualified assessor, auditor, certifying body, or regulator determines compliance status. Validate all framework-topic mappings, control IDs, paragraph references, and section numbers in this report against the current official framework text. If the customer is being assessed against a version other than the one referenced in the framework version note above, revalidate before use.

## Disclaimer

This report is for informational and planning purposes. It is not legal, regulatory, audit, or certification advice. Validate all mappings against the current official framework text, the customer's environment, and qualified compliance, legal, and audit professionals.