

Cisco Secure Workload - SWIFT CSCF Compliance Report

Cisco Secure Workload - SWIFT CSCF Compliance Report

Customer-Facing Compliance Report

Framework: SWIFT Customer Security Controls Framework (CSCF) v2024

Primary audience: SWIFT users (financial institutions and service bureaus) subject to the SWIFT Customer Security Programme (CSP) and required to attest annually.

CSW positioning: SWIFT secure-zone segmentation, restricted Internet access from the secure zone, restricted access between the secure zone and the general enterprise IT estate, monitoring, and SWIFT-specific logging support.

Framework Version Note

References CSCF v2024. SWIFT publishes a new CSCF version yearly; verify against the version applicable to the customer's attestation cycle. Control codes (e.g. 1.1, 1.4, 2.1, etc.) are stable across recent versions for mandatory controls but advisory controls evolve.

CSW UI Navigation Note

Cisco does not yet publish framework-specific CSW UI navigation for this standard; framework-specific navigation is on the product roadmap. This report references CSW *capabilities* and the *evidence artifacts* they produce. The technical runbook (CSW-SWIFT-CSCF-Technical-Runbook.md) in this folder contains the deeper engineering detail.

How to read the coverage words

Full Coverage on the older reports means Secure Workload can produce that row's artifact. It does not mean the control is met.

Partial Coverage means file that export next to another control.

Evidence Required means Secure Workload has no record. The customer files the contract, the analysis, or the HR or physical-security evidence.

Direct, Supporting, and Out of scope on the newer reports are the same idea in different words. Direct is still evidence, not a pass.

Executive Summary

Cisco Secure Workload (CSW) supports a defined subset of this framework. The strongest customer story is not that CSW “certifies” compliance; it is that CSW turns workload communication and inventory into evidence that the customer, the customer’s compliance team, and the customer’s assessor can review. This report describes which framework topics CSW supports, which it does not, what evidence artifacts CSW produces, and how often the customer should collect them. CSW does **not** replace the customer’s governance, policy, or assessor judgement, and this report is **not** a control attestation.

Suggested CSW Scope Pattern

SWIFT-CSCF

- └ SWIFT-Secure-Zone (Messaging-Interfaces, Communication-Interfaces, Local-Authentication)
- └ Operator-Workstations (dedicated and general-purpose)
- └ Jump-Hosts-to-Secure-Zone
- └ Internet-Restricted-Systems
- └ Third-Party-Connectivity

This scope pattern should be validated with the customer’s architecture, application owners, compliance team, and assessor before it is used for formal evidence.

In Scope for CSW Evidence

- 1.1 SWIFT Environment Protection (secure-zone isolation evidence)
- 1.4 Internet Access Restriction (egress monitoring from secure zone)
- 2.x System Integrity (workload monitoring, vulnerability handling on secure-zone components)
- 5.x Access Controls (workload-to-workload layer)
- 6.x Detect Anomalous Activity (continuous flow + process telemetry)

Out of Scope (Must Be Evidenced by Other Controls / Tools / Processes)

- 3.x Physically Secure the Environment
- 4.x Prevent Compromise of Credentials (identity layer)
- 5.4 Physical and Logical Password Storage
- 6.4 Logging and Monitoring (CSW is one log source; SWIFT-specific logging requires the messaging interface logs)
- 7.x Plan for Incident Response and Information Sharing (governance)
- SWIFT CSP attestation submission itself

Framework Topic → CSW Capability Map

Framework topic	CSW capability	Evidence artifact
1.1 Secure-zone isolation	Policy workspace + default-deny at secure-zone boundary	Workspace snapshot showing secure-zone boundary deny

Framework topic	CSW capability	Evidence artifact
		rules
1.4 Internet access restriction	Outbound flow telemetry from secure zone	Egress flow report from SWIFT-Secure-Zone
2.x System integrity (vulnerability)	Reachability-weighted CVE on secure-zone components	Prioritised remediation list
5.x Access controls (workload layer)	Policy workspace + enforcement / violation log	Workspace snapshot + violation log
6.x Anomalous activity detection	Continuous flow + process telemetry; alerts	Alert and anomaly log scoped to SWIFT-CSCF
Operator path evidence	Flow telemetry for operator workstations and jump hosts	Operator-workstation flow report

Evidence Collection Approach

The table below describes per-topic evidence collection - what to collect, the CSW source area, and a suggested cadence. The cadence should be tuned to the customer's audit cycle, regulatory cadence, and risk appetite.

Topic	What to collect	CSW source	Suggested cadence
Secure-zone inventory	Workloads in SWIFT-Secure-Zone	Inventory + scope membership export	Monthly
Secure-zone boundary evidence	Workspace snapshot and policy violation log	Policy workspace export + policy analysis output	Quarterly + after each change
Internet access restriction evidence	Outbound flow from secure zone with destination context	Flow search filtered to SWIFT-Secure-Zone egress	Monthly
Vulnerability + reachability	CVE list weighted by reach into secure-zone components	Vulnerability report scoped to SWIFT-CSCF	Monthly
Operator workstation activity	Operator and jump-host flow telemetry	Flow search on Operator-Workstations and Jump-Hosts	Continuous; reviewed monthly
Incident sample	Workload-level timeline for one representative incident	Flow + process search	Per incident

POV / Workshop Approach

1. Confirm the framework version and assessment cycle with the customer's compliance team.

2. Select one business service, regulated boundary, or critical workload group to start with; do not attempt to instrument the entire estate in the POV.
3. Validate workload coverage and install sensors or configure supported connectors. Document the cannot-instrument register; this is itself evidence.
4. Apply labels for application, environment, owner, data class, criticality, compliance scope, and any framework-specific tags (e.g. `tenant`, `prototype`, `isa_level`, `npi`, `cui`, `ephi`).
5. Observe flows over a representative business window. Minimum two weeks; longer if the customer has month-end, quarterly, or seasonal cycles relevant to the scope.
6. Use ADM to generate a candidate policy. Review with the application owner. Run in Simulation mode for at least two weeks before any enforcement.
7. Package inventory, scope, flows, policy, exceptions, and known gaps as the evidence output. Cross-reference this report's evidence collection table with the customer's existing audit work-papers.

Boundaries and Complementary Controls

CSW does not replace the SWIFT CSP attestation, the messaging interface itself, SWIFT-specific application controls (logging, message integrity, operator authentication), physical security of the SWIFT environment, or the operator credential lifecycle.

Assessor / Auditor Caveat

CSW provides technical evidence inputs. The customer's qualified assessor, auditor, certifying body, or regulator determines compliance status. Validate all framework-topic mappings, control IDs, paragraph references, and section numbers in this report against the current official framework text. If the customer is being assessed against a version other than the one referenced in the framework version note above, revalidate before use.

Disclaimer

This report is for informational and planning purposes. It is not legal, regulatory, audit, or certification advice. Validate all mappings against the current official framework text, the customer's environment, and qualified compliance, legal, and audit professionals.