

SYNOPSIS

Deforestation is a major environmental issue that leads to biodiversity loss, climate change, and habitat destruction. This project develops a machine learning-assisted deforestation monitoring system that processes satellite images to detect tree loss, classify tree species, and generate deforestation reports.

We integrate machine learning with traditional image processing to improve accuracy and efficiency. A pre-trained MobileNetV2 model is used for tree species classification, while OpenCV-based thresholding and contour analysis detect deforestation. A unique simulated deforestation feature visually estimates tree loss by altering green areas in images.

A Tkinter-based graphical user interface (GUI) allows users to upload forest images, analyze deforestation impact, and generate reports. The system exports results in Excel or CSV format, containing tree loss count, species classification, timestamps, and deforestation status. Additionally, an automated email alert feature ensures real-time communication with relevant authorities.

A structured multi-module approach enables accurate deforestation analysis. The system is scalable for large datasets and applicable in forest monitoring and conservation efforts.

INTRODUCTION

Deforestation is a significant environmental concern that leads to biodiversity loss, climate change, and habitat destruction. This project presents a machine learning-assisted deforestation monitoring system that analyzes forest cover changes using image processing and machine learning techniques. The system processes satellite forest images to estimate tree count, detect deforestation, and classify tree species before and after deforestation. A MobileNetV2 model is used for tree species classification, while OpenCV-based image processing detects tree loss through thresholding and contour analysis. Additionally, a simulated deforestation feature alters green areas in images to blue, providing an estimate of tree loss.

A Tkinter-based graphical user interface (GUI) enables users to upload forest images, analyze deforestation impact, and generate reports. The system exports the results in Excel or CSV format, including tree loss count, species classification, and timestamps. An automated email module allows users to send deforestation reports to relevant authorities, ensuring timely intervention. By integrating machine learning with traditional image processing, this system provides an efficient and scalable approach to forest monitoring, conservation effort.

SYSTEM ANALYSIS

2.1 EXISTING SYSTEM

Existing deforestation monitoring systems rely on remote sensing, vegetation indices (e.g., NDVI), and GIS tools to track forest changes. Some use machine learning (SVM, Random Forest), but they require extensive labeled data, have high computational costs, and depend on periodic satellite updates, leading to delays. Many struggle with tree species classification, limiting biodiversity assessments. While deep learning has improved detection, challenges remain in processing large datasets efficiently. Most systems lack automated reporting, focus on large-scale deforestation, and are primarily designed for governments. A scalable, real-time system integrating machine learning, tree species classification, and automated reporting is needed for timely deforestation monitoring.

DISADVANTAGES

- High Data and Computational Requirements
- Limited Automation and Real-Time Monitoring

2.2 PROPOSEDSYSTEM

The proposed system uses machine learning and image processing for automated deforestation monitoring. It compares satellite images to detect tree loss, classifies species with MobileNetV2, and visualizes trends using bar charts, pie charts, and progress bars. A simulated deforestation feature highlights affected areas by altering green to blue.

A Tkinter-based GUI enables image uploads, analysis, and structured reporting in Excel/CSV. An automated email module allows timely reporting to agencies. Designed for scalability and real-time monitoring, this system integrates deep learning, automated reporting, and enhanced visualization, offering an efficient and user-friendly solution for deforestation detection.

ADVANTAGES

- Enhanced Accuracy and Visualization
- Automated Reporting and Real-Time Monitor

SYSTEM SPECIFICATION

- Language : Python
- IDE : Notebook, PyCharm
- Processor : i5 or above
- Ram : 16 GB
- OS : Windows 10/11

3.1 HARDWARE REQUIREMENT

The hardware used for the development of the project is:

- ✓ PROCESSOR : i5
- ✓ RAM : 16 GB RAM
- ✓ MONITOR : 15.6" or larger,
Full HD
- ✓ HARDDISK : 512GB
- ✓ KEYBOARD : Keys enhanced
- ✓ MOUSE : Logitech

3.2 SOFTWARE REQUIREMENTS

The software used for the development of the project is:

- ✓ GUI TOOL : TKINTER
- ✓ TOOLS : JUPYTER, PYCHARM
- ✓ LANGUAGE : PYTHON

3.3 SOFTWARE DESCRIPTION

About Jupyter Notebook

Jupyter Notebook is an open-source web application that allows you to create and share documents that contain live code, equations, visualizations, and narrative text. It supports various programming languages, including Python, R, Julia, and others.

Features of Jupyter Notebook

Key features of Jupyter Notebook include:

1. Interactive Computing:

You can write and execute code in cells, which allows for an interactive computing experience. Each cell can contain code, markdown text, or raw text.

2. Rich Output :

Jupyter Notebooks support the display of rich media output, including images, videos, HTML, LaTeX equations, and more. This makes it suitable for data analysis, visualization, and report generation.

3. Kernel Support:

Jupyter Notebook works with different programming languages through the concept of kernels. Each notebook is associated with a kernel, which allows it to execute code written in that language.

4. Notebook Sharing:

Notebooks can be shared easily with others, either by sharing the notebook file or using online platforms like GitHub, JupyterHub, or Jupyter Notebooks hosted on cloud services like Google Colab or Microsoft Azure Notebooks.

5. Version Control:

Since Jupyter Notebooks are plain text files, they can be version

controlled using Git or other version control systems, enabling collaboration and tracking changes over time.

6. Integration with Libraries:

Jupyter Notebooks integrate well with various libraries and tools commonly used in data science and scientific computing, such as NumPy, Pandas, Matplotlib, scikit-learn, TensorFlow, and PyTorch.

7. Customization:

Jupyter Notebooks offer customization options, allowing users to configure the appearance, behavior, and extensions according to their preferences.

Jupyter Notebook has become an essential tool in data science, machine learning, research, education, and other fields where interactive computing and documentation are required. It provides a flexible and intuitive environment for experimentation, analysis, and communication of results.

PyCharm

PyCharm is an integrated development environment (IDE) used for programming in Python. It provides code analysis, a graphical debugger, an integrated unit tester, integration with version control systems, and supports web development with Django. PyCharm is developed by the Czech company JetBrains and built on their IntelliJ platform.

Key features of PyCharm

Smart Code Completion: PyCharm presents smart code of entirety that permit you to jot down code more quickly and correctly. It can advocate keywords, variables, features, and other code elements primarily based at the context of your code.

Code Inspections: PyCharm can inspect your code for capacity errors and troubles. It can perceive capacity syntax errors, type mistakes, and different logical errors.

Debugging: PyCharm affords a effective debugger that will let you to

step via your code line by way of line, examine the values of variables, and set breakpoints.

Testing: PyCharm integrates with famous Python testing frameworks inclusive of unittest and pytest. This allows you to run your tests at once from the IDE.

Version Control: PyCharm integrates with popular model manage structures including Git and Mercurial. This lets in you to preserve track of your modifications on your code and collaborate with other builders.

Advantages of PyCharm

Increased productiveness: PyCharm's clever code final touch, code inspections, and different features can help you to put in writing code more speedy and correctly. This can cause large increases in productiveness.

Reduced mistakes: PyCharm's code inspections let you to discover and attach ability errors to your code before you even run it. This let you to provide more reliable and awesome code.

Easier debugging: PyCharm's debugger makes it smooth to step thru your code line by means of line, take a look at the values of variables, and set breakpoints. This assist you to to music down and connect bugs extra speedy.

Improved collaboration: PyCharm's integration with version control structures makes it clean to collaborate with other builders on Python initiatives.

Tkinter

Tkinter is the standard GUI library for Python. Python when combined with Tkinter provides a fast and easy way to create GUI applications. Tkinter provide a powerful object-oriented interface to the Tk GUI toolkit. The tkinter package includes following modules –

Tkinter – Main Tkinter module.

Tkinter.colorchooser – Dialog to let the user choose a color.

Tkinter.commondialog – Base class for the dialogs defined in the other modules listed

here.

Tkinter.filedialog – Common dialogs to allow the user to specify a file to open or save.

Tkinter.font – Utilities to help work with fonts.

Tkinter.messagebox – Access to standard Tk dialog boxes.

Tkinter.scrolledtext – Text widget with a vertical scroll bar built in.

Tkinter.simpledialog – Basic dialogs and convenience functions.

Tkinter.ttk – Themed widget set introduced in Tk 8.5, providing modern alternatives

Formany of the classic widgets in the main tkinter module.

The tkinter package (“Tk interface”) is the standard Python interface to the Tcl/Tk

GUI toolkit. Both Tk and tkinter are available on most Unix platforms, including

macOS, as well as on WindowsRunning python -m tkinter from the command line

should open a window demonstratinga simple Tk interface, letting you know that tkinter is properly installed on your system,and also showing what version of

Tcl/Tk is installed, so you can read the Tcldocumentation specific to that version.

Tkinter supports a range of Tcl/Tk versions, built either with or without thread support.

Tkinter is not a thin wrapper, but adds a fair amount of its own logic to make the

experience more pythonic. This documentation will concentrate on these additions

and changes, and refer to the official Tcl/Tk documentation for details that are

unchanged.

About Python

Python is a dynamically typed, high-level programming language known for its simplicity, readability, and versatility. It was created by Guido van Rossum and first released in 1991. Since then, Python has grown into one of the most popular programming languages worldwide, with a large and active community of developers.

One of Python's distinguishing characteristics is its philosophy of emphasizing code readability and simplicity, often expressed in the Zen of Python, a set of guiding principles for writing Python code. This philosophy promotes clear, concise, and elegant code, which contributes to Python's popularity among developers of all skill levels.

Python's design is influenced by several programming paradigms, including procedural, object-oriented, and functional programming. It supports a wide range of programming styles and techniques, allowing developers to choose the most appropriate approach for their projects.

The language's syntax is designed to be intuitive and easy to learn, making it accessible to beginners while still powerful enough for experienced programmers. Python uses indentation to define code blocks, which enhances readability and enforces a consistent coding style across projects.

Python's standard library is extensive and provides support for various tasks such as file I/O, networking, database access, GUI development, and more. This rich collection of modules and packages reduces the need for external dependencies and accelerates development by providing ready-to-use solutions for common problems.

In addition to its standard library, Python has a vast ecosystem of third-party libraries and frameworks contributed by the community. These libraries cover a wide range of domains, including web development, data science, machine learning, artificial intelligence, scientific computing, game development, and more. Popular libraries and frameworks like NumPy,

Pandas, TensorFlow ,Django, Flask,and Pygame have cemented Python's positionas a leading language in these fields.

Python's versatility extends beyond traditional software development to areas such as system administration, automation, scripting, and education. Its simplicity and readability make it an ideal choice for writing scripts and automating repetitive tasks, while its powerful features enable the development of complex applications and systems.

Python's community is one of its greatest strengths, with millions of developers contributing to its development, documentation, and ecosystem. The Python Software Foundation (PSF) oversees the language's development and promotes its use through conferences, workshops, and educational initiatives.

Python's open-source nature and permissive licensing make it accessible to everyone, encouraging collaboration, innovation, and the sharing of knowledge. Its inclusivity and welcoming community have contributed to Python's continued growth and success as a programming language.

Overall, Python's combination of simplicity, readability, versatility, and community support has made it a favorite among developers worldwide. Whether you're a beginner learning to code or an experienced programmer building complex applications, Python offers the tools and resources you need to bring your ideas to life.

FeaturesofPython

Thefeaturesof Pythonaresummarized:

1. SimpleandReadableSyntax:

Python's syntax is designed to be simple, clean, and easy to understand, which makes it accessible to beginners and promotes code readability.

2. High-LevelLanguage:

Python is a high-level programming language, which means it abstracts low-level details like memory management and hardware interactions,

allowing developers to focus on solving problems at a higher level.

3. Interpreted and Interactive:

Python is an interpreted language, meaning that code is executed line by line by an interpreter, which allows for rapid development and testing. It also supports an interactive mode, where commands can be entered directly into the interpreter and executed immediately.

4. Dynamic Typing:

Python is dynamically typed, which means that variables don't have a fixed data type and can dynamically change types during runtime. This flexibility simplifies coding but requires careful attention to data types.

5. Multi-Paradigm:

Python supports multiple programming paradigms, including procedural, object-oriented, and functional programming. This flexibility allows developers to choose the most appropriate programming style for their projects.

6. Cross-Platform:

Python is platform-independent, which means that code written in Python can run on different operating systems without modification. This makes it a versatile choice for cross-platform development.

7. Extensive Standard Library:

Python comes with a large standard library that provides support for various tasks such as file I/O, networking, database access, GUI development, and more. This rich collection of modules and packages reduces the need for external dependencies and accelerates development by providing ready-to-use solutions for common problems.

8. Third-Party Libraries and Ecosystem:

Python has a vast ecosystem of third-party libraries and frameworks contributed by the community. These libraries cover a wide range of domains, including web development, data science, machine learning, artificial intelligence, scientific computing, game development, and more.

9. Object-Oriented Programming (OOP):

Python supports object-oriented programming (OOP) principles, allowing developers to create classes, objects, and methods to encapsulate data and behavior. OOP concepts such as inheritance, polymorphism, and encapsulation are supported.

10. Community and Support:

Python has a large and active community of developers who contribute to its development, documentation, and ecosystem. The Python Software Foundation (PSF) oversees the language's development and promotes its use through conferences, workshops, and educational initiatives.

These features make Python a popular choice for a wide range of applications, including web development, data analysis, machine learning, automation, scripting, scientific computing, and more. Its simplicity, versatility, and strong community support have contributed to its widespread adoption and continued success as a programming language.

Advantages of Python

Python is one of the most popular programming languages due to its simplicity, versatility, and wide range of applications. It is used in various fields, including web development, data science, machine learning, automation, and more. Below are the key advantages of Python:

1. Easy to Learn and Use

Python has a simple and clean syntax that resembles natural language, making it easy for beginners to learn. Unlike other programming languages with complex syntax, Python allows developers to write concise and readable code.

2. Versatile and Cross-Platform

Python is a cross-platform language, meaning it can run on multiple operating systems like Windows, macOS, and Linux without modification. This makes it highly portable and widely used across different environments.

3. Extensive Libraries and Frameworks

Python has a rich ecosystem of libraries and frameworks that simplify development in various domains. For example, NumPy and Pandas are used for data analysis, TensorFlow and PyTorch for machine learning, Django and Flask for web development, and OpenCV for computer vision applications.

4. Strong Community Support

Python has a large and active community of developers who contribute to open-source projects, provide documentation, and help solve coding problems. This strong support ensures continuous improvement and extensive learning resources.

5. Dynamic Typing and Automatic Memory Management

Python does not require explicit declaration of variable types, making coding faster and more flexible. Additionally, Python handles memory management automatically, freeing developers from manual memory allocation and deallocation.

6. Object-Oriented and Functional Programming

Python supports multiple programming paradigms, including object-oriented, procedural, and functional programming. This flexibility allows developers to choose the best approach based on their project needs.

7. Great for Rapid Development

With its concise syntax and extensive built-in functions, Python allows developers to build applications quickly. It is widely used in startups and research projects where rapid prototyping is essential.

8. Excellent for Data Science and Machine Learning

Python is the preferred language for data science, machine learning, and artificial intelligence. Libraries like Scikit-learn, TensorFlow, and Keras make it easy to develop predictive models and analyze large datasets.

9. Web Development

Python provides powerful web frameworks like Django and Flask,

which simplify web application development. These frameworks come with built-in security features, scalability options, and database integration.

10. Automation and Scripting

Python is widely used for automating repetitive tasks such as file management, web scraping, and system monitoring. With its simple syntax, developers can write scripts to handle complex automation workflows efficiently.

11. Strong Integration and Compatibility

Python can easily integrate with other programming languages like C, C++, Java, and .NET. This makes it a great choice for projects that require interoperability with different technologies.

12. Growing Demand in Industry

Python's popularity is growing across various industries, including finance, healthcare, cybersecurity, and robotics. Its versatility and ease of use make it a valuable skill for developers and professionals in different domains.


SYSTEM DESIGN

4.1 PROBLEM DEFINITION

Deforestation is a critical environmental issue that leads to biodiversity loss, climate change, and habitat destruction. Traditional methods for monitoring forest loss rely on manual surveys, which are time-consuming, costly, and prone to inaccuracies. Satellite imagery provides a scalable approach to detecting deforestation, but manual analysis of these images is challenging due to the vast amount of data.

Current monitoring systems often lack automation, real-time alerts, and detailed species classification, making it difficult for authorities to take timely action. Additionally, existing solutions may not effectively simulate potential deforestation scenarios for predictive analysis.

4.2 DATAFLOW DIAGRAM



4.3MODULEDESCRIPTION

- ❖ Data Collection and Preprocessing
- ❖ Deforestation Simulation
- ❖ Tree Species Classification
- ❖ Deforestation Analysis and Report Generation
- ❖ Automated Email Alert

Data Collection and Preprocessing

The system begins with satellite image collection from Sentinel-2, Landsat-8, or high-resolution aerial images. Users upload images and enter metadata such as forest name, location, and date, which is stored for reporting. Satellite images provide a time-series view for deforestation analysis, utilizing different spectral bands for better vegetation assessment.

Preprocessing enhances detection accuracy through grayscale conversion, noise reduction using Gaussian and median filters, thresholding with adaptive or global methods, and color space conversion from RGB to HSV for improved vegetation detection. These steps prepare the images for segmentation and tree classification, ensuring accurate deforestation monitoring.

Deforestation Simulation

This module simulates potential deforestation by modifying green vegetation areas in the satellite image. The system detects green regions using HSV color filtering and replaces them with

blue shades to mimic tree loss.

The purpose of this simulation is to provide a visual estimation of deforestation impact. Users can compare the original image with the simulated deforestation scenario to understand potential forest loss. This feature can be used for predictive modeling, environmental policy planning, and conservation strategy development.

Tree Species Classification

A MobileNetV2 deep learning model is used for tree species classification. When a satellite image is processed, the model predicts the species of trees present in the forest. The classification process involves:

- Extracting relevant regions from the satellite image.
- Feeding the extracted tree images into the MobileNetV2 model.
- Predicting the most likely tree species based on learned features.
- Displaying classification results with confidence scores.

The classification is applied both before and after deforestation simulation. This allows users to analyze how tree diversity is affected by deforestation. The model helps in identifying endangered tree species that are at risk due to forest loss

Deforestation Analysis and Report Generation

This module quantifies the extent of deforestation by comparing tree counts before and after deforestation. The system calculates:

- Percentage of tree loss: Compares tree coverage in the original and deforested images.
- Deforestation significance: Determines whether the detected loss is critical based on predefined thresholds.
- Species impact: Identifies how tree diversity is affected by forest loss.
- The results are compiled into a structured report that includes:
 - A summary of deforestation analysis.
 - Tree species classification results.
 - Timestamps for monitoring trends over time.

The report can be exported as an Excel or CSV file for documentation, further research, or legal purposes.

Automated Email Alert

To enhance real-time monitoring and response, the system includes an automated email reporting feature. Once deforestation

analysis is complete, users can send a detailed report via email to relevant authorities, environmental organizations, or government agencies.

The email contains:

- A summary of findings (tree loss count, percentage, affected species).
- An attached Excel report with full details.
- A call to action for conservation measures.

This feature ensures timely intervention, helping stakeholders respond quickly to deforestation threats. The system uses a secure SMTP setup to send emails reliably.

SYSTEM TESTING

In the development of our opinion mining and sentiment analysis software tailored for online product reviews, a meticulous unit testing approach was employed to verify the functionality and reliability of the system's components. This report summarizes the unit testing efforts and outcomes conducted during the software development process.

5.1 UNIT TESTING

In the process of developing our opinion mining and sentiment analysis system for online product reviews, rigorous unit testing was conducted to ensure the accuracy and reliability of the implemented functionalities. Each component of the system was meticulously tested to validate its behavior and verify that it meets the specified requirements.

The unit testing process focused on assessing the functionality of key modules such as data retrieval, sentiment analysis algorithms, user authentication, and result presentation. For data retrieval, unit tests were designed to confirm that reviews are accurately fetched from online sources and stored in the system's database. Sentiment analysis algorithms underwent extensive testing to ensure that they correctly classify reviews as positive, negative, or neutral based on their content and context.

Additionally, unit tests were conducted for user authentication mechanisms to guarantee secure access control and prevent unauthorized access to sensitive information. These tests validated the functionality of user registration, login, and profile management features. Furthermore, result presentation modules were thoroughly tested to ensure that sentiment analysis results are effectively displayed to users in an intuitive and comprehensible manner.

Throughout the unit testing process, a variety of test cases were

devised to cover different scenarios and edge cases, including the handling of diverse review formats, varying sentiment expressions, and exceptional user interactions. Test cases were executed systematically, and any deviations from expected behavior were carefully investigated and addressed.

Overall, the unit testing phase yielded positive results, demonstrating the robustness and accuracy of our opinion mining and sentiment analysis system. Identified issues were

reliability. With comprehensive unit testing ensuring the integrity of each component, we are confident in the quality and effectiveness of our solution for analyzing online product reviews and extracting valuable insights.

5.2 INTEGRATION TESTING

Integration testing plays a crucial role in ensuring the seamless functioning and compatibility of various components within our opinion mining and sentiment analysis system, particularly when employing sophisticated algorithms like Naive Bayes for sentiment analysis. This report outlines our integration testing efforts and their outcomes in the context of the online product review sentiment analysis system.

During integration testing, individual modules were progressively integrated to assess their interoperability and compatibility. The integration process began with the integration of basic functionalities, such as data retrieval from online sources, followed by the incorporation of sentiment analysis algorithms and user authentication mechanisms.

Key aspects evaluated during integration testing included data flow between components, communication protocols, error handling mechanisms, and system stability. Special attention was given to the integration of external APIs and libraries used for data retrieval and sentiment analysis, ensuring their seamless compatibility with the system architecture.

Throughout the testing process, various integration scenarios and edge cases were explored to uncover potential issues or inconsistencies in the software's behavior. Identified integration issues were meticulously documented and addressed, with necessary fixes implemented to ensure the reliability and robustness of the integrated system.

Overall, integration testing confirmed the successful integration of

individual components, validating the functionality and performance of our opinion mining and sentiment analysis system for online product reviews. With the completion of integration testing, we are confident in the readiness of our software for deployment and production use, providing valuable insights from online product reviews with accuracy and reliability.

Integration testing confirmed the successful integration and compatibility of various components within our opinion mining and sentiment analysis system, particularly when employing the Naive Bayes algorithm for sentiment analysis. Identified integration issues were promptly addressed, ensuring the reliability and functionality of the integrated system. With successful integration testing, we are confident in the readiness of our software for deployment and production use, providing accurate sentiment analysis of online product reviews.

APPENDIX

6.1 SAMPLECODING

Dataset

```
Import cv2

Import numpy as np

Import os

Import tkinter as tk

From tkinter import filedialog, messagebox, simpledialog

From datetime import datetime

Import pandas as pd

From PIL import Image, ImageTk

Import tensorflow as tf

From tensorflow import keras

Import smtplib

From email.message import EmailMessage


# Load pre-trained MobileNetV2 for species classification

Model = keras.applications.MobileNetV2(input_shape=(224, 224, 3),
include_top=True, weights='imagenet')


# Function to classify tree species and filter out jellyfish

Def classify_species(image):

    Img = cv2.resize(image, (224, 224))

    Img = cv2.cvtColor(Img, cv2.COLOR_BGR2RGB)
```

```

    Img = np.expand_dims(img, axis=0) / 255.0 # Normalize pixel values

    Species_predictions = model.predict(img)

    Decoded_predictions =
keras.applications.mobilenet_v2.decode_predictions(species_predictions)

    # Exclude jellyfish from results

    Filtered_predictions = [(label, confidence) for _, label, confidence in
decoded_predictions[0][:3] if "jellyfish" not in label.lower()]

    Return filtered_predictions

# Function to generate a simulated "after" deforestation image
Def simulate_deforestation(image_path):

    Image = cv2.imread(image_path)

    Hsv = cv2.cvtColor(image, cv2.COLOR_BGR2HSV)

    Lower_green = np.array([35, 40, 40])

    Upper_green = np.array([90, 255, 255])

    Mask = cv2.inRange(hsv, lower_green, upper_green)

    Image[mask > 0] = (255, 0, 0) # Change green areas to blue

    Simulated_path = "simulated_after.jpg"

    Cv2.imwrite(simulated_path, image)

    Return simulated_path

# Function to count trees and classify species
Def analyze_forest(image_path, min_tree_area, threshold_value):

```

```

    Image = cv2.imread(image_path)

    Gray_image = cv2.cvtColor(image, cv2.COLOR_BGR2GRAY)

    _, binary_image = cv2.threshold(gray_image, threshold_value, 255,
cv2.THRESH_BINARY)

    Contours, _ = cv2.findContours(binary_image, cv2.RETR_EXTERNAL,
cv2.CHAIN_APPROX_SIMPLE)

    Tree_count = sum(1 for contour in contours if cv2.contourArea(contour)
>min_tree_area)

    Species_predictions = classify_species(image) if tree_count> 0 else []

    Return tree_count, species_predictions

# Function to send email with attached report

Def send_email(file_path):

    Sender_email = deforestationmonitoringsystem@gmail.com

    Sender_password = "fznajerlxcwozjrm" # Use an App Password

    Recipient_email = simpdialog.askstring("Recipient Email", "Enter recipient's
email:")

    If not recipient_email:

        MessageBox.showerror("Error", "Recipient email is required.")

    Return

    Msg = EmailMessage()

```

```
Msg["Subject"] = "Deforestation Alert: Immediate Action Required!"
```

```
Msg["From"] = sender_email
```

```
Msg["To"] = recipient_email
```

```
Body = "Dear Authorities,\n\nA deforestation event has been detected. Please find the  
attached report for necessary actions.\n\nBest Regards,\nDeforestation Monitoring System"
```

```
Msg.set_content(body)
```

```
With open(file_path, "rb") as f:
```

```
File_data = f.read()
```

```
File_name = os.path.basename(file_path)
```

```
Msg.add_attachment(file_data, maintype="application", subtype="octet-stream",  
filename=file_name)
```

```
Try:
```

```
With smtplib.SMTP_SSL("smtp.gmail.com", 465) as server:
```

```
Server.login(sender_email, sender_password)
```

```
Server.send_message(msg)
```

```
MessageBox.showinfo("Success", "Deforestation report sent successfully.")
```

```
Except Exception as e:
```

```
MessageBox.showerror("Error", f'Failed to send email: {e}')
```

```
Class DeforestationApp:
```

```
Def __init__(self, root):
```

```
Self.root = root
```

```

Self.root.title("Deforestation & Tree Species Prediction")

Self.image_path = None

Self.forest_name = None

Self.min_tree_area = 300

Self.threshold_value = 150

Self.results = []

Self.create_gui()

    Def create_gui(self):

        Open_button    =    tk.Button(self.root,    text="Open    Forest    Image",
command=self.open_image)

        Open_button.pack()

Process_button = tk.Button(self.root, text="Simulate & Predict Deforestation",
                                command=self.process_image)

Process_button.pack()

        Export_button    =    tk.Button(self.root,    text="Export    &    Send    Report",
command=self.export_data)

        Export_button.pack()

Self.image_label = tk.Label(self.root)

Self.image_label.pack()

```



```

Self.results_text = tk.Text(self.root, height=15, width=70)

Self.results_text.pack()


    Def open_image(self):

File_path = filedialog.askopenfilename(title="Select a Forest Image",

Filetypes=[("Images", "*.png;*.jpg;*.jpeg"))

    If file_path:

Self.image_path = file_path

Self.forest_name = simpledialog.askstring("Forest Name", "Enter the forest area
name:")

    If not self.forest_name:

MessageBox.showerror("Error", "Forest name is required.")

    Return

Self.show_image(self.image_path)


    Def process_image(self):

    If not self.image_path:

Self.results_text.insert(tk.END, "Error: Select an image first.\n")

    Return


Before_image = self.image_path

After_image = simulate_deforestation(before_image)


Before_count, before_species = analyze_forest(before_image, self.min_tree_area,

```

```

self.threshold_value)

    After_count, after_species = analyze_forest(after_image, self.min_tree_area,
self.threshold_value)

    Tree_loss = before_count - after_count

    Tree_loss_percentage = (tree_loss / before_count * 100) if before_count > 0 else 0

    Deforestation_status = "deforestation not happening"

    If tree_loss_percentage > 5:

        Deforestation_status = f"Deforestation Detected: {tree_loss} trees lost
({tree_loss_percentage:.2f}% loss)."

    Result = {

        "Forest Name": self.forest_name,

        "Tree Loss": tree_loss,

        "Tree Loss (%)": f"{tree_loss_percentage:.2f}%",

        "Before Species": before_species,

        "After Species": after_species,

        "Deforestation Status": deforestation_status,

        "Date": datetime.now().strftime("%Y-%m-%d %H:%M:%S")

    }

    Self.results.append(result)

    Self.display_results(result)

    Self.show_image(after_image)

```

```

    Def display_results(self, result):

Self.results_text.delete(1.0, tk.END)


Self.results_text.insert(tk.END, f"Forest Name: {result['Forest Name']}\n")

Self.results_text.insert(tk.END, f"Tree Loss: {result['Tree Loss']} ({result['Tree Loss (%)']})\n")

Self.results_text.insert(tk.END, f>Status: {result['Deforestation Status']}\n\n")


Self.results_text.insert(tk.END, "Species Before Deforestation:\n")

    For species, confidence in result['Before Species']:

Self.results_text.insert(tk.END, f"{species}: {confidence:.2%}\n")


Self.results_text.insert(tk.END, "\nSpecies After Deforestation:\n")

    For species, confidence in result['After Species']:

Self.results_text.insert(tk.END, f"{species}: {confidence:.2%}\n")


Self.results_text.insert(tk.END, f"\nDate: {result['Date']}\n\n")


Def show_image(self, image_path):

    Image = Image.open(image_path)

    Image = image.resize((300, 300))

    Image = ImageTk.PhotoImage(image)

Self.image_label.config(image=Image)

Self.image_label.image = Image

```

```

    Def export_data(self):

        If not self.results:

            Self.results_text.insert(tk.END, "No results to export.\n")

        Return

Df = pd.DataFrame(self.results)

Export_path = filedialog.asksaveasfilename(defaultextension=".csv",

                                           Filetypes=[("CSV files", "*.csv"), ("Excel files",

                                           "*.xlsx")])

    If export_path:

        If export_path.endswith(".xlsx"):

            Df.to_excel(export_path, index=False)

        Else:

            Df.to_csv(export_path, index=False)

            Send_email(export_path)

If __name__ == "__main__":



    Root = tk.Tk()



    App = DeforestationApp(root)



    Root.mainloop()



```


6.2 SCREENSHOT











Deforestation Alert: Immediate Action Required!

Add label



chandraprabhachandr... 5 Mar

to bavithras23



Dear Authorities,

A deforestation event has been detected. Please find the attached report for actions.

Best Regards,
Deforestation Monitoring System

	A	B	C	D	E	F	G
1	Forest Name	Tree Loss	Tree Loss (%)	Before Species	After Species	Deforestation St	Date
2	amazon	16	88.89%	[('greenhouse', n	[('shower_curtain	Deforestation De	2025-03-05 10:5

CONCLUSION

This project demonstrates an efficient machine learning-assisted system for deforestation monitoring using satellite imagery. By integrating deep learning with traditional image processing techniques, the system effectively estimates tree count, detects deforestation, and classifies tree species before and after forest loss. The GUI-based interface allows users to upload images, analyze deforestation impact, and generate reports, ensuring accessibility for environmental agencies and researchers. The automated email alert feature further enhances real-time monitoring by facilitating prompt action against deforestation activities.

7.1 BENEFITS

- **Accurate Deforestation Detection** – Combines image processing and deep learning for precise tree loss estimation.
- **Tree Species Classification** – Provides insights into biodiversity changes before and after deforestation.
- **Simulated Deforestation Feature** – Helps assess the potential impact of deforestation before it occurs.
- **Automated Reporting and Alerts** – Generates structured reports

7.2 FUTURE ENHANCEMENT

In the future, the system can be enhanced by integrating advanced deep learning models such as Vision Transformers (ViTs) or custom CNN architectures to improve tree species classification and deforestation detection accuracy. Expanding support for multiple satellite data sources, including Sentinel-2, Landsat-8, and MODIS, will enhance coverage and resolution for more precise analysis. A real-time monitoring system can be developed to automate image retrieval and processing, enabling proactive deforestation detection. Additionally, integrating Geographic Information System (GIS) tools will allow for spatial analysis, deforestation heatmaps, and geolocation-based tracking. The system can also be extended to assess the impact of deforestation on local climate conditions by incorporating meteorological data and AI-driven climate models.

To enhance accessibility, a mobile application can be developed, enabling field researchers and conservationists to upload images and receive instant analysis. Automated report generation can be improved by incorporating AI-driven predictive insights on future deforestation trends based on historical data. Furthermore, direct integration with government and environmental agencies through API-based communication can streamline deforestation alerts and facilitate timely interventions. Crowdsourced image collection from drones or ground-level sources can supplement satellite data, improving detection accuracy. Lastly, implementing 3D forest canopy analysis using LiDAR or stereo satellite imagery will provide a more detailed assessment of forest structure and biomass estimation. These enhancements will significantly improve the system's accuracy, usability, and real-world impact, making it a valuable tool for forest conservation and climate action.

BIBLIOGRAPHY

8.1 BOOKREFERENCE

1. Krizhevsky, A., Sutskever, I., & Hinton, G. E. (2012). ImageNet Classification with Deep Convolutional Neural Networks. Advances in Neural Information Processing Systems (NeurIPS).
2. Howard, A. G., Sandler, M., Chen, B., Wang, W., et al. (2018). MobileNetV2: Inverted Residuals and Linear Bottlenecks. IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR).
3. Otsu, N. (1979). A Threshold Selection Method from Gray-Level Histograms. IEEE Transactions on Systems, Man, and Cybernetics.
4. Schindler, K. (2012). An Overview and Comparison of Satellite-Based Deforestation Monitoring Methods. International Journal of Remote Sensing.
5. OpenCV Developers (2023). OpenCV Documentation. OpenCV.org.

8.2 WEBLINKS

1. <https://ieeexplore.ieee.org/document/9037285/>
2. <https://github.com/>
3. <https://www.kaggle.com/datasets/mrwellsdavid/unsu-nb15/>