


Companion Care: Revolutionizing Early to Mid-Stage Dementia Care Through Adaptive Artificial Intelligence

One platform. Three stakeholders. Better outcomes.

Chandra Daka, Roberto de Freitas, Susan Guajardo, Isaiah Olumeko, Saba Yazdekhasi, Olutobi S, Maryam Vasefi

University of Houston, Fertitta Family College of Medicine, Cullen College of Engineering, College of Liberal Arts and Social Sciences, College of Education, College of Pharmacy, Humana Institute

BACKGROUND



The gap is not awareness — it is the lack of integrated solutions!!!

OBJECTIVES

To develop an AI-enabled companion care application that supports continuity of care for individuals with early to mid-stage dementia.

To reduce barriers to optimal dementia care, including limited access to supportive resources.

REFERENCES

Please scan our QR code to access our references:



PROPOSED SOLUTION

Companion Care



The caregiver screen


PATTERN DETECTED

Afternoon agitation linked to 3 PM

5 of the last 8 agitation episodes started between 2:30–3:30 PM. Rosa left her classroom at 3:00 PM for 31 years.

Try a 'gentle hand-off': Vicente Fernández at 2:45 PM and dim lights.

Patient home screen



The physician screen



“Round the clock care so we do not miss anything new”

“Seeing the small changes over time”

“Keep Mama alert and in her personal space”

- Interview Feedback

APPROACH & METHODS

Qualitative design

Semi-structured phone interview with caregivers of dementia patients and the healthcare team

Caregiver Interview

- Family Caregivers

Healthcare Team Interview

- Physicians
- Community health workers

Literature Survey

- Peer Reviewed articles
- Associations

How it works

- Caregiver logs the day**
60-second voice or tap entry
- Trigger fingerprint forms**
The app learns patterns for each person
- Personalized support**
The right calming cue at the right moment
- Physician summary**
counts & dates, one tap - never a diagnosis

EXPECTED OUTCOMES

Our platform is anticipated to:

Fewer crisis moments at home

Reduces agitation episodes and distress by cueing personalized responses.

Better-informed clinic visits

Provides physicians a summary of the time between visits.

Reduce Care Giver Burden

Tailored support is expected to ease caregiving and improve well-being.

Reduce ER Visits

Management of symptoms is expected to reduce ED visits and hospitalizations.

