

# Cucumber Report

Oct 9, 2021 9:13:51 AM

Start : Oct 09, 9:13:39.301 AM

End : Oct 09, 9:13:49.853 AM

Duration : 10.552 s

Features



Scenarios

Steps

PASSED - 1  
FAILED - 1  
SKIPPED - 0


PASSED - 6  
FAILED - 1  
SKIPPED - 0

PASSED - 30  
FAILED - 1  
SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	Create Repository under the organization end point	2	1	1	0	6.918 s
2	Get List of Organization Repositories End Point	5	5	0	0	3.591 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Create Repository under the organization end point</u>	<u>Create a github repository positive</u>	5	3	1	1	5.267 s
2	<u>Create Repository under the organization end point</u>	<u>Create a github repository positive</u>	5	5	0	0	1.618 s
3	<u>Get List of Organization Repositories End Point</u>	<u>Get All organization repositories</u>	3	3	0	0	1.102 s
4	<u>Get List of Organization Repositories End Point</u>	<u>Get All organization private repositories</u>	4	4	0	0	0.753 s
5	<u>Get List of Organization Repositories End Point</u>	<u>Get All organization repositories with multiple params</u>	5	5	0	0	0.658 s
6	<u>Get List of Organization Repositories End Point</u>	<u>Get All organization repositories with multiple params</u>	5	5	0	0	0.443 s
7	<u>Get List of Organization Repositories End Point</u>	<u>Get All organization repositories with multiple params</u>	5	5	0	0	0.610 s

**(F)- Create Repository under the organization end point**

<b>FAILED</b>	<b>DURATION - 6.918 s</b>	Scenarios		Steps	
/ 9:13:39.301 AM // 9:13:46.219 AM /		Total - 2		Total - 10	
		Pass - 1		Pass - 8	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	



**(S)- Create a github repository positive**

<div>FAILED</div> <div>DURATION - 5.267 s</div>			Steps	
/ 9:13:39.313 AM // 9:13:44.580 AM /			Total - 5	
Create Repository under the organization end point			Pass - 3	
@smoke @regression @createrepo			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given Header has "Authorization" with value "Bearer ghp_d3PpmDGU8cu0npeEAdh7ostDh14tsP3v9vaN"	PASSED	0.548 s
2	And Input JSON contains "auto_repo_001","This is repo1","false"	PASSED	1.047 s
3	When I execute "POST" request	PASSED	3.391 s
4	Then I verify statuscode is 201  java.lang.AssertionError: 1 expectation failed. Expected status code <201> but was <401>. at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:59) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:84) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:59) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47)	FAILED	0.182 s

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139) at io.restassured.internal.ResponseSpecificationImpl.validateResponseSelfRequired(ResponseSpecificationImpl.groovy:674) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:193) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:61) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:51) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:126) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:51) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:134) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at io.restassured.internal.ValidatableResponseImpl.super\$2\$statusCode(ValidatableResponseImpl.groovy) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144) at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy:142) at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy) at stepdefinitions.StepDefinition.verifyStatuscodes(StepDefinition.java:64) at ?.I verify statuscode is 201(file:///D:/trainings/API%20Testing/API_Batch_14_Automation/Framework/api_framework/src/test/resources/features/GithubCreateOrgRepo.feature:12) * Not displayable characters are replaced by '?'. </pre>		
5	And I verify response body contains "auto_repo_001","This is repo1","false"	SKIPPED	0.001 s

**(S)- Create a github repository positive**



<div>PASSED</div>	<div>DURATION - 1.618 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:13:44.601 AM // 9:13:46.219 AM /</div>				
<div>Create Repository under the organization end point</div>				
<div>@smoke @regression @createrepo</div>				

#	Step / Hook Details	Status	Duration
1	Given Header has "Authorization" with value "Bearer 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"	PASSED	0.004 s
2	And Input JSON contains "auto_repo_002","This is repo2","true"	PASSED	0.005 s
3	When I execute "POST" request	PASSED	1.420 s
4	Then I verify statuscode is 201	PASSED	0.002 s
5	And I verify response body contains "auto_repo_002","This is repo2","true"	PASSED	0.183 s

**(F)- Get List of Organization Repositories End Point**



<div>PASSED</div>	<div>DURATION - 3.591 s</div>	<div>Scenarios</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>5</div></div>	<div>Steps</div> <div>Total - 22</div> <div>Pass - 22</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>22</div></div>
<div>/ 9:13:46.262 AM // 9:13:49.853 AM /</div>					

**(S)- Get All organization repositories**

<div>PASSED</div> <div>DURATION - 1.102 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:13:46.262 AM // 9:13:47.364 AM /</div>			
<div>Get List of Organization Repositories End Point</div>			
<div>@smoke @regression</div>			



#	Step / Hook Details	Status	Duration
1	Given Header has "Authorization" with value "Bearer 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"	PASSED	0.001 s
2	When I execute "GET" request	PASSED	1.098 s
3	Then I verify statuscode is 200	PASSED	0.001 s

### (S)- Get All organization private repositories

<b>PASSED</b>	<b>DURATION - 0.753 s</b>		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:13:47.372 AM // 9:13:48.125 AM /				
Get List of Organization Repositories End Point				
@regression @p1				

#	Step / Hook Details	Status	Duration
1	Given Header has "Authorization" with value "Bearer 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"	PASSED	0.001 s
2	And Query param "type" is "private"	PASSED	0.012 s
3	When I execute "GET" request	PASSED	0.735 s
4	Then I verify statuscode is 200	PASSED	0.002 s



### (S)- Get All organization repositories with multiple params

<b>PASSED</b>	<b>DURATION - 0.658 s</b>		<b>Steps</b> Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 9:13:48.132 AM // 9:13:48.790 AM /				
Get List of Organization Repositories End Point				
@regression @p2				

#	Step / Hook Details	Status	Duration
1	Given Header has "Authorization" with value "Bearer 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"	PASSED	0.005 s
2	And Query param "type" is "private"	PASSED	0.001 s
3	And Query param "per_page" is "5"	PASSED	0.001 s
4	When I execute "GET" request	PASSED	0.644 s



#	Step / Hook Details	Status	Duration
5	Then I verify statuscode is 200	PASSED	0.003 s

### (S)- Get All organization repositories with multiple params

<b>PASSED</b>	<b>DURATION - 0.443 s</b>		<b>Steps</b> Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 9:13:48.795 AM // 9:13:49.238 AM /				
Get List of Organization Repositories End Point				
@regression @p2				

#	Step / Hook Details	Status	Duration
1	Given Header has "Authorization" with value "Bearer ghp_p99z7f4Allj0Dln2PKLqJrxvQx5xL815rsKP"	PASSED	0.001 s
2	And Query param "type" is "private"	PASSED	0.001 s
3	And Query param "per_page" is ""	PASSED	0.000 s
4	When I execute "GET" request	PASSED	0.437 s
5	Then I verify statuscode is 200	PASSED	0.001 s

### (S)- Get All organization repositories with multiple params

<b>PASSED</b>	<b>DURATION - 0.610 s</b>		<b>Steps</b> Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 9:13:49.243 AM // 9:13:49.853 AM /				
Get List of Organization Repositories End Point				
@regression @p2				

#	Step / Hook Details	Status	Duration
1	Given Header has "Authorization" with value "Bearer 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"	PASSED	0.001 s
2	And Query param "type" is "public"	PASSED	0.001 s
3	And Query param "per_page" is "5"	PASSED	0.000 s
4	When I execute "GET" request	PASSED	0.601 s
5	Then I verify statuscode is 200	PASSED	0.004 s