



FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	Create Repository under the organization end point	2	0	2	0	7.440 s
2	Get List of Organization Repositories End Point	5	0	5	0	2.596 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Create Repository under the organization end point	Create a github repository positive	5	3	1	1	7.027 s
2	Create Repository under the organization end point	Create a github repository positive	5	3	1	1	0.306 s
3	Get List of Organization Repositories  End Point	Get All organization repositories	3	2	1	0	0.729 s
4	Get List of Organization Repositories  End Point	Get All organization private repositories	4	3	1	0	0.572 s
5	Get List of Organization Repositories  End Point	Get All organization repositories with multiple params	5	4	1	0	0.429 s
6	Get List of Organization Repositories  End Point	Get All organization repositories with multiple params	5	4	1	0	0.413 s
7	Get List of Organization Repositories  End Point	Get All organization repositories with multiple params	5	4	1	0	0.410 s

DETAILED SECTION -- 4 --

#### (F)- Create Repository under the organization end point

FAILED	DURATION - 7.440 s	Scenarios		Steps	
		Total - 2		Total - 10	
/ 9:10:37.033 AM	// 9:10:44.473 AM /	Pass - 0	2	Pass - 6	10
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 2	

### (S)- Create a github repository positive




#	Step / Hook Details	Status	Duration
1	Given Header has "Authorization" with value "Bearer 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"	PASSED	0.842 s
2	And Input JSON contains "auto_repo_001","This is repo1","false"	PASSED	1.283 s
3	When I execute "POST" request	PASSED	4.683 s
4	Then I verify statuscode is 201	FAILED	0.143 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <201> but was <405>.  at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72)  at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:59)  at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:84)  at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(AllSiteArray.java:59)  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)  at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493)  at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)  at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47)		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139)		
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:674)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.		
	java:193)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:61)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:51)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:126)		
	at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:51)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:134)		
	$at\ io. rest assured. internal. Validatable Response Options Impl. status Code (Validatable Response Options Impl. java: 89)$		
	at io.restassured.internal.ValidatableResponseImpl.super\$2\$statusCode(ValidatableResponseImpl.groovy)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)		
	at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144)		
	at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy:142)		
	at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy)		
	at stepdefinitions.StepDefinition.verifyStatuscodeIs(StepDefinition.java:64)		
	at ?.I verify statuscode is 201(file:///D:/trainings/API%20Testing/API_Batch_14_Automation/Framework/api_framework/src/test/resources/		
	features/GithubCreateOrgRepo.feature:12)		
	* Not displayable characters are replaced by '?'.		
5	And I verify response body contains "auto_repo_001","This is repo1","false"	SKIPPED	0.001 s

DETAILED SECTION -- 6 --

# (S)- Create a github repository positive




#	Step / Hook Details	Status	Duration
1	Given Header has "Authorization" with value "Bearer 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"	PASSED	0.001 s
2	And Input JSON contains "auto_repo_002","This is repo2","true"	PASSED	0.003 s
3	When I execute "POST" request	PASSED	0.291 s
4	Then I verify statuscode is 201	FAILED	0.003 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <201> but was <405>.		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72)		
	at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:59)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:84)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:674)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.		
	java:193)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:61)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:126)		
	at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:134)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.ValidatableResponseImpl.super\$2\$statusCode(ValidatableResponseImpl.groovy)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)		
	at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144)		
	at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy:142)		
	at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy)		
	at stepdefinitions.StepDefinition.verifyStatuscodeIs(StepDefinition.java:64)		
	at ?.I verify statuscode is 201(file:///D:/trainings/API%20Testing/API_Batch_14_Automation/Framework/api_framework/src/test/resources/		
	features/GithubCreateOrgRepo.feature:12)		
	* Not displayable characters are replaced by '?'.		
5	And I verify response body contains "auto_repo_002","This is repo2","true"	SKIPPED	0.001 s

# **(F)- Get List of Organization Repositories End Point**

FAILED	DURATION - 2.596 s	Scenarios		Steps	
		Total - 5		Total - 22	
/ 9:10:44.709	AM // 9:10:47.305 AM /	Pass - 0	5	Pass - 17	22
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 0	

#### **(S)-** Get All organization repositories




#	Step / Hook Details	Status	Duration
1	Given Header has "Authorization" with value "Bearer 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"	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
2	When I execute "GET" request	PASSED	0.723 s
3	Then I verify statuscode is 200	FAILED	0.002 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>.		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72)		
	at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:59)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:84)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:674)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:193)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:61)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:126)		
	at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:134)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at io.restassured.internal.ValidatableResponseImpl.super\$2\$statusCode(ValidatableResponseImpl.groovy)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)		
	at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144)		
	at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy:142)		
	at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy)		
	at stepdefinitions.StepDefinition.verifyStatuscodels(StepDefinition.java:64)		
	at ?.I verify statuscode is 200(file:///D:/trainings/API%20Testing/API_Batch_14_Automation/Framework/api_framework/src/test/resources/		
	features/GithubListOrgRepositories.feature:9)		
	* Not displayable characters are replaced by '?'.		

DETAILED SECTION -- 9 --

# **(S)-** Get All organization private repositories




#	Step / Hook Details	Status	Duration
L	Given Header has "Authorization" with value "Bearer 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"	PASSED	0.003 s
2	And Query param "type" is "private"	PASSED	0.035 s
3	When I execute "GET" request	PASSED	0.526 s
	Then I verify statuscode is 200	FAILED	0.002 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>.		
	at sun.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72)		
	at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:59)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:84)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:674)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.		
	java:193)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:61)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:126)		
	at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:134)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.ValidatableResponseImpl.super\$2\$statusCode(ValidatableResponseImpl.groovy)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)		
	at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144)		
	at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy:142)		
	at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy)		
	at stepdefinitions.StepDefinition.verifyStatuscodeIs(StepDefinition.java:64)		
	at ?.I verify statuscode is 200(file:///D:/trainings/API%20Testing/API_Batch_14_Automation/Framework/api_framework/src/test/resources/		
	features/GithubListOrgRepositories.feature:17)		
	* Not displayable characters are replaced by '?'.		

### (S)- Get All organization repositories with multiple params




#	Step / Hook Details	Status	Duration
1	Given Header has "Authorization" with value "Bearer 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"	PASSED	0.002 s
2	And Query param "type" is "private"	PASSED	0.000 s
3	And Query param "per_page" is "5"	PASSED	0.000 s
4	When I execute "GET" request	PASSED	0.419 s
5	Then I verify statuscode is 200	FAILED	0.002 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>.     at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.lang.reflect.Constructor.newInstance(Constructor.java:423)     at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72)		

DETAILED SECTION -- 11 --

	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:59)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:84)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:674)		
	at sun.reflect.NativeMethodAccessorImpl.invokeO(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.		
j	ava:193)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:61)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:126)		
	at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:134)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at io.restassured.internal.ValidatableResponseImpl.super\$2\$statusCode(ValidatableResponseImpl.groovy)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)		
	at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144)		
	at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy:142)		
	at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy)		
	at stepdefinitions.StepDefinition.verifyStatuscodeIs(StepDefinition.java:64)		
	at ?.I verify statuscode is 200(file:///D:/trainings/API%20Testing/API_Batch_14_Automation/Framework/api_framework/src/test/resources/		
f	eatures/GithubListOrgRepositories.feature:26)		
*	Not displayable characters are replaced by '?'.		

DETAILED SECTION -- 12 --

# **(S)-** Get All organization repositories with multiple params




#	Step / Hook Details	Status	Duration
1	Given Header has "Authorization" with value "Bearer ghp_p99z7f4Allj0Dln2PKLqJrxvQx5xL815rsKP"	PASSED	0.003 s
2	And Query param "type" is "private"	PASSED	0.001 s
3	And Query param "per_page" is ""	PASSED	0.000 s
4	When I execute "GET" request	PASSED	0.403 s
5	Then I verify statuscode is 200	FAILED	0.002 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>. at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72) at org.codehaus.groovy.runtime.callsite.Constructor.doConstructorNoke(CachedConstructor.java:59) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:84) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493) at io.restassured.internal.ResponseSpecificationImpl*HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:674) at sun.reflect.NativeMethodAccessorImpl.invoke(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:193) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:193) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(PogoMetaMethodSite.java:193) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(PogoMetaMethodSite.java:193) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCur		

DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at io.restassured.internal.ValidatableResponseImpl.super\$2\$statusCode(ValidatableResponseImpl.groovy)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)		
	at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144)		
	at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy:142)		
	at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy)		
	at stepdefinitions.StepDefinition.verifyStatuscodels(StepDefinition.java:64)		
	at ?.I verify statuscode is 200(file:///D:/trainings/API%20Testing/API_Batch_14_Automation/Framework/api_framework/src/test/resources/		
	features/GithubListOrgRepositories.feature:26)		
	* Not displayable characters are replaced by '?'.		

# **(S)-** Get All organization repositories with multiple params



#	Step / Hook Details	Status	Duration
1	Given Header has "Authorization" with value "Bearer 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"	PASSED	0.001 s
2	And Query param "type" is "public"	PASSED	0.001 s
3	And Query param "per_page" is "5"	PASSED	0.001 s
4	When I execute "GET" request	PASSED	0.402 s
5	Then I verify statuscode is 200	FAILED	0.002 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>.     at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72)		
	at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:59)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:84)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:674)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.		
	java:193)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:61)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:126)		
	at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:134)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at io.restassured.internal.ValidatableResponseImpl.super\$2\$statusCode(ValidatableResponseImpl.groovy)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)		
	at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144)		
	at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy:142)		
	at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy)		
	at stepdefinitions.StepDefinition.verifyStatuscodeIs(StepDefinition.java:64)		
	at ?.I verify statuscode is 200(file:///D:/trainings/API%20Testing/API_Batch_14_Automation/Framework/api_framework/src/test/resources/		
	features/GithubListOrgRepositories.feature:26)		
	* Not displayable characters are replaced by '?'.		