

```
<!DOCTYPE html>
<html lang="en" class="h-full bg-slate-900">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>Daily Timetable Command Center</title>
  <script src="https://cdn.tailwindcss.com"></script>
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link
href="https://fonts.googleapis.com/css2?family=Outfit:wght@300;40
0;500;600;700;800&family=JetBrains+Mono:wght@400;600;700&disp
lay=swap" rel="stylesheet">
  <script src="https://unpkg.com/lucide@latest"></script>
  <script>
    tailwind.config = {
      darkMode: 'class',
      theme: {
        extend: {
          fontFamily: {
            sans: ['Outfit', 'sans-serif'],
            mono: ['JetBrains Mono', 'monospace'],
          },
          colors: {
```

```
    brand: {
      50: '#f0f7ff',
      100: '#e0effe',
      500: '#0284c7',
      600: '#0284c7',
      700: '#0369a1',
      900: '#0c4a6e',
    }
  }
}
}
}
}
</script>
<style>
.glow-active {
  box-shadow: 0 0 25px -5px rgba(14, 165, 233, 0.45);
}
.glow-alert {
  box-shadow: 0 0 30px -5px rgba(239, 68, 68, 0.5);
}
.custom-scrollbar::-webkit-scrollbar {
  width: 6px;
}
.custom-scrollbar::-webkit-scrollbar-track {
  background: rgba(15, 23, 42, 0.6);
```

```

}
.custom-scrollbar::-webkit-scrollbar-thumb {
  background: rgba(51, 65, 85, 0.8);
  border-radius: 4px;
}
@keyframes pulse-subtle {
  0%, 100% { opacity: 1; transform: scale(1); }
  50% { opacity: 0.85; transform: scale(0.995); }
}
.animate-pulse-subtle {
  animation: pulse-subtle 3s infinite ease-in-out;
}
</style>
</head>
<body class="h-full text-slate-100 font-sans custom-scrollbar flex
flex-col antialiased selection:bg-cyan-500 selection:text-white">

  <header class="border-b border-slate-800 bg-slate-950/80
backdrop-blur-md sticky top-0 z-50">
    <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 py-3.5 flex
flex-wrap items-center justify-between gap-4">
      <!-- Title & Subtitle -->
      <div class="flex items-center space-x-3">
        <div class="p-2.5 bg-gradient-to-tr from-cyan-600 to-blue-600
rounded-xl shadow-lg text-white">

```

```
<i data-lucide="shield-alert" class="w-6 h-6"> </i>
</div>
<div>
  <h1 class="text-xl font-extrabold tracking-tight bg-gradient-
to-r from-white via-slate-200 to-cyan-400 bg-clip-text text-
transparent">
    TIMETABLE COMMAND CENTER
  </h1>
  <p class="text-xs text-slate-400 font-medium">Discipline
Today, Success Tomorrow</p>
</div>
</div>

<!-- Mode & Time Controls -->
<div class="flex flex-wrap items-center gap-3">
  <!-- Timetable Mode Selector -->
  <div class="bg-slate-900 border border-slate-800 p-1 rounded-
xl flex items-center shadow-inner">
    <button id="btnNonCollege" onclick="setDayMode('non-
college')"
      class="px-3 py-1.5 rounded-lg text-xs font-semibold
transition-all duration-200 flex items-center space-x-1.5 text-white
bg-cyan-600 shadow-md">
      <i data-lucide="sun" class="w-3.5 h-3.5"> </i>
      <span>Non-College Day</span>
```

```

</button>
<button id="btnCollege" onclick="setDayMode('college')"
  class="px-3 py-1.5 rounded-lg text-xs font-semibold
transition-all duration-200 flex items-center space-x-1.5 text-slate-
400 hover:text-white">
  <i data-lucide="graduation-cap" class="w-3.5 h-3.5"> </i>
  <span>College Day</span>
</button>
</div>

<!-- Voice Command Toggle -->
<button id="btnVoiceToggle" onclick="toggleVoice()"
  class="px-3 py-2 bg-slate-800 hover:bg-slate-700 border
border-slate-700 text-slate-200 rounded-xl text-xs font-medium flex
items-center space-x-2 transition">
  <i id="voicelcon" data-lucide="volume-2" class="w-4 h-4 text-
cyan-400"> </i>
  <span id="voiceStatus">Voice: ON</span>
</button>

<!-- Test Time Simulator Toggle -->
<button onclick="toggleSimModal()"
  class="px-3 py-2 bg-purple-900/40 hover:bg-purple-800/50
border border-purple-700/50 text-purple-200 rounded-xl text-xs
font-semibold flex items-center space-x-1.5 transition">
  <i data-lucide="fast-forward" class="w-3.5 h-3.5 text-purple-

```

400"></i>

Simulate Time

</button>

</div>

</div>

</header>

<main class="flex-1 max-w-7xl w-full mx-auto px-4 sm:px-6 lg:px-8 py-6 space-y-6">

<!-- TOP ACTIVE COMMAND DASHBOARD -->

<section id="activeCommandCard" class="relative overflow-hidden rounded-2xl bg-gradient-to-br from-slate-900 via-slate-900 to-slate-950 border border-slate-800 p-6 shadow-2xl transition-all duration-300">

<div class="absolute -top-24 -right-24 w-72 h-72 bg-cyan-500/10 rounded-full blur-3xl pointer-events-none"></div>

<div class="absolute -bottom-24 -left-24 w-72 h-72 bg-purple-500/10 rounded-full blur-3xl pointer-events-none"></div>

<div class="relative z-10 grid grid-cols-1 lg:grid-cols-12 gap-6 items-center">

<!-- Live Clock & Status Badge -->

<div class="lg:col-span-4 space-y-3 border-b lg:border-b-0 lg:border-r border-slate-800/80 lg:pr-6 pb-4 lg:pb-0">

<div class="flex items-center justify-between">

```
<span class="inline-flex items-center px-2.5 py-1 rounded-
full text-xs font-bold tracking-wider uppercase bg-cyan-500/10 text-
cyan-400 border border-cyan-500/30">
```

```
<span class="w-2 h-2 rounded-full bg-cyan-400 animate-
ping mr-2"> </span>
```

Live Tracking

```
</span>
```

```
<span id="simTimeNotice" class="hidden text-xs text-amber-
400 font-mono bg-amber-950/50 px-2 py-0.5 rounded border
border-amber-800">
```

SIMULATED TIME

```
</span>
```

```
</div>
```

```
<div>
```

```
<div id="liveClock" class="text-4xl sm:text-5xl font-black
font-mono tracking-tight text-white">00:00:00</div>
```

```
<div id="liveDate" class="text-xs font-medium text-slate-400
mt-1">Thursday, July 30, 2026</div>
```

```
</div>
```

```
<div class="flex items-center justify-between text-xs pt-1">
```

```
<span class="text-slate-400">Schedule Completion
```

```
Today:</span>
```

```
<span id="disciplinePercent" class="font-bold text-cyan-400
font-mono">0%</span>
```

```
</div>
<div class="w-full bg-slate-800 h-2 rounded-full overflow-
hidden">
  <div id="disciplineProgressBar" class="bg-gradient-to-r
from-cyan-500 to-emerald-400 h-full w-0 transition-all duration-
500"> </div>
</div>
</div>

<!-- Command Alert & Active Slot Info -->
<div class="lg:col-span-8 space-y-4">
  <div class="flex flex-wrap items-center justify-between gap-
2">
    <div class="flex items-center space-x-2">
      <div class="w-3 h-3 rounded-full bg-red-500 animate-
pulse"> </div>
      <span class="text-xs font-bold tracking-wider text-red-400
uppercase">CURRENT ACTIVE COMMAND</span>
    </div>

    <!-- Time Left Countdown -->
    <div class="flex items-center space-x-2 bg-slate-800/80 px-3
py-1 rounded-lg border border-slate-700/60">
      <i data-lucide="timer" class="w-3.5 h-3.5 text-cyan-
400"> </i>
      <span class="text-xs text-slate-400">Time
```


Remaining:

00m 00s

</div>

</div>

<!-- Direct Voice Command Text Box -->

<div class="bg-slate-950/90 border-2 border-cyan-500/40 rounded-xl p-4 shadow-inner space-y-2">

<div id="commandFocusHeader" class="flex items-center justify-between">

Loading schedule...

Focus Area

</div>

<p id="commandText" class="text-sm font-semibold text-slate-100 leading-relaxed font-mono">

"System initializing... Fetching active schedule details."

</p>

</div>

<!-- Action Control Bar for Current Task -->

<div class="flex flex-wrap items-center justify-between gap-3 pt-1">

```

<div class="flex items-center space-x-2">
  <button onclick="speakCurrentCommand()"
    class="px-3.5 py-1.5 bg-cyan-600 hover:bg-cyan-500 text-
white rounded-lg text-xs font-bold flex items-center space-x-1.5
shadow-md transition active:scale-95">
    <i data-lucide="megaphone" class="w-3.5 h-3.5"> </i>
    <span>ANNOUNCE COMMAND</span>
  </button>
  <button onclick="markCurrentTaskComplete()"
    class="px-3.5 py-1.5 bg-emerald-600/80 hover:bg-
emerald-600 text-white rounded-lg text-xs font-bold flex items-
center space-x-1.5 shadow transition active:scale-95">
    <i data-lucide="check-circle-2" class="w-3.5 h-3.5"> </i>
    <span>MARK COMPLETED</span>
  </button>
</div>

<!-- Next Slot Preview -->
<div class="text-xs text-slate-400 flex items-center space-x-
1">
  <span>Next up:</span>
  <span id="nextSlotTitle" class="font-semibold text-slate-
200">--</span>
</div>
</div>

```

```

    </div>
  </div>
</section>

<div class="grid grid-cols-1 lg:grid-cols-12 gap-6">

  <!-- LEFT COLUMN: Timetable Blocks (7 Cols) -->
  <section class="lg:col-span-7 space-y-4">
    <div class="flex items-center justify-between">
      <div class="flex items-center space-x-2">
        <i data-lucide="list-checks" class="w-5 h-5 text-cyan-400"> </i>
        <h2 class="text-lg font-bold text-white tracking-wide">Daily
Schedule Matrix</h2>
      </div>
      <span id="dayModeBadge" class="text-xs px-2.5 py-1 rounded-md font-bold bg-slate-800 text-slate-300 border border-slate-700">
        Non-College Mode
      </span>
    </div>

    <!-- Timetable Blocks List -->
    <div id="scheduleTimeline" class="space-y-3">
      <!-- Populated by JavaScript -->
    </div>
  </section>
</div>

```

</section>

<!-- RIGHT COLUMN: Focus Toolkit & Motivation (5 Cols) -->

<section class="lg:col-span-5 space-y-6">

<!-- POMODORO / FOCUS TIMER PANEL -->

<div class="bg-slate-900 border border-slate-800 rounded-2xl p-5 shadow-xl space-y-4">

<div class="flex items-center justify-between border-b border-slate-800 pb-3">

<div class="flex items-center space-x-2">

<i data-lucide="brain-circuit" class="w-5 h-5 text-purple-400"> </i>

<h3 class="font-bold text-white">Focus Command
Timer</h3>

</div>

Sprint Mode

</div>

<div class="text-center py-2">

<div id="pomoTime" class="text-5xl font-black font-mono tracking-tight text-white">25:00</div>

<p id="pomoStatusText" class="text-xs text-slate-400 mt-1">Ready to start deep work session</p>

</div>

```
<!-- Timer Buttons -->
<div class="flex items-center justify-center space-x-2">
  <button id="btnPomoStart" onclick="startPomo()"
    class="px-4 py-2 bg-purple-600 hover:bg-purple-500 text-
white rounded-xl text-xs font-bold flex items-center space-x-1.5
shadow transition">
    <i data-lucide="play" class="w-4 h-4"> </i>
    <span>Start</span>
  </button>
  <button id="btnPomoPause" onclick="pausePomo()"
    class="px-4 py-2 bg-slate-800 hover:bg-slate-700 text-slate-
300 rounded-xl text-xs font-bold flex items-center space-x-1.5 border
border-slate-700 transition">
    <i data-lucide="pause" class="w-4 h-4"> </i>
    <span>Pause</span>
  </button>
  <button onclick="resetPomo()"
    class="px-4 py-2 bg-slate-800 hover:bg-slate-700 text-slate-
400 hover:text-white rounded-xl text-xs font-bold border border-
slate-700 transition">
    <i data-lucide="rotate-ccw" class="w-4 h-4"> </i>
  </button>
</div>

<!-- Quick presets -->
```

```
<div class="flex justify-center gap-2 pt-1">
  <button onclick="setPomoMinutes(15)" class="px-2.5 py-1
bg-slate-950 border border-slate-800 hover:border-purple-500
rounded text-xs font-mono text-slate-300">15m</button>
  <button onclick="setPomoMinutes(25)" class="px-2.5 py-1
bg-slate-950 border border-slate-800 hover:border-purple-500
rounded text-xs font-mono text-slate-300">25m</button>
  <button onclick="setPomoMinutes(45)" class="px-2.5 py-1
bg-slate-950 border border-slate-800 hover:border-purple-500
rounded text-xs font-mono text-slate-300">45m</button>
  <button onclick="setPomoMinutes(60)" class="px-2.5 py-1
bg-slate-950 border border-slate-800 hover:border-purple-500
rounded text-xs font-mono text-slate-300">60m</button>
</div>
</div>
```

```
<!-- AMBIENT STUDY SOUND GENERATOR (Synthesized) -->
<div class="bg-slate-900 border border-slate-800 rounded-2xl
p-5 shadow-xl space-y-3">
  <div class="flex items-center justify-between border-b border-
slate-800 pb-3">
    <div class="flex items-center space-x-2">
      <i data-lucide="headphones" class="w-5 h-5 text-emerald-
400"> </i>
      <h3 class="font-bold text-white">Focus Noise
```

Generator</h3>

</div>

Web

Audio

</div>

<div class="grid grid-cols-2 gap-2 pt-1">

<button id="btnSoundBinaural"

onclick="toggleAudioNoise('binaural')"

class="p-2.5 bg-slate-950 border border-slate-800

hover:border-emerald-500/50 rounded-xl text-xs text-left transition

flex items-center justify-between">

<div>

<div class="font-bold text-slate-200">Alpha Wave</div>

<div class="text-[10px] text-slate-500">10Hz

Concentration</div>

</div>

<i id="iconBinaural" data-lucide="volume-x" class="w-4 h-4
text-slate-500"></i>

</button>

<button id="btnSoundWhite"

onclick="toggleAudioNoise('white')"

class="p-2.5 bg-slate-950 border border-slate-800

hover:border-emerald-500/50 rounded-xl text-xs text-left transition

flex items-center justify-between">

```

    <div>
      <div class="font-bold text-slate-200">White Noise</div>
      <div class="text-[10px] text-slate-500">Block
Distractions</div>
    </div>
    <i id="iconWhite" data-lucide="volume-x" class="w-4 h-4
text-slate-500"> </i>
    </button>
  </div>
</div>

<!-- DAILY MOTIVATION & TIMETABLE RULES -->
<div class="bg-gradient-to-br from-slate-900 via-slate-900 to-
indigo-950/40 border border-slate-800 rounded-2xl p-5 shadow-xl
space-y-3">
  <div class="flex items-center space-x-2 text-amber-400 font-
bold border-b border-slate-800/80 pb-2.5">
    <i data-lucide="sparkles" class="w-5 h-5"> </i>
    <span>COMMAND PROTOCOLS</span>
  </div>
  <ul class="space-y-2 text-xs text-slate-300 leading-relaxed">
    <li class="flex items-start space-x-2">
      <i data-lucide="check" class="w-3.5 h-3.5 text-cyan-400 mt-
0.5 shrink-0"> </i>
      <span><strong>Rule #1:</strong> Never skip a notes

```


session right after a class. Synthesis cements knowledge.

<li class="flex items-start space-x-2">

<i data-lucide="check" class="w-3.5 h-3.5 text-cyan-400 mt-0.5 shrink-0"> </i>

Rule #2: Treat rest intervals strictly as rest—hydrate, stretch, stay off random social feeds.

<li class="flex items-start space-x-2">

<i data-lucide="check" class="w-3.5 h-3.5 text-cyan-400 mt-0.5 shrink-0"> </i>

Rule #3: Revision from 10 PM - 11 PM is non-negotiable for long-term retention.

<div class="p-3 bg-slate-950/80 rounded-xl border border-indigo-900/40 text-center">

<p class="text-xs italic text-indigo-300">

"Time is the most valuable thing. Use it wisely and make it count."

</p>

</div>

</div>

</section>

</div>

</main>

<div id="simModal" class="hidden fixed inset-0 bg-slate-950/80 backdrop-blur-sm z-50 flex items-center justify-center p-4">

<div class="bg-slate-900 border border-slate-800 rounded-2xl max-w-md w-full p-6 space-y-4 shadow-2xl">

<div class="flex items-center justify-between border-b border-slate-800 pb-3">

<div class="flex items-center space-x-2">

<i data-lucide="fast-forward" class="w-5 h-5 text-purple-400"> </i>

<h3 class="font-bold text-white text-lg">Simulate Time for Testing</h3>

</div>

<button onclick="toggleSimModal()" class="text-slate-400 hover:text-white">

<i data-lucide="x" class="w-5 h-5"> </i>

</button>

</div>

<p class="text-xs text-slate-400 leading-relaxed">

Test how the app issues commands, alerts, and TTS voice speech

at different hours of your day.

</p>

<div class="space-y-3">

<div>

<label class="block text-xs font-semibold text-slate-300 mb-1">Select Hour to Test:</label>

<input type="range" id="simHourInput" min="0" max="23" value="8" step="1" oninput="updateSimHourLabel(this.value)" class="w-full accent-purple-500 bg-slate-800 h-2 rounded-lg cursor-pointer">

<div class="flex justify-between text-xs text-slate-400 font-mono mt-1">

12 AM

08:00 AM

11 PM

</div>

</div>

<div>

<label class="block text-xs font-semibold text-slate-300 mb-1">Select Minute:</label>

<input type="range" id="simMinuteInput" min="0" max="59" value="0" step="5" oninput="updateSimMinLabel(this.value)" class="w-full accent-purple-500 bg-slate-800 h-2 rounded-lg

cursor-pointer">

<div class="flex justify-between text-xs text-slate-400 font-mono mt-1">

00m

00m

55m

</div>

</div>

</div>

<div class="flex space-x-2 pt-2">

<button onclick="applySimTime()" class="flex-1 py-2.5 bg-purple-600 hover:bg-purple-500 text-white rounded-xl text-xs font-bold shadow transition">

Apply Simulated Time

</button>

<button onclick="resetRealTime()" class="py-2.5 px-4 bg-slate-800 hover:bg-slate-700 text-slate-300 rounded-xl text-xs font-bold transition">

Reset to Real Time

</button>

</div>

</div>

</div>

```
<script>
/* TIMETABLE DATA SCHEMAS */
const TIMETABLES = {
  'non-college': [
    {
      id: 'nc-1',
      start: '07:00',
      end: '08:00',
      activity: 'Wake up, freshen up, breakfast',
      focus: 'Self Care & Energy',
      category: 'care',
      command: 'COMMAND: Wake up immediately! Freshen up,
hydrate, and eat a nutritious breakfast. Prepare your mindset for a
focused day!'
    },
    {
      id: 'nc-2',
      start: '08:00',
      end: '10:00
```