Download java se-1.8 and add them in path like below





Download eclipse ide for java developers from the given download link

- ➔ [Eclipse IDE 2025-12 R Packages | Eclipse Packages]



- ➔ Click on x86_64

Extract them

Download Cloudsim-3.0.3 from given download link

- ➔ https://storage.googleapis.com/google-code-archive-downloads/v2/code.google.com/cloudsim/cloudsim-3.0.3.zip

extract them you see jars and sources folders

Download commons-math3-3.2.jar from given download link

- ➔ Central Repository: org/apache/commons/commons-math3/3.2

Copy that downloaded jar file and paste them in extracted cloudsim folder->jars

open extracted eclipse folder and launch eclipse

create a new project of name cloudsimproject

name and tick as shown in below pic



on left side you see your project right click and go to properties . In Properties tab click on libraries and click on add external jars select all jar files from

extracted cloudsim folder->jars



Click apply and close

Expand your project folder



You see src folder

Right click src folder -> new -> new class



Name and tick all options as shown in below pic



```
package cloudsimproject;
import org.cloudbus.cloudsim.*;
import org.cloudbus.cloudsim.core.CloudSim;
import org.cloudbus.cloudsim.provisioners.*;
import java.util.*;
class Test {
  public static void main(String[] args) throws Exception {
    CloudSim.init(1, Calendar.getInstance(), false);
    Pe pe = new Pe(0, new PeProvisionerSimple(1000));
    Host host = new Host(0,
        new RamProvisionerSimple(2048),
        new BwProvisionerSimple(10000),
        1000000,
        Arrays.asList(pe),
        new VmSchedulerSpaceShared(Arrays.asList(pe)));
    Datacenter dc = new Datacenter("DC",
        new DatacenterCharacteristics("x86","Linux","Xen",
            Arrays.asList(host),10,3,0.05,0.1,0),
        new VmAllocationPolicySimple(Arrays.asList(host)),
        new LinkedList<Storage>(),0);
    DatacenterBroker broker = new DatacenterBroker("Broker");
    int id = broker.getId();
    broker.submitVmList(Arrays.asList(
        new Vm(0,id,1000,1,512,1000,10000,"Xen",
            new CloudletSchedulerSpaceShared())
    ));
    Cloudlet c1 = new Cloudlet(0,4000,1,300,300,
        new UtilizationModelFull(),
```

```java
            new UtilizationModelFull(),
            new UtilizationModelFull());
        Cloudlet c2 = new Cloudlet(1,2000,1,300,300,
            new UtilizationModelFull(),
            new UtilizationModelFull(),
            new UtilizationModelFull());
        c1.setUserId(id);
        c2.setUserId(id);
        List<Cloudlet> list = new ArrayList<>();
        list.add(c1);
        list.add(c2);
        // 🔥 Custom SJF
        if (c1.getCloudletLength() > c2.getCloudletLength()) {
          list.set(0,c2);
          list.set(1,c1);
        }
        broker.submitCloudletList(list);
        CloudSim.startSimulation();
        CloudSim.stopSimulation();
    }
}
```

Paste above code and run (the above code is custom sjf scheduling algorithm which was not present in cloudsim)