



- 1) Install two ubuntu os in single virtual machine as shown in given picture name them as vm1 and vm2(note names should be your wish)



- 2) Note vm1 is sender and vm2 is receiver
- 3) In vm1 network settings set Adapter 1 to NAT and Adapter 2 to host-only Adapter



- 4) Same goes for vm2 set Adapter 1 to NAT and Adapter 2 to host-only Adapter
- 5) Click ok and start both vm's
- 6) In receiver vm(vm2) open terminal and type following commands
 - ➔ \$ sudo apt update
 - ➔ \$ sudo apt install openssh-server
 - ➔ \$ sudo systemctl enable ssh
 - ➔ \$ sudo systemctl start ssh

```
inet6 fe80::ec27:ccc1:e07c:2ebb/64 scope link noprefixroute
valid_lft forever preferred_lft forever
nikhil22@nikhil22-VirtualBox:~$ sudo apt update
[sudo] password for nikhil22:
Get:1 http://security.ubuntu.com/ubuntu bionic-security InRelease [1
Hit:2 http://in.archive.ubuntu.com/ubuntu bionic InRelease
Get:3 http://in.archive.ubuntu.com/ubuntu bionic-updates InRelease [
Get:4 http://security.ubuntu.com/ubuntu bionic-security/main amd64 D
ata [76.7 kB]
Get:5 http://security.ubuntu.com/ubuntu bionic-security/restricted a
Metadata [212 B]
Get:6 http://security.ubuntu.com/ubuntu bionic-security/universe amd
etadate [61.8 kB]
Get:7 http://in.archive.ubuntu.com/ubuntu bionic-backports InRelease
```


```
nikhil22@nikhil22-VirtualBox:~$ sudo apt install openssh-server
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following additional packages will be installed:
  ncurses-term openssh-client openssh-sftp-server ssh-import-id
Suggested packages:
  keychain libpam-ssh monkeysphere ssh-askpass molly-guard rssh
The following NEW packages will be installed:
  ncurses-term openssh-server openssh-sftp-server ssh-import-id
The following packages will be upgraded:
  openssh-client
1 upgraded, 4 newly installed, 0 to remove and 318 not upgraded.
Need to get 637 kB/1,247 kB of archives.
After this operation, 5,320 kB of additional disk space will be used.
Do you want to continue? [Y/n] y
```

```
nikhil22@nikhil22-VirtualBox:~$ sudo systemctl enable ssh
Synchronizing state of ssh.service with SysV service script with /lib/sys
systemd-sysv-install.
Executing: /lib/systemd/systemd-sysv-install enable ssh
nikhil22@nikhil22-VirtualBox:~$ sudo systemctl start ssh
```

7) Check vm2(receiver machine ip address and username) by executing following commands

➔ \$ ip a

➔ \$ whoami



(note : the highlighted address is ip address)

```
valid_lft forever preferred_lft forever
nikhil22@nikhil22-VirtualBox:~$ whoami
nikhil22
nikhil22@nikhil22-VirtualBox:~$
```

8) Open vm1(sender vm) terminal and create a text file

➔ \$ echo "hello from vm1"> file.txt

9) After creating a file now share that file from vm1 to vm2

➔ \$ scp file.txt <vm2username>@<vm2user
ipaddress>:/home/<username>/

10) File sharing completed now open that file in vm2

```
nikhil22@nikhil22-VirtualBox:~$ cd /home/nikhil22/
nikhil22@nikhil22-VirtualBox:~$ ls
Desktop    Downloads    file.txt    Pictures    Templates
Documents  examples.desktop  Music      Public      Videos
nikhil22@nikhil22-VirtualBox:~$ cat file.txt
hello from vm1
```