



Book



Search this book

Identity Integrations > Active Directory Integration with the Virtual Appliances
> Connect Active Directory to Umbrella VAs > Install the Connector

Last updated: Feb 13, 2026

Install the Connector

The connector can be installed on a domain controller or a server that is a member of the domain. For more information, see [Prerequisites for AD Integration with VAs](#). Also, verify that network connectivity requirements specified in [Communication Flow and Troubleshooting](#) are met.

Procedure

- 1 In the Umbrella dashboard, navigate to **Deployments > Configuration > Sites and Active Directory** and click **Download**.


- 2 Click **DOWNLOAD**

for Windows Service (Active Directory Connector).



You must download the ZIP file to the local machine where you plan to run it or copy it locally from another machine. We do not recommend that you install the connector from a network drive or run the **Setup.msi** directly from the compressed file


Source: <https://securitydocs.cisco.com/docs/umbrella-dns/olh/146919.dita>




- 3 As an administrator, extract the contents of the **Cisco-Windows-Service** ZIP file that you downloaded from Secure Access to a folder on the server, and then navigate to that folder.

 If you run the AD Connector installer files from the root directory of your server, you may encounter installation errors.


- 4 Run **Setup.msi**, and then in the **Cisco AD Connector Setup** wizard, click **Next**.



- 5 Choose the directory on the server to install the Cisco AD Connector and then click **Next**.




- 6 Select **AD Lookup (using LDAP/LDAPS)** and then click **Next** to provision identities using LDAP lookup of the Domain Controller or Domain registered on the same site.




You can also select **Local LDIF files lookup** to provision identities using Cisco-AD-Connector-LDIF.zip file in the local root folder. To use this option refer to [Deploy LDIF Files for AD Connector](#).


- 7 Click **Next** to confirm that you permit your AD Users and Groups to sync to Secure Access from the Cisco AD Connector.



- 8 Add your Active Directory credentials. Enter the **Username** of the Cisco AD Connector user (**Cisco_Connector** or custom username), the **Password**, and then click **Next**. For more information, see [Prerequisites](#).



- 9 (Optional) Enter the Proxy URL and port for the outbound communication.
- 10 (Optional) Choose the appropriate option if you want to save LDIF files locally.



- 11 Click **Next** and then click **Install**.
- 12 Once the setup is complete, click **Finish**.

Return to the Umbrella dashboard. Verify that the Cisco AD Connector is in the same Umbrella site as the domain controller or domain that it needs to communicate with.

[← Previous topic](#)

Create AD Groups in a Selective Sync File

[Next topic →](#)

Verify That the Connector Syncs with Umbrella