Status	Finished
Started	Tuesday, 20 October 2026, 5:16 PM
Completed	Tuesday, 20 October 2026, 5:20 PM
Duration	3 mins 37 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

All elements in dictionary are separated by _____.

- a. Colon (
- b. dot(.)
- c. Semicolon(;)
- d. Comma(,) ✓

Question **2**

Correct

Mark 1.00 out of 1.00

Which function helps to merge dictionary 'D1' and 'D2'?

- a. append
- b. update ✓
- c. get
- d. merge

Question **3**

Correct

Mark 1.00 out of 1.00

Keys of dictionary must be _____.

- a. antique
- b. unique ✓
- c. integers
- d. mutable

Question **4**

Correct

Mark 1.00 out of 1.00

1,2,3 are the _____ in the following dictionary. D = {1 : "One", 2 : "Two", 3 : "Three"}

a. None of the mentioned
b. Values
c. Items
d. Keys ✓

Question **5**

Correct

Mark 1.00 out of 1.00

Both keys and values are unique in dictionary.

a. True
b. False ✓

Question **6**

Correct

Mark 1.00 out of 1.00

Which function/statement delete all the items of the dictionary?

a. clear( ) ✓
b. delete( )
c. pop( )
d. del

Question **7**

Incorrect

Mark 0.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={1:"A",2:"B",3:"C"}
print(a.get(5,4))
```

a. Invalid Synatx,Error
b. 5 ✗
c. A
d. 4

Question **8**

Correct

Mark 1.00 out of 1.00

clear() method is used to delete the dictionary.

- a. True
- b. False ✓

Question **9**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

- a. A dictionary can have two same values with different keys. ✓
- b. A dictionary can have two same keys or same values but cannot have two same key-value pair
- c. A python, a dictionary can neither have two same keys nor two same values.
- d. A dictionary can have two same keys with different values.

Question **10**

Correct

Mark 1.00 out of 1.00

Key – value concept is in _____.

- a. Dictionary ✓
- b. List
- c. String
- d. Tuple

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

- a. dict ✓
- b. create
- c. dictionary
- d. convert

Question **12**

Incorrect

Mark 0.00 out of 1.00

What does the following code print?

```
names = {'Janice': 5, 'Emily': 3, 'John': 7, 'Eleanor': 2}
list_o_names = []
names['Emily'] += 10
names['Erik'] = 22

for name in names:
    if names[name] > 5:
        list_o_names.append(name)
print(list_o_names)
```

a. ['Janice', 'Emily', 'John']

b. ['Emily', 'John', 'Erik']

c. ['Janice', 'Emily', 'John', 'Eleanor'] ✗

d. ['Janice', 'John', 'Erik']

Question **13**

Correct

Mark 1.00 out of 1.00

Dictionaries in python are _____.

a. Mutable data type

b. Both Mutable data type and Mapping data type ✓

c. Non-Mutable data type

d. Mapping data type

Question **14**

Correct

Mark 1.00 out of 1.00

Following statement return values in the form of: D1.keys() # D1 is a dictionary

a. list ✓

b. dictionary

c. string

d. tuple

Question **15**

Correct

Mark 1.00 out of 1.00

_____ function returns the number of key: value pairs of the dictionary.

a. total 

b. items 

c. length 

d. len  ✓