Status	Finished
Started	Monday, 31 August 2026, 2:11 PM
Completed	Monday, 31 August 2026, 2:18 PM
Duration	6 mins 48 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Complete

Mark 1.00 out of 1.00


```
x,y=1,2
if(x or y):
    print("1")
else:
    print("0")
```

- a. Runtime error
- b. 1
- c. Compile time error
- d. 0

Question **2**

Complete

Mark 1.00 out of 1.00



- a. Hello World
- b. No output
- c. Name Error

Question **3**

Complete

Mark 1.00 out of 1.00

Which among the following codes have equivalent logic?

Code 1:

```
if(value3>1000 and value3<1006):
  if(value1=="ABC"):
    if(value2=="A"):
      value4=10
    else:
      value4=8
  elif(value1=="XYZ"):
    if(value2=="A"):
      value4=8
    else:
      value4=6
print(value4)
```

Code 2:

```
if(value3>=1001 and value3<=1005 and value1=="ABC"):
    if(value2=="A"):
        value4=10
    else:
        value4=8
elif(value3>1000 and value3<1006 and value1=="XYZ"):
     if(value2=="A"):
        value4=8
     else:
        value4=6
print(value4)
```

Code 3:

```
if(value3>1000 and value3<1006 or value1=="ABC"):
   if(value2=="A"):
      value4=10
   else:
      value4=8
elif(value3>1000 and value3<1006 or  value1=="XYZ"):
   if(value2=="A"):
      value4=8
   else:
      value4=6
print(value4)
```

a. Code 1, Code 3

b. Code 1, Code 2

c. Code 2, Code 3

Question **4**

Complete

Mark 1.00 out of 1.00

What is the output of the following code snippet?

```
a = "Hi"
b = "Arjuna"
c = "Bhimaa"
print("Hi", a, b, c)
```

a. Hi Arjuna Bhimaa Hi

b. Hi Arjuna Hi Bhimaa

c. Hi Hi Arjuna Bhimaa

d. Hi Arjuna Bhimaa

Question **5**

Complete

Mark 1.00 out of 1.00

To write else statement in if-elif ladder is mandatory?

a. True

b. False

Question **6**

Complete

Mark 1.00 out of 1.00

What is the output of the given below program?

```
if 1 + 3 == 7:
    print("Hello")
else:
    print("Know Program")
```

a. Hello

b. Know Program

c. Error

d. Compiled Successfully, No Output.

Question **7**

Complete

Mark 1.00 out of 1.00

choose a valid Python if statement :

- [x] a. if a>=2 :
- [ ] b. if (a => 22)
- [ ] c. if (a >= 2)

Question **8**

Complete

Mark 1.00 out of 1.00

What does the arithmetic operator % do?

- a. **Finds the remainder on dividing two numbers**
- b. **Finds the sum of two numbers**
- c. **Finds the product of two numbers**
- d. **Finds the quotient on dividing two numbers**

Question **9**

Complete

Mark 1.00 out of 1.00

Ahaana wants to make a fun program , if user enters any number a “Good” or “funny” message will appear . She is confused that which is the most suitable control to be used to make such program. Help her to choose correct option.

- a. if else
- b. Nested if
- c. if elif
- d. If

Question **10**

Complete

Mark 1.00 out of 1.00

With what extension are the python files saved?

- a. .python
- b. .pyn
- c. .py
- d. .p

Question **11**

Complete

Mark 0.00 out of 1.00

Which of the following is true about the code below?

```
x = 3
if (x > 2):
    x = x * 2;
if (x > 4):
    x = 0;
print(x)
```

- a. if x is greater than 2, the value in x will be doubled after this code executes
- b. if x is lesser then 0,x will be 0 after this code executes
- c. if x is greater than 2, x will equal 0 after this code executes
- d. x will always equal 0 after this code executes for any value of x

Question **12**

Complete

Mark 1.00 out of 1.00

What will be output for the following code?

```
if 3 == 3:
    print("Python is easy!")
```

- a. NO OUTPUT
- b. Python is easy!
- c. Error

Question **13**

Complete

Mark 1.00 out of 1.00

Python supports _____ types of control structures.

- a. 1
- b. 4
- c. 2
- d. 3

Question **14**

Complete

Mark 1.00 out of 1.00

Given the nested `if-else` below, what will be the value `x` when the code executed successfully

```
x = 0
a = 5
b = 5
if a > 0:
    if b < 0:
        x = x + 5
    elif a > 5:
        x = x + 4
    else:
        x = x + 3
else:
    x = x + 2
print(x)
```

- a. 2
- b. 3
- c. 4
- d. 0

Question **15**

Complete

Mark 1.00 out of 1.00

Which of the following statements in Python is used when no operation is to be performed?

- a. pass
- b. Jump
- c. Empty
- d. None