





FURNICONCEPTS BRAND PROFILE 3.0



+919363607900 | +971 562263715 | +971 50 378 2215 

LETSTALK@FURNICONCEPTS.COM 

WWW.FURNICONCEPTS.COM 

BUSINESS BAY, DUBAI, UAE & CHENNAI, INDIA. 

Teaching interactive whiteboard



55 inch


65 inch

75 inch

86 inch



Rich interfaces



Exquisite craftsmanship



Delicate buttons



Removable computer


Support global government procurement network/global mall procurement

Model/Size	TL55OD-1	TL65OD-1	TL75OD-1	TL86OD-1
Machine size	1270X767X105mm	1489x890x139mm	1707x1015x110mm	1953x1153x110mm
Packing size	1360X875X185mm	1650X1020X255mm	1915X1205X260mm	2150X1342X260mm
Net weight	24.2kg	40kg	60kg	75kg
Gross Weight	31.1kg	44kg	67kg	83kg

Product Parameters					
Backlight type	LED	Touch accuracy	±2mm	Touch technology	Infrared matrix
Backlight life	≥60000小时	Touch Resolution	4096*4096	Touch points	20
Screen ratio	16:9	Maintain	Minimalist design	Tempered glass	Explosion proof
brightness	350cd/m²	Response speed	F≤8ms/C≤3ms	Transmittance	≥95%
Viewing Angle	178°	Writing method	Finger/touch pen	Mohs Hardness	7
Resolution	3840X 2160	Front frame material	Aluminum alloy CNC brushed	Touch life	≥80000 hours
Contrast	5000:1	Back cover material	Sheet metal CNC spray painting	Power consumption	≤300W
Front speaker	2*15W	Input voltage	AC100-240V 60Hz	Temperature	0°C-60°C
Front interface	USB*3, TOUCH*1, HDMI*1, Type-C*1, PC restore*1				
Input Port	CVBS video*2, PC-RGB*1, PC-RGB audio*1, HDMI*2, USB*2, RS232*1, RJ45*1				
OPS Interface	USB*4, VGA*1, COM*1, HDMI*1, RJ45*1, WIFI*1, Earphone-OUT*1, MIC-IN*1				
Output Port	Headphone sound*1, CVBS video*1, coaxial*1, RJ45*1				
system	Windows7/10/11、银河麒麟、Ubuntu、统信uos				
Front buttons	Eye protection, screen recording, whiteboard, computer, home page, volume -, volume +, power switch				



Meeting interactive whiteboard



Magnetic



OPS



Rich interfaces



HOME

55 inch

65 inch

75 inch

86 inch

Support global government procurement network/global mall procurement

Model/Size	TL55OD-2	TL65OD-2	TL75OD-2	TL86OD-2
Machine	1270x767x105mm	1489x890x139mm	1707x1015x110mm	1953x1153x110mm
Size	1360X875X185mm	1650X1020X255mm	1915X1205X260mm	2150X1342X260mm
Packing size	24.2kg	40kg	60kg	75kg
Net weight	31.1kg	44kg	67kg	83kg

Product Parameters					
Backlight type	LED	Touch accuracy	±2mm	Touch technology	Infrared matrix
Backlight life	≥60000小时	Touch Resolution	4096*4096	Touch points	20
Screen ratio	16:9	Maintain	Minimalist design	Tempered glass	Explosion proof
brightness	350cd/m²	Response speed	F≤8ms/C≤3ms	Transmittance	≥95%
Viewing Angle	178°	Writing method	Finger/touch pen	Mohs Hardness	7
Resolution	3840X 2160	Front frame material	Aluminum alloy CNC brushed	Touch life	≥80000 hours
Contrast	5000:1	Back cover material	Sheet metal CNC spray painting	Power consumption	≤300W
Front speaker	2*15W	Input voltage	AC100-240V 60Hz	Built-in camera	Optional
Front interface	USB*2				
Input Port	CVBS video*2, PC-RGB*1, PC-RGB audio*1, HDMI*2, USB*2, RS232*1, RJ45*1				
OPS Interface	USB*4、VGA*1、COM*1、HDMI*1、RJ45*1、WIFI*1、Earphone-OUT*1、MIC-IN*1				
Output Port	Headphone sound*1, CVBS video*1, coaxial*1, RJ45*1				
system	Windows7/10/11、银河麒麟、Ubuntu、统信uos				
Front buttons	Eye protection, screen recording, whiteboard, computer, home page, volume -, volume +, power switch				




Interactive large screen conference machine



98 inch

110 inch



Magnetic



OPS



Rich interfaces




HOME



Support global government procurement network/global mall procurement

Model/Size	TL98OD-2	TL110OD-2
Machine Size	2213X1305X120mm	2503.7X1465.5X120m
Packing Size	2410X1660X350mm	2685X1710X285mm
Net weight	98kg	120kg
Gross Weight	143kg	152kg

Product Parameters					
Backlight type	LED	Touch accuracy	±2mm	Touch technology	Infrared matrix
Backlight life	≥60000小时	Touch Resolution	4096*4096	Touch points	20
Screen ratio	16:9	Maintain	Minimalist design	Tempered glass	Explosion proof
brightness	350cd/m²	Response speed	F≤8ms/C≤3ms	Transmittance	≥95%
Viewing Angle	178°	Writing method	Finger/touch pen	Mohs Hardness	7
Resolution	3840X 2160	Front frame material	Aluminum alloy CNC brushed	Touch life	≥80000 hours
Contrast	5000:1	Back cover material	Sheet metal CNC spray painting	Power consumption	≤300W
Front speaker	2*15W	Input voltage	AC100-240V 60Hz	Built-in camera	Optional
Front interface	USB*2				
Input Port	CVBS video*2, PC-RGB*1, PC-RGB audio*1, HDMI*2, USB*2, RS232*1, RJ45*1				
OPS Interface	USB*4、VGA*1、COM*1、HDMI*1、RJ45*1、WIFI*1、Earphone-OUT*1、MIC-IN*1				
Output Port	Headphone sound*1, CVBS video*1, coaxial*1, RJ45*1				
system	Windows7/10/11、银河麒麟、Ubuntu、统信uos				
Front buttons	Eye protection, screen recording, whiteboard, computer, home page, volume -, volume +, power switch				



Smart Nano Blackboard



Touch and display integration
Multi-person interaction




Fully bonded

75 inch

86 inch

98 inch



Sort	Model/Size	TL75D1	TL86D1	TL98D1
Exterior	Lamination technology	Fully laminated		
	Surface	4MM anti-glare AG tempered glass		
	Size	4200* 1285* 89mm	4350*1350*100mm	
	Case	Aluminum alloy		
	Corner	Zinc alloy		
	Color	Black		
Screen	Display area	1653.5*931.5mm	1897*1068mm	2162*1216mm
	Display ratio	16: 9		
	Brightness	350cd/mi²		
	Resolution	3840*2160		
	Contrast	5000: 1		
	Backlight type	LED direct light source		
	Viewing angle	178°		
Touch	Service life	≥50,000 hours		
	Touch principle	Projected capacitive touch		
	Number of touches	Windows 20 points, Android 10 points		
	Touch drive mode	USB-HID driver-free		
	Surface material	4MM physical tempered glass anti-glare		
	Touch mode	Finger, capacitive pen		
	Touch deviation	≤2mm		
	Calibration	Calibration-free		
Android	System	Windows/ Android		
	Version number	11.0		
	Memory	2G+16G		
	RF(TV)	Support		
	HDMI IN	Support		
	VGA IN	Support		
	VGA AUDIOiN	Support		
	USB	Support		
	RJ45	Support		
	USB TOUCH	Support		
	SD CARD IN	Support		
	Earphone OUT	Support		

Sort	Model/size	WK75D1	WK86D1	WK98D1
OPS	CPU	IntelCorei3(低配)\Core i5(标配)\ Corei7 (高配)		
	System	Windows7/10/11		
	Memory	4G/8G/16G		
	Hard disk	128G(标配)/256G(中配)/512G(高配)		
	Wireless	WIFI		
	Wired	100/1000Mbps		
Pre	Card swipe to start	支持		
	Remote control	支持		
	Standby indicator	支持		
	Button shutdown	支持		
	Front interface	HDMI、USB 3.0*3、EARPONE PC OUT、PC灯		
	Front button	① Power on/off ② Volume up ③ Volume down ④ Signal source ⑤ System menu page turn ⑦ Page down ⑧ Screen sleep		
Software	Writing pen adsorption	Support		
	Whiteboard software	Standard		
	Gao Paiyi software	Standard		
	Smart campus	Standard		
Other	Sunflower software	Standard		
	Gao Paiyi	choose		
	Wireless speakers	choose		
Power Consump-tion	Podium	choose		
	Working voltage	AC 110-220V		
	Standby power consumption	≤1W		
Safety	Power consumption	≤250W	≤300W	≤350W
	Anti-riot	Support		
	Lightning protection	Support		
	Dust protection	Support		
Milieu	Blue light protection	支持		
	Working temperature	-10°C-45°C		
	Storage temperature	-20°C-60°C		
Weight	Net weight	主机70kg、副板26kg	主机77kg、副板26kg	180kg
	Gross weight	主机90kg、副板35kg	主机97kg、副板35kg	200kg
Packing size	75" /86"	主机包装2110*1410*240mm、副板包装1400*1800*230mm		
	98"	2560*1540*430mm		

Smart Nano Blackboard



Fully bonded

75 inch

86 inch

98 inch



Sort	Model/Size	TL75D2	TL86D2	TL98D2
Exterior	Lamination technology	Fully laminated		
	Surface	4MM anti-glare AG tempered glass		
	Size	4200* 1285* 89mm	4350*1350*100mm	
	Case	Aluminum alloy		
	Corner	Zinc alloy		
	Color	Black		
Screen	Display area	1653.5*931.5mm	1897*1068mm	2162*1216mm
	Display ratio	16: 9		
	Brightness	350cd/mi²		
	Resolution	3840*2160		
	Contrast	5000: 1		
	Backlight type	LED direct light source		
Touch	Viewing angle	178°		
	Service life	≥50,000 hours		
	Touch principle	Projected capacitive touch		
	Number of touches	Windows 20 points, Android 10 points		
	Touch drive mode	USB-HID driver-free		
	Surface material	4MM physical tempered glass anti-glare		
Android	Touch mode	Finger, capacitive pen		
	Touch deviation	≤2mm		
	Calibration	Calibration-free		
	System	Windows/ Android		
	Version number	11.0		
	Memory	2G+16G		
Android	RF(TV)	Support		
	HDMI IN	Support		
	VGA IN	Support		
	VGA AUDIOiN	Support		
	USB	Support		
	RJ45	Support		
	USB TOUCH	Support		
	SD CARD IN	Support		
	Earphone OUT	Support		

Sort	Model/size	TL75D1	TL86D1	TL98D2
OPS	CPU	IntelCorei3(低配)\Core i5(标配)\Corei7 (高配)		
	System	Windows7/10/11		
	Memory	4G/8G/16G		
	Hard disk	128G(标配)/256G(中配)/512G(高配)		
	Wireless	WIFI		
	Wired	100/1000Mbps		
Pre	Card swipe to start	支持		
	Remote control	支持		
	Standby indicator	支持		
	Button shutdown	支持		
	Front interface	HDMI、USB 3.0*3、EARPONE PC OUT、PC灯		
	Front button	① Power on/off ② Volume up ③ Volume down ④ Signal source ⑤ System menu page turn ⑦ Page down ⑧ Screen sleep		
Software	Writing pen adsorption	Support		
	Whiteboard software	Standard		
	Gao Paiyi software	Standard		
	Smart campus	Standard		
	Sunflower software	Standard		
	Gao Paiyi	choose		
Other	Wireless speakers	choose		
	Podium	choose		
Power Consump-tion	Working voltage	AC 110-220V		
	Standby power consumption	≤1W		
	Power consumption	≤250W	≤300W	≤350W
Safety	Anti-riot	Support		
	Lightning protection	Support		
	Dust protection	Support		
	Blue light protection	支持		
Milieu	Working temperature	-10°C-45°C		
	Storage temperature	-20°C-60°C		
Weight	Net weight	主机68kg、副板24kg	主机75kg、副板24kg	162kg
	Gross weight	主机88kg、副板33kg	主机95kg、副板33kg	185kg
Packing size	75" /86"	主机包装2110*1410*240mm、副板包装1400*1800*230mm		
	98"	主机2459.2*1542.3*303mm 副板1265.4*1516.8*330mm		

Touch screen inquiry machine

- 32 inch
- 43 inch
- 50 inch
- 55 inch
- 65 inch
- 75 inch
- 86 inch
- 98 inch



Key features:

- Self-service query of required information, such as government services, transportation routes, medical guides, educational resources, etc.
- Self-service to complete some simple business operations, such as registration, ticket collection, payment, printing, etc.
- Self-service shopping guides browse product information, understand product features, prices, promotions, etc., and achieve seamless integration of online and offline
- Multimedia display: Watch videos, pictures, text and other forms of content to increase interactivity and fun
- Add some interesting merchant interactive games to increase user engagement and satisfaction

Portable Smart Screen/BFF Machine

- 27 inch
- 32 inch



Portable Smart Screen is a multifunctional smart device that integrates tablet computer/TV/fitness mirror/smart speaker

Easy to move: The base is equipped with universal silent wheels, which can be moved and adjusted freely

Multimedia playback: Supports multimedia playback and health management functions, providing high-quality healthy audio-visual experience

Online learning: With online learning function, support HDMI connection, and provide more application learning scenarios

Fitness courses: Built-in massive professional fitness courses, equipped with AI bone recognition technology, real-time response to fitness questions

Outdoor vertical advertising machine

- 43 inch
- 50 inch
- 50 inch
- 60 inch
- 75 inch
- 86 inch
- 98 inch



Key features:


- Used in outdoor public places, it has unparalleled advantages in delivering information and expanding influence by exerting good visual impact.
- High definition and high brightness, can adapt to various external environments, can automatically adjust the brightness according to the environment, reduce light pollution, and save electricity
- 24-hour uninterrupted operation, protection level reaches IP65, waterproof/dustproof/humidity-proof/corrosion-proof/explosion-proof
- The temperature control system can adjust the temperature and humidity inside the equipment to ensure that the equipment operates in an environment of 40-50 degrees
- You can create your own programs to instantly play rich content, not limited to advertisements/special topics/columns/variety shows/animations, etc.

触控潜心制造 服务智慧教育

壁挂/立式广告机

创新展示 · 开启数字化营销新科技

- 32 inch
- 43 inch
- 50 inch
- 55 inch
- 65 inch
- 75 inch
- 85 inch
- 98 inch



Key features:

- Split screen to create programs, stretch and drag the video playback area size, marquee subtitle color size/background color/subtitle four-way scrolling
- Equipped with digital calendar clock module, weather forecast module, program template library, supports self-designed templates
- Support remote power on/off/restart, remote synchronization of terminal player/server time, remote setting of terminal player volume
- Remotely set the terminal to turn on/off at a certain time every day or every week, and multiple rounds of scheduled power on and off can be set
- Supports importing the prepared programs directly into the memory card or USB disk for playback when the network is abnormal.

触控潜心制造 服务智慧教育


四等边触控一体机

.....


互动教育新选择



Rich interfaces



Seiko



Equilateral



Removable OPS

32 inch

43 inch

50 inch

55 inch

65 inch

75 inch

85 inch


98 inch

支持全国政府采购网/国铁商城采购

Model/Size	TL32OD-1	TL43OD-1	TL50OD-1	TL55OD-1
Machine	757X451X59mm	992x583x59mm	1121X653X59mm	1270X740X59mm
Size	840X550X135mm	1075x695x135mm	1225X776X155mm	1390X900X190mm
Packing size	16kg	23kg	19kg	29kg
Net weight	18kg	26kg	23kg	33kg


Model/Size	TL65OD-1	TL75OD-1	TL98OD-1	TL98OD-1
Machine	1489X863X59mm	1717x1001x96mm	1961X1138x96mm	2204x1264X100mm
Size	1600X1010X190mm	1880x1200x225mm	2080X1290X230mm	2430X1500X265mm
Packing size	38kg	60kg	70kg	98kg
Net weight	42kg	66kg	86kg	103kg

产品参数					
Backlight type	LED	Touch accuracy	±2mm	Touch technology	Infrared matrix
Backlight life	≥60000小时	Touch Resolution	4096*4096	Touch points	20
Screen ratio	16:9	Maintain	Minimalist design	Tempered glass	Explosion proof
brightness	350cd/m²	Response speed	F≤8ms/C≤3ms	Transmittance	≥95%
Viewing Angle	178°	Writing method	Finger/touch pen	Mohs Hardness	7
Resolution	3840X 2160	Front frame material	Aluminum alloy CNC brushed	Touch life	≥80000 hours
Contrast	5000:1	Back cover material	Sheet metal CNC spray painting	Power consumption	≤300W
Front speaker	2*15W	Input voltage	AC100-240V 60Hz	Built-in camera	Optional
整机端口	CVBS video*2, PC-RGB*1, PC-RGB audio*1, HDMI*2, USB*2, RS232*1, RJ45*1				
OPS接口	USB*4、VGA*1、COM*1、HDMI*1、RJ45*1、WIFI*1、Earphone-OUT*1、POWER*1				
操作系统	Windows7/10/11、银河麒麟、Ubuntu、统信uos				




Interconnected Memory Blackboard

75 inch 86 inch 98 inch



Product size	TL75OD-1	TL86OD-1	TL98OD-1
Machine size	3954X1026X110mm	4200X1153X110mm	4560X1303X130mm
Outer Packaging	1880X1200X225	2080X1290x230	2430X1500X265
Blackboard size	1325X1150X140	1325X1360X140	1325X1500X140
Gross Weight	68KG	90KG	105KG
Blackboard weight	35KG	40KG	50KG



Multiple combination modes
Supports two combination modes: double and triple spelling
Perfectly adapt to the viewing habits in various classroom environments
Build a new blackboard digital smart classroom
Let traditional chalk blackboard writing move towards a new era of information-based teaching

Product Parameters					
Backlight type	LED	Touch accuracy	±2mm	Touch technology	Infrared matrix
Backlight life	≥60000小时	Touch Resolution	4096*4096	Touch points	20
Screen ratio	16:9	Maintain	Minimalist design	Tempered glass	Explosion proof
brightness	350cd/m²	Response speed	F≤8ms/C≤3ms	Transmittance	≥95%
Viewing Angle	178°	Writing method	Finger/touch pen	Mohs Hardness	7
Resolution	3840X 2160	Front frame material	Aluminum alloy CNC brushed	Touch life	≥80000 hours
Contrast	5000:1	Back cover material	Sheet metal CNC spray painting	Power consumption	≤300W
Front speaker	2*15W	Input voltage	AC100-240V 60Hz	Built-in camera	Optional
Front interface	USB*2				
Input Port	CVBS video*2, PC-RGB*1, PC-RGB audio*1, HDMI*2, USB*2, RS232*1, RJ45*1				
OPS Interface	USB*4、VGA*1、COM*1、HDMI*1、RJ45*1、WIFI*1、Earphone-OUT*1、MIC-IN*1				
Output Port	Headphone sound*1, CVBS video*1, coaxial*1, RJ45*1				
system	Windows7/10/11、银河麒麟、Ubuntu、统信uos				
Front buttons	Eye protection, screen recording, whiteboard, computer, home page, volume -, volume +, power switch				

UAE ADDRESS

📍 FURNICONCEPTS MIDDLE EAST FURNITURE TRADING LLC - AL WASL BUILDING - OFFICE 208, RAWDAT - SHEIKH ZAYED RD - BUSINESS BAY - DUBAI

☎ +91 93636 07900 | +971 50 378 2215

✉ LETSTALK@FURNICONCEPTS.COM



INDIA ADDRESS

📍 ZTOA FURNICONCEPTS INDIA PRIVATE LIMITED - SOUTHERN INDIA CHAMBER OF COMMERCE AND INDUSTRIES, ESPLANADE RD, ESPLANADE, GEORGE TOWN, CHENNAI, TAMIL NADU 600104, INDIA

☎ +91 93636 07900 | +971 50 378 2215

✉ LETSTALK@FURNICONCEPTS.COM



SINGAPORE ADDRESS

📍 FURNICONCEPTS PTE. LTD 450 YISHUN RING ROAD, FLOOR 6, UNIT NUMBER 112, SINGAPORE 760450

☎ +65 8093 3197

✉ LETSTALK@FURNICONCEPTS.COM