




FURNICONCEPTS BRAND PROFILE 3.0

+919363607900 | +971 562263715 | +971 50 378 2215 

LETSTALK@FURNICONCEPTS.COM 

WWW.FURNICONCEPTS.COM 

BUSINESS BAY, DUBAI, UAE & CHENNAI, INDIA. 



SLOTTED ANGLE SHELVING SYSTEM

Technical Specifications


Introduction

Slotted Angle is used in a wide variety of application including shelving, benches, trolleys and light construction work such as creating supports or structural bases.

Components

Slotted Angle pre-punched holes allow multiple steel sections to be bolted together to form shelving and storage systems. Combining shelves with slotted angle uprights provides one of the most versatile and economical shelving systems available.

With a wide range of heights, depths and lengths, slotted angle is a quick and easy storage solution for stores, workshops, warehouses or wherever a cost effective and easily assembled shelving unit makes a difference.



Corner plate
Baseplate



Angle Size (mm)	Angle 8ft	40 x 40 – 2400mm
	Angle 10ft	40 x 40 – 3000mm
	Angle 8ft	60 x 40 – 2400mm
	Angle 10ft	60 x 40 – 3000mm
Angle Thickness (mm)	Angle 40 x 40	1.6/1.8/2.0 mm
	Angle 60 x 40	1.6/2.0/2.2 mm
Shelf carrying capacity*		100/125kgs UDL
Shelf Thickness		300x900 - 0.6 mm
		450x900 - 0.8 mm
		600x900 - 0.9 mm
Shelving Clear entry		900 mm
Shelving bay clear depth		300x900 mm
		450x900 mm
		600x900 mm
Shelving Height		35 mm
Shelf Pitch		19 mm
Standard Colour		Grey powder coated

*Uniformly distributed load. Shelf, beam and bay capacities Vary



BOLT FREE SHELVING SYSTEM

Furniconcepts offers the high quality, fully adjustable type of bolt free shelving system which requires no special fixings. A bolt free system, designed to handle light loaded goods which can take upto 80- 150 Kgs UDL per level. This system is ideal for offices, Libraries, archive stores,. retail stores etc.

Furniconcepts bolt free provides quick and simple installation, variety of overall dimensions, and wide range of load capacity, stability and versatility. This type of system load capacity could be light capacities and sometimes it depends on the equipment's and the product requirements.

Furniconcepts provides bolt free shelving system in various sizes and backs and sides can be open and cladded. This is one of the platforms of shelving system which offers the great value for money at the same time and maintain the incredible strength and rigidity to the components. Also, you can get the complete package and adjustable design of the unit and also provide the strength to the structures which helps to manage the storage solutions in the simplest manner.





MEDIUM DUTY SHELVING SYSTEM

Product Specifications

Frame Height - From 1.8 - 7.0 Meter

Frame Depth - 0.45m/0.60m/0.75m/0.80m/0.90m/1.0m/1.2m

Beams are available in two weight duties

60mm high standard beam

(1000mm/1200mm/1500mm/1800mm/2000mm/2400mm)

80mm high heavy duty beam

(2000mm/2400mm/2700mm/3000mm/2000mm/2400mm)

Loading

Bay loads upto 5,500 kgs

Shelf load (per level) from 350 - 900 kgs



FOOD GRADE SHELVING SYSTEM

Unit Dimension:


L1200 x D500 x H1750 mm /150 kgs per level

No of levels in each unit:

04 Shelf Levels including top & Bottom



**Lifetime
limited
warranty
against
corrosion**



Unmatched speed and ease of assembly: One person can assemble 5 meters in 5 minutes with no tools. This innovative design of shelving is very rigid thanks to its self-locking fit, and has excellent durability over time.

Shelving consists of aluminum uprights and polypropylene shelves. Quick and easy to assemble with no tools by simply snapping the parts into place, which keeps the structure rigid.

12 Standards length from 608 to 1714 mm, 3 depths (400,500 and 560 mm) and 2 heights (1750 and 2050 mm). You will always find a length of racking to suit your cold room whether be line or angle mounted, for a big or small space where low cost sturdy racking is a priority.



LOCKERS

VHG Lockers has steel thickness of 0.60 mm, This product is epoxy polyester powder coated in 30 - 50% Glass level.

Standard Features Include:

- Made of premium quality steel.
- Salt Sprat Chamber test result conducted shows good resistance at 1000 hours (10 Years to indoor use).
- Easy to assemble.
- Efficient and attractive air ventilators
- Sophisticated screw less design for easy assembly.
- Doors with chrome plated premium quality cam lock & spare key.
- Door with concealed hinges.
- Name card holder.

Dimensions in mm (H * W *D)

1800 x 375 x 458 mm

Models available

VHG Single Door
VHG Two Door
VHG Three Door
VHG Four Door
VHG Six Door

Colors





HDPE LOCKERS

Key Features

- UV Stable - with a range of anti-fade colors to choose from.
- 6P: Waterproof, Corrosion proof, vandal proof, ice-spray proof, bacterial proof, UV proof (grade - 8).
- Adjustable shelves create various and ample storage space.
- Multiple locksets choices meet the requirement for different security needs.
- Easy to clean and extremely low maintenance and washable.
- Flexible arrangements - easy to be stacked up and placed side by side.
- Temperature endurable: - 40°C-80°C, good for indoor usage.
- Temperature endurable: - 60°C/65°C, good for outdoor usage.

Material: high density polyethylene

Standard Colors - Gray

Other colors: 

Multiple locking solutions - Simple, Secure and Quality assured

Keyless (4 Digit combination lock), Key lock, Digital Electronic lock (RFID lock, number lock), Hasp (for padlock), coin lock and more



Available accessories:

Base, Sloping top, dumber plate, shelf, hanging rod, hook



LOCKER LOCK



T-16 Digital Electronic Lock



C-11 Coin Operated Lock



T-12 Cam Lock



T-9 ABS RFID Lock



B Brass Combination padlock



T-12 Steel Combination Padlock



T-10 Lock Padlock



T-5 ABS Lock



T-8 Black Cam Lock



T-13 Cylinder Replaceable Cam



T-12 Cam Lock



T-14 Digital Combination Lock



MOBILE SHELVING

The features for mobile shelving :

- Easy assembly and operate
- High-density storage shelving system
- Save about 80% room space
- Anti-collision, dust proof, light proof, water proof, rat proof, prevention of thievery





DOUBLE HINGED DOOR CABINET – HEAVY DUTY

Valuable goods and equipment used in any work environment can be safely locked away in our secure industrial storage hinged door. Our lockable storage hinged door can be custom fabricated in various sizes

Most common size: (W*D*H) in mm

1000 x 500 x 2000 forming 5 compartments with 4 adjustable shelves

Reinforced with steel for add security

Description:

- Heavy Duty custom fabricated storage cabinet with 04 adjustable shelves inside to make 5 compartments.
- Size in mm - W1000 x D500 x H2000
- Load Capacity - 80-100 Kgs UDL / Level
- Double Door swing type with high quality secure knob lock.
- Lock brand: Lowe and Fletcher UK.
- High Quality welded hinged in door
- Made of EG Sheet 1.0 mm thickness
- welded construction
- Finishing - Polyester powder coating oven baked.
- Colour options available as per our shade card.



file folder



book



seal



stationery



LIGHT-DUTY STEEL CABINET

Product Dimensions: D450 x W900 x H1830mm

Features - Key Lock & Adjustable Shelves

Customized Options are also Available: Tailor your storage solutions with various quality and size options to meet your specific needs at reasonable prices and flexible delivery terms.

PALLETS



Dimension (mm)	L:1200 W:1000 H:150		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	6000	1500	1200

Dimension (mm)	L:1200 W:1000 H:160		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	4000	1200	800


Dimension (mm)	L:1200 W:1000 H:150		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	5000	1200	1000



Dimension (mm)	L:1200 W:1000 H:150		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	6000	1500	1200

Dimension (mm)	L:1200 W:1000 H:150		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	4000	1000	700

Dimension (mm)	L:1200 W:1000 H:150		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	5000	1200	800



Dimension (mm)	L:1200 W:1000 H:145		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	4000	1000	N/A

Dimension (mm)	L:1100 W:1100 H:150		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	4000	1000	600



Dimension (mm)	L:1200 W:1000 H:150		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	5000	1000	800



Dimension (mm)	L:1200 W:1000 H:150		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	4000	1000	600

Dimension (mm)	L:1200 W:800 H:150		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	4000	1000	600

Dimension (mm)	L:1200 W:800 H:150		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	500	1000	800



Dimension (mm)	L:1200 W:1000 H:78		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	4000	1000	N/A

Dimension (mm)	L:1200 W:1000 H:78		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	4000	1000	N/A

Dimension (mm)	L:900 W:300 H:30
----------------	------------------



Dimension (mm)	L:1200 W:1200 H:170		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	6000	1500	1200

Dimension (mm)	L:1200 W:1000 H:160		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	7000	1500	1200

Dimension (mm)	L:1200 W:800 H:160		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	5000	1200	1000



Dimension (mm)	L:1200 W:1000 H:130		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	4000	1000	N/A

Dimension (mm)	L:1100 W:800 H:130		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	3000	1000	N/A


Dimension (mm)	L:1000 W:800 H:130		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	3000	1000	N/A



Dimension (mm)	L:1200 W:1000 H:130		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	4000	1000	N/A

Dimension (mm)	L:1200 W:1000 H:140		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	2000	1000	N/A

Dimension (mm)	L:1200 W:800 H:140		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	2000	1000	N/A



Dimension (mm)	L:1200	W:1200	H:150
Loading Capacity (in kgs)	Static	Dynamic	Racking
	6000	1500	1200

Dimension (mm)	L:1300	W:1100	H:160
Loading Capacity (in kgs)	Static	Dynamic	Racking
	6000	1500	1000

Dimension (mm)	L:1500	W:1500	H:156
Loading Capacity (in kgs)	Static	Dynamic	Racking
	6000	1500	1000



Dimension (mm)	L:1200	W:1000	H:915
Loading Capacity (in kgs)	Static	Dynamic	Racking
	5000	1000	600

Dimension (mm)	L:1200	W:1000	H:760
----------------	--------	--------	-------

Dimension (mm)	L:1200	W:1000	H:760
Loading Capacity (in kgs)	Static	Dynamic	Racking
	5000	1000	600

Features

- **Material:** Made from HDPE (High-Density Polyethylene) or PP (Polypropylene)
- **Advantages:**
 - Durability
 - Resistance to moisture and chemicals
 - More hygienic due to non-porous surfaces
- **Weight:** Lighter than wooden pallets, reducing shipping costs and easing handling
- **Reusability:** Designed for multiple uses, enhancing cost-efficiency
- **Recyclability:** Can be recycled, contributing to sustainability efforts
- **Applications:**
 - Pharmaceuticals
 - Food and beverage
 - Electronics
- **Key Benefits:**
 - Cleanliness
 - Consistency
 - Suitability for industries where above factors are critical

GARBAGE BINS



**VGGB - 120H2
VGGB - 240H2**



**VGGB - 120U W/PEDAL
VGGB - 240HU W/PEDAL
VGGB - 70 W/PEDAL**



VGGB SERIES CAPACITY - 100 / 80 / 50 / 30 LTR



**VGGB - 120TW
VGGB - 240TW**



ROUND TRASH BIN WITH DOLLY



VGGB - 360



**VGGB - 660
VGGB - 1100
VGGB - 1200**

IBC TANKS & FISH TUB

IBC TANK, DRUMS, JERRY CANS



PLASTIC BUCKET&DRUMS



FISH TUB



STORAGE BINS

VG[A]1



VG[A]2



VG[A]-3



VG[A]-4



VG[A]-5



VG[A]-6



VG[A]-7



VG[A]-8



VG[A]-9



VG [A] SERIES

MODEL	LENGTH(m m)	WIDTH(mm)	HEIGHT(m m)
VG [A] -1	165	114	75
VG [A] -2	200	125	100
VG [A] -3	235	150	125
VG [A] -4	305	210	160
VG [A] -5	350	215	200
VG [A] -6	515	310	200
VG [A] -7	265	180	130
VG [A] -8	380	230	170
VG [A] -9	380	320	170

VG [B] SERIES

MODEL	LENGTH(m m)	WIDTH(mm)	HEIGHT(m m)
VG [B] -1	163	100	72
VG [B] -2	204	128	96
VG [B] -3	255	148	114
VG [B] -4	304	184	129
VG [B] -5	368	219	148
VG [B] -6	434	264	168
VG [B] -7	505	314	191
VG [B] -8	400	490	300

VG[B]-1



VG[B]-2



VG[B]-3



VG[B]-4



VG[B]-5



VG[B]-6



VG[B]-7



VG[B]-8



VG[C]1



VG[C]2



VG[C]-3



VG[C]-4



VG[C]-5



VG[C]-6



OPTIONAL



OPTIONAL



VG [C] SERIES

MODEL	LENGTH(m m)	WIDTH(mm)	HEIGHT(m m)
VG [C] -1	307	173	150
VG [C] -2	402	173	150
VG [C] -3	402	253	150
VG [C] -4	402	253	200
VG [C] -5	503	340	200
VG [C] -6	503	340	250

VG [D] SERIES

MODEL	LENGTH(m m)	WIDTH(mm)	HEIGHT(m m)
VG [D] -1	163	100	72
VG [D] -2	204	128	96
VG [D] -3	255	148	114
VG [D] -4	304	184	129
VG [D] -5	368	219	148
VG [D] -6	434	264	168
VG [D] -7	505	314	191



VG -Crales with Attached Lid Series			
MODEL	LENGTH(m m)	WIDTH(mm)	HEIGHT(m m)
VG -250	600	400	250
VG-320	600	400	320
VG-360	600	400	365
VG-416	600	400	416
VG-4320	400	300	200
VG-4325	400	300	250
VG-4332	400	300	320
VG-4336	400	300	365

CRATES



Size - 300 x 200 mm
Available in different height



Size - 400 x 300 mm
Available in different height



Size - 500 x 325 mm
Available in different height



Size - 600 x 400 mm
Available in different height



Toast Crate - Capacity - 73 Ltr
Size - 750 x 650 x 150 mm



Bakery Crate - Capacity - 40 Ltr
Size - 590 x 460 x 180 mm



Fish Crate - Capacity - 85 Ltr
Size - 600 x 400 x 350 mm



Veg Crate - Capacity - 48 Ltr
Size - 585 x 385 x 210 mm



Veg Crate B- Capacity - 48 Ltr
Size - 585 x 385 x 210 mm



<u>Veg Crate Big- Available in closed walls also</u>	<u>Dairy Crates</u>	<u>Ribbon fish Crates</u>
Size - 600 x 400 x 280 mm	Size - 590 x 460 x 180 mm	Size - 770 x 330 x 70 mm



<u>Long Crates A & B</u>	<u>Pizza Dough Crates - Capacity - 25 Ltr</u>	<u>Superjumbo Crates</u>
Size - 1059 x 368 x 252 mm	Size - 660 x 445 x 84 mm	Size - 809 x 570 x 425 mm
Size - 1286 x 462 x 314 mm		

SHELF BINS



SB - 1

	(Supplied with 3 Horizontal Partitions)
Outside Dimensions in mm	: 615 (L) x 100 (W) x 60 (H)
Inside Dimensions in mm	: 593 (L) x 86 (W) x 55 (H)
Effective Height in mm	: 55
Standard Packing	: 24 pcs. per ctn.
Volume Per Box CBM	: 0.0869
Slots for Partition	: 11 Slots for Horizontal Partitions.
Bin Load Capacity	: 6 kgs. (Approx)
Colour	: Blue

	(Supplied with 3 Horizontal Partitions)
Outside Dimensions in mm	: 615 (L) x 100 (W) x 110 (H)
Inside Dimensions in mm	: 593 (L) x 86 (W) x 105 (H)
Effective Height in mm	: 105
Standard Packing	: 12 pcs. per ctn.
Volume Per Box CBM	: 0.0869
Slots for Partition	: 7 Slots for Horizontal Partitions.
Bin Load Capacity	: 6 kgs. (Approx)
Colour	: Blue



SB - 2



SB - 3

	(Supplied with 3 Horizontal Partitions)
Outside Dimensions in mm	: 615 (L) x 150 (W) x 110 (H)
Inside Dimensions in mm	: 593 (L) x 136 (W) x 105 (H)
Effective Height in mm	: 105
Standard Packing	: 12 pcs. per ctn.
Volume Per Box CBM	: 0.1306
Slots for Partition	: 7 Slots for Horizontal Partitions.
Bin Load Capacity	: 8 kgs. (Approx)
Colour	: Blue



SB - 4

(Supplied with 3 Horizontal Partitions)

Outside Dimensions in mm : 615 (L) x 220 (W) x 135 (H)
 Inside Dimensions in mm : 593 (L) x 210 (W) x 130 (H)
 Effective Height in mm : 130
 Standard Packing : 12 pcs. per ctn.
 Volume Per Box CBM : 0.2201
 Slots for Partition : 7 Slots for Horizontal Partitions.
 Bin Load Capacity : 10 kgs. (Approx)
 Colour : Blue



SB - 5

(Supplied with 3 Horizontal Partitions)

Outside Dimensions in mm : 615 (L) x 300 (W) x 135 (H)
 Inside Dimensions in mm : 593 (L) x 282 (W) x 130 (H)
 Effective Height in mm : 130
 Standard Packing : 6 pcs. per ctn.
 Volume Per Box CBM : 0.1513
 Slots for Partition : 7 Slots for Horizontal Partitions.
 Bin Load Capacity : 12 kgs. (Approx)
 Colour : Blue



SPILL PALLETS




MATERIAL HANDLING EQUIPMENTS

UAE ADDRESS

📍 FURNICONCEPTS MIDDLE EAST FURNITURE TRADING LLC - AL WASL BUILDING - OFFICE 208, RAWDAT - SHEIKH ZAYED RD - BUSINESS BAY - DUBAI

☎ +91 93636 07900 |
+971 50 378 2215

✉ LETSTALK@FURNICONCEPTS.COM



INDIA ADDRESS

📍 ZTOA FURNICONCEPTS INDIA PRIVATE LIMITED - SOUTHERN INDIA CHAMBER OF COMMERCE AND INDUSTRIES, ESPLANADE RD, ESPLANADE, GEORGE TOWN, CHENNAI, TAMIL NADU 600104, INDIA

☎ +91 93636 07900 |
+971 50 378 2215

✉ LETSTALK@FURNICONCEPTS.COM

