

LEADING BRAND OF INDIA
HEALTHCARE FURNITURE



PARIN FURNITURE LTD.

CORPORATE OFFICE & FACTORY ADDRESS :
PLOT # 1-3, SURVEY # 33, NATIONAL HIGHWAY 8B,
VILLAGE - BILLAYALA, TALUKA - GONDAL,
DIST. RAJKOT, GUJARAT 360 311.

WWW.PARINFURNITURE.COM

MEDICAL FURNITURE



LEADING BRAND OF INDIA
HEALTHCARE FURNITURE


www.parinfurniture.com

Since 1983



www.parinfurniture.com

www.parinfurniture.com



*for whom every
LIFE matters...*







GIFT YOURSELF WITH GOOD HEALTH AND GOOD SENSE.



CONTENTS

01	ICU Motorised Bed	12
02	ICU Semi-motorised Bed	20
03	ICU Manual Bed	26
04	Wardcare Solution	40
05	Attendent Bed	43
06	Transfer Solutions	45
07	Exam Room Solutions	52
08	Paedatric Bed	54
09	Accessories	55
	A. Bed Side Locker	F Saline Stand
	B. Trolleys	G Add Onn Accessories
	C. Overbed / Cardiac Table	H Wheel Chairs
	D. Revolving Stool	I Mattress
	E. Fix Stool	



LEADING BRAND OF INDIA
HEALTHCARE FURNITURE

37+

MORE THAN 3 DECADES OF
EXPERIENCE IN THE FURNITURE
INDUSTRY.

27+

STRONG PRESENCE IN MORE
THAN 27 STATES IN INDIA &
EXPANDING GLOBALLY.

65+

OUR PRODUCTS ARE SAFE,
EFFICIENT & EASY TO USE FOR
MEDICAL SOLUTION.

350+

HIGHLY QUALIFIED & SKILLED
WORKFORCE, EXPERT TEAM OF
DESIGNERS & ENGINEERS.

2,50,000+

ONE OF THE LARGEST MANUFACTURING
PLANT IN INDIA SPREADED IN MORE
THAN 2.50.000 Sq.Ft. Area.

10,00,000+

WE HAVE DELIVERED MORE THAN
10,00,000 SKUs.

STRENGTH OF PARIN



Vision of **PARIN**

**TO SERVE THE WORLD WITH
A BETTER LIFESTYLE**

CORE VALUES

1. Providing employment to people
2. Growth with ethics
3. Commitment to Commitment
4. Constant Upgradation
5. Something for everybody
6. Valuing & nurturing relationship.

BHAG (BIG-HAIRY- AUDACIOUS-GOAL)

To be as respected & reputed as
the Tata Group is today and
become a 500Mn\$ Diversified
Group by 2030.





About Technology

PARIN Furniture Limited, is India's one of the largest Healthcare Furniture manufacturer. Since its inception in 1983, Parin has worked in the Private and Government Sectors. Products are specially designed for patients to provide them with extracomfort, relief, and convenience during the time of hospitalization.

Our strong R&D capabilities put us in a superior position to introduce new and improved products, which are designed to meet and even exceed our customers' demands and expectations, into the market in the shortest time possible. We produce products with the highest commitment to quality at every stage from design to manufacturing.





INNOVATION OF PARIN



Design Innovation



PARIN healthcare Product Designers have always maintain close communication with medical service providers, to help them providing better solutions to their patients.

With a Rich & Steady experience in product structure and functional experience, PARIN continue to forge ahead with innovation and play a vitle role in as to improve the quality of care.

To serve the world with a better lifestyle.

**MORE THEN 10 MILLION
SATISFIED CUTOMER
IN PAN INDIA**

MADE IN INDIA 

Manufacturing Innovation



PARIN healthcare, as a one of the top brand in healthcare furniture always choose Authorized Suppliers Strictly to ensure the safety & reliability of raw material.

PARIN adopt robot welding, automatic epoxy coating, efficient assembly line, dedicated operators, rigorous quality control, only to gurantee PARIN's commitment on quality.

Service Innovation



PARIN healthcare have thorough service support Architure - customer call centre for real time solution to clients, with Advanced CRM system, spare Parts management, precautionary services, etc. No matter where customer is PARIN service will be always closed at hand.

Maintainance Innovation




PARIN healthcare have more then 50 engineers, and qualified service team that composed of professional & trained technitians and after sales staff.









QUALITY OF PARIN



Detailed Vision



Bed Position



COLUMN BED

ADVANCED ICU COLUMN BED (FIVE FUNCTION)



Technical Specifications

External Dimension	2260L * 1075W (in mm)
Bed Frame	2165L * 1015W (in mm)
Mattress Platform	1990L * 885W (in mm)
Minimum Height	500 mm
Maximum Height	900 mm
Backrest Angle	0-75* (+/- 5*)
Kneerest Angle	0-45* (+/- 5*)
Trendelenburg & Rev. Trendelenburg Angle	0 -15* (+/- 2*)
Safe Operating Load (Inc. Mattress & Accessories)	300 Kg
Patient Working Load	240 Kg



Technical Configuration

☒ Linear Motor	4 pcs
☒ Diagonal Lock Twin Wheel Caster (125 mm)	4 pcs
☒ Polymer Head & Foot Board	1 Set
☒ Polymer Side Rail	1 Set
☒ 100 mm Dia Wall Bumper Wheel	4 pcs
☒ Heavy Duty IV Pole	1 Set
☒ IV Pole Provision	4 pcs
☒ Urine Bag Holder	2 pcs
☒ Hand Remote Control : Single	1 pcs
☒ Mattress Platform with Polymer Top	1 set
☒ Mattress Arrestor	4 pcs
☒ Backrest with CPR Function	1 Set



Electrical Specification

Power Input	230 V AC 50 Hz Max 1 A
Power Output	24 V DC
Electrical Current Protection	Class 1, Type B
Liquid & Dust Protection	IP 54 - IP 66

Laminate Color Option :

Sky Blue


Apple Green

Wood


Beige

Optional Accessories


Platform Accessories




Electrical Accessories



Addons Accessories



Castor Options



COLUMN BED

ADVANCED ICU COLUMN BED
(FIVE FUNCTION)



FM5F

FULLY MOTORISED ICU BED (FIVE FUNCTION)



Technical Specifications

External Dimension	2260L * 1075W (in mm)
Bed Frame	2165L * 1015W (in mm)
Mattress Platform	1990L * 885W (in mm)
Minimum Height	450 mm
Maximum Height	850 mm
Backrest Angle	0-75* (+/- 5*)
Kneerest Angle	0-45* (+/- 5*)
Trendelenburg & Rev. Trendelenburg Angle	0 -15* (+/- 2*)
Safe operating Load (Inc. Mattress & Accessories)	250 Kg
Patient Working Load	190 Kg



Technical Configuration

☒ Linear Motor	4 pcs
☒ Diagonal Lock Twin Wheel Caster (125 mm)	4 pcs
☒ Polymer Head & Foot Board	1 Set
☒ Polymer Side Rail	1 Set
☒ 100 mm Dia Wall Bumper Wheel	4 pcs
☒ Heavy Duty IV Pole	1 Set
☒ IV Pole Provision	4 pcs
☒ Urine Bag Holder	2 pcs
☒ Hand Remote Control : Single	1 pcs
☒ Mattress Platform with Polymer Top	1 set
☒ Mattress Arrestor	4 pcs
☒ Backrest with CPR Function	1 Set



Electrical Specification

Power Input	230 V AC 50 Hz Max 1 A
Power Output	24 V DC
Electrical Current Protection	Class 1, Type B
Liquid & Dust Protection	IP 54 - IP 66

Color Option :

Sky Blue

Apple Green

Wood


Beige

Optional Accessories

Platform Accessories



Mattress Platform
with Metal Top



Bed Extension
: 200 mm




Mattress
Four Section


Electrical Accessories




Nurse Control
Panel / ACP



Battery Backup




Hand Remote
Control




Under Bed
Lighting System


Addons Accessories



IV Pole



Moulded
Chart Holder




Linen Holder



Traction Pulley



Oxygen Cylinder
Cage



Oxygen Cylinder
Cage (Vertical)



Lifting Pole : Bearing
Capacity 75 Kg

Castor Options



Diagonal Lock
Single Wheel
Caster (125 mm)



Central Lock
Single Wheel
Caster (125 mm)



Central Lock
Twin Wheel
Caster (125 mm)



Directional & Central
Lock Twin Wheel
Caster (125 mm)



Directional & Central
Lock Single Wheel
Caster (125 mm)

FM5F

FULLY MOTORISED ICU BED
(FIVE FUNCTION)


Backrest



Kneerest




Height
Adjustment



Trendelenburg



Reverse
Trendelenburg



Cardiac
Position



Fowler
Position



Vascular
Position



CPR-Instant
Release



Angle
Indicator



FM5XR

FULLY MOTORISED ICU BED (FIVE FUNCTION) X-RAY VARIANT



Technical Specifications

External Dimension	2260L * 1075W (in mm)
Bed Frame	2165L * 1015W (in mm)
Mattress Platform	1990L * 885W (in mm)
Minimum Height	450 mm
Maximum Height	850 mm
Backrest Angle	0-75* (+/- 5*)
Kneerest Angle	0-45* (+/- 5*)
Trendelenburg & Rev. Trendelenburg Angle	0 -15* (+/- 2*)
Safe Operating Load (Inc. Mattress & Accessories)	250 Kg
Patient Working Load	190 Kg



Technical Configuration

☒ Linear Motor	4 pcs
☒ Diagonal Lock Twin Wheel Caster (125 mm)	4 pcs
☒ Polymer Head & Foot Board	1 Set
☒ Polymer Side Rail	1 Set
☒ 100 mm Dia Wall Bumper Wheel	4 pcs
☒ Heavy Duty IV Pole	1 Set
☒ IV Pole Provision	4 pcs
☒ Urine Bag Holder	2 pcs
☒ Hand Remote Control : Single	1 pcs
☒ Mattress Platform with Polymer Top	1 set
☒ Mattress Arrestor	4 pcs
☒ Backrest with CPR Function	1 Set
☒ X-Ray Permissibile Back Rest with Cassaatte Holder	1 Set



Electrical Specification

Power Input	230 V AC 50 Hz Max 1 A
Power Output	24 V DC
Electrical Current Protection	Class 1, Type B
Liquid & Dust Protection	IF 54 - IP 66

Color Option :

Sky Blue

Apple Green

Wood


Beige

Optional Accessories

Platform Accessories



Mattress Platform
with Metal Top




Bed Extension :
200 mm




Mattress
Four Section


Electrical Accessories




Nurse Control
Panel / ACP



Battery Backup



Hand Remote
Control : IP66




Under Bed
Lighting System

Addons Accessories



Lifting Pole : Bearing
Capacity 75 Kg




Moulded
Chart Holder



Linen Holder




Traction Pulley



Oxygen Cylinder
Cage



Oxygen Cylinder
Cage (Vertical)



IV Pole

Castor Options



Diagonal Lock
Single Wheel
Caster (125 mm)



Central Lock
Single Wheel
Caster (125 mm)



Central Lock
Twin Wheel
Caster (125 mm)



Diagonal Lock
Twin Wheel
Caster (125 mm)



Directional & Central
Lock Single Wheel
Caster (125 mm)

FM5XR

FULLY MOTORISED ICU BED
(FIVE FUNCTION)
X RAY VARIANT


Backrest



Kneerest




Height Adjustment



Trendelenburg



Reverse Trendelenburg



Cardiac Position



Fowler Position



Vascular Position



CPR-Instant Release



Angle Indicator





FM3F

FULLY MOTORISED ICU BED (THREE FUNCTION)



Technical Specifications

External Dimension	2260L * 1075W (in mm)
Bed Frame	2165L * 1015W (in mm)
Matress Platform	1990L * 885W (in mm)
Minimum Height	450 mm
Maximum Height	770 mm
Backrest Angle	0-75* (+/- 5*)
Kneerest Angle	0-45* (+/- 5*)
Safe Operating Load	200 Kg
(Inc. Mattress & Accessories)	
Patient Working Load	160 Kg



Technical Configration

☒ Linear Motor	3 pcs
☒ Diagonal Lock Twin Wheel Caster (125 mm)	4 pcs
☒ Polymer Head & Foot Board	1 Set
☒ Polymer Side Rail	1 Set
☒ 100 mm Dia Wall Bumper Wheel	4 pcs
☒ IV Pole	1 Set
☒ IV Pole Provision	4 pcs
☒ Urine Bag Holder	2 pcs
☒ Hand Remote Control : Single	1 pcs
☒ Mattress Platform with Metal Top	1 set
☒ Mattress Arrestor	4 pcs



Electrical Specification


Power Input	230 V AC 50 Hz Max 1 A
Power Output	24 V DC
Electrical Current Protection	Class 1, Type B
Liquid & Dust Protection	IP 54 - IP 66

Color Option :




Optional Accessories


Platform Accessories




Electrical Accessories



Addons Accessories




Castor Options



FM3F

**FULLY MOTORISED ICU BED
(THREE FUNCTION)**


Backrest



Kneerest



Height
Adjustment



Vascular
Position



Fowler
Position



Angle
Indicator



SM5F3M

SEMI MOTORISED ICU BED

(FIVE FUNCTION)



Technical Specifications

External Dimension	2160L * 1100W (in mm)
Bed Frame	2085L * 1040W (in mm)
Mattress Platform	1890L * 860W (in mm)
Minimum Height	520 mm
Maximum Height	780 mm
Backrest Angle	0-75* (+/- 5*)
Kneerest Angle	0-45* (+/- 5*)
Safe Operating Load (Inc. Mattress & Accessories)	150 Kg
Patient Working Load	125 Kg



Technical Configuration

☒ Linear Motor (Backrest, Kneerest & Height Adjustment)	3 pcs
☒ Manual Crank (Trendelenburg & Rev. Trendelenburg)	1 pcs
☒ Diagonal Lock Single Wheel Caster (125 mm)	4 pcs
☒ Polymer Head & Foot Board	1 Set
☒ Aluminium Alloy Foldable SS Side Rail (C Type)	1 Set
☒ 100 mm Dia Wall Bumper Wheel	4 pcs
☒ IV Pole	1 Set
☒ IV Pole Provision	4 pcs
☒ Urine Bag Holder	2 pcs
☒ Hand Remote Control : Single	1 pcs
☒ Mattress Platform with Metal Top	1 Set
☒ Mattress Arrestor	4 pcs
☒ Backrest with CPR Function	1 Set



Electrical Specification

Power Input	230 V AC 50 Hz Max 1 A
Power Output	24 V DC
Electrical Current Protection	Class 1, Type B
Liquid & Dust Protection	IP 54 - IP 66

Laminate Color Option :

Sky Blue

Apple Green

Wood

Beige

Optional Accessories

Platform Accessories



Mattress Platform
with Polymer Top



Backrest with
CPR Function



Mattress
Four Section



X-Ray Permissible
Back Rest with
Cassatte Holder

Addons Accessories



Oxygen Cylinder
Cage



Oxygen Cylinder
Cage (Vertical)



Moulded
Chart Holder



Nurse
Control Panel / ACP

Electrical Accessories



Traction Pulley



Lifting Pole : Bearing
Capacity 75 Kg



Heavy Duty IV Pole



Battery Backup

Head & Foot Board Options



SS Bow with
Laminate



MS Bow with
Laminate



MS Vertical Bow



SS Vertical Bow

Side Rail Options



Aluminium Alloy
Foldable SS Side
Rail (C Type)



Aluminium Alloy
Foldable MS Side
Rail (C Type)



MS Side rail with
MS Tube (H Type)



MS Side rail with
SS Tube (H Type)

Castor Options



Diagonal Lock
Twin Caster
(125 mm)

SM5F3M

SEMI MOTORISED ICU BED
(FIVE FUNCTION)



SM5F2M

SEMI MOTORISED ICU BED

(FIVE FUNCTION)



Technical Specifications

External Dimension	2160L * 1100W (in mm)
Bed Frame	2085L * 1040W (in mm)
Mattress Platform	1890L * 860W (in mm)
Minimum Height	520 mm
Maximum Height	780 mm
Backrest Angle	0-75* (+/- 5*)
Kneerest Angle	0-45* (+/- 5*)
Trendelenburg & Rev. Trendelenburg Angle	0 -12* (+/- 2*)
Safe Operating Load (Inc. Mattress & Accessories)	150 Kg
Patient Working Load	125 Kg



Technical Configuration

☒ Linear Motor (Backrest & Height Adjustment)	2 pcs
☒ Manual Crank (Kneerest, Trendelenburg & Rev. Trendelenburg)	2 pcs
☒ Diagonal Lock Single Wheel Caster (125 mm)	4 pcs
☒ Polymer Head & Foot Board	1 Set
☒ Aluminium Alloy Foldable SS Side Rail (C Type)	1 Set
☒ 100 mm Dia Wall Bumper Wheel	4 pcs
☒ IV Pole	1 Set
☒ IV Pole Provision	4 pcs
☒ Urine Bag Holder	2 pcs
☒ Hand Remote Control : Single	1 pcs
☒ Mattress Platform with Metal Top	1 set
☒ Mattress Arrestor	4 pcs



Electrical Specification

Power Input	230 V AC 50 Hz Max 1 A
Power Output	24 V DC
Electrical Current Protection	Class 1, Type B
Liquid & Dust Protection	IP 54 - IP 66

Laminate Color Option :

Sky Blue

Apple Green

Wood

Beige

Optional Accessories


Platform Accessories



Mattress Platform
with Polymer Top



Backrest with
CPR Function



Mattress
Four Section



X-Ray Permissible
Back Rest with
Cassatte Holder

Addons Accessories



Oxygen Cylinder
Cage



Oxygen Cylinder
Cage (Vertical)



Moulded
Chart Holder



Nurse
Control Panel / ACP

Electrical Accessories



Traction Pulley



Lifting Pole : Bearing
Capacity 75 Kg



Heavy Duty IV Pole



Battery Backup

Head & Foot Board Options



SS Bow with
Laminate



MS Bow with
Laminate



MS Vertical Bow



SS Vertical Bow

Side Rail Options



Polymer Side Rail



Aluminium Alloy
Foldable SS Side
Rail (C Type)



Aluminium Alloy
Foldable MS Side
Rail (C Type)



Diagonal Lock
Twin Caster
(125 mm)

Castor Options



MS Side Rail with
SS Tube (H Type)



MS Side Rail with
MS Tube (H Type)

SM5F2M

SEMI MOTORISED ICU BED
(FIVE FUNCTION)



SM3F2M

SEMI MOTORISED ICU BED

(THREE FUNCTION)



Technical Specifications

External Dimension	2160L * 1100W (in mm)
Bed Frame	2085L * 1040W (in mm)
Mattress Platform	1890L * 860W (in mm)
Minimum Height	520 mm
Maximum Height	780 mm
Backrest Angle	0-75* (+/- 5*)
Kneerest Angle	0-45* (+/- 5*)
Safe Operating Load (Inc. Mattress & Accessories)	150 Kg
Patient Working Load	125 Kg



Technical Configuration

☒ Linear Motor (Backrest & Height Adjustment)	2 pcs
☒ Manual Crank (Kneerest)	1 pcs
☒ Diagonal Lock Single Wheel Caster (125 mm)	4 pcs
☒ Polymer Head & Foot Board	1 Set
☒ Aluminium Alloy Foldable SS Side Rail (C Type)	1 Set
☒ 100 mm Dia Wall Bumper Wheel	4 pcs
☒ IV Pole	1 Set
☒ IV Pole Provision	4 pcs
☒ Urine Bag Holder	2 pcs
☒ Hand Remote Control : Single	1 pcs
☒ Mattress Platform with Metal Top	1 set
☒ Mattress Arrestor	4 pcs



Electrical Specification

Power Input	230 V AC 50 Hz Max 1 A
Power Output	24 V DC
Electrical Current Protection	Class 1, Type B
Liquid & Dust Protection	IP 54 - IP 66

Laminate Color Option :

Sky Blue

Appple Green

Wood

Beige

Optional Accessories

Platform Accessories



Mattress Platform
with Polymer Top



Backrest with
CPR Function



Mattress
Four Section



X-Ray Permissibile
Back Rest with
Cassaatte Holder

Addons Accessories



Oxygen Cylinder
Cage



Oxygen Cylinder
Cage (Vertical)



Moulded
Chart Holder



Nurse
Control Panel / ACP

Electrical Accessories



Traction Pulley



Lifting Pole : Bearing
Capacity 75 Kg



Heavy Duty IV Pole



Battery Backup

Head & Foot Board Options



SS Bow with
Laminate Color



MS Bow with
Laminate Color



MS Vertical Bow



SS Vertical Bow

Side Rail Options



Aluminium Alloy
Foldable SS Side
Rail (C Type)



Aluminium Alloy
Foldable MS Side
Rail (C Type)



MS Side Rail with
MS Tube (H Type)



MS Side Rail with
SS Tube (H Type)

Castor Options



Diagonal Lock
Twin Caster
(125 mm)

SM3F2M

SEMI MOTORISED ICU BED
(THREE FUNCTION)



IMB5F4S

ICU MANUAL BED 5 FUNCTION (WITH 4 CRANK)



Technical Specifications

External Dimension	2145L * 1100W (in mm)
Bed Frame	2085L * 1040W (in mm)
Mattress Platform	1890L * 860W (in mm)
Minimum Height	520 mm
Maximum Height	780 mm
Backrest Angle	0-75* (+/- 5*)
Kneerest Angle	0-45* (+/- 5*)
Safe Operating Load (Inc. Mattress & Accessories)	150 Kg
Patient Working Load	125 Kg



Technical Configuration

☒ Linear Motion Crank Mechanism (Backrest, kneerest, Height & Tilt Tendelenburg & Rev.Tendelenburg)	4 Pcs
☒ Diagonal Lock Single Wheel Caster (125 mm)	4 pcs
☒ Polymer Head & Foot Board	1 Set
☒ Aluminium Alloy Foldable SS Side Rail (C Type)	1 Set
☒ 100 mm Dia Wall Bumper Wheel	4 pcs
☒ IV Pole	1 Set
☒ IV Pole Provision	4 pcs
☒ Urine Bag Holder	2 pcs
☒ Mattress Platform with Metal Top	1 set
☒ Mattress Arrestor	4 pcs

Laminate Color Option :

Sky Blue

Apple Green

Wood

Beige

Optional Accessories

Platform Accessories



X-Ray Permissible
Back Rest with
Cassette Holder



Mattress Four
Section

Addons Accessories



Oxygen Cylinder
Cage



Oxygen Cylinder
Cage (Vertical)



Moulded
Chart Holder



Heavy Duty IV Pole



Traction Pulley



Lifting Pole : Bearing
Capacity 75 Kg

Head & Foot Board Options



SS Bow with
Laminate



MS Bow with
Laminate



MS Vertical Bow



SS Vertical Bow

Side Rail Options



Polymer Side Rail



Aluminium Alloy
Foldable MS Side
Rail (C Type)



MS Side Rail with
MS Tube (H Type)



MS Side Rail with
SS Tube (H Type)

Castor Options



Diagonal Lock
Twin Caster
(125 mm)

IMB5F4S

ICU MANUAL BED 5 FUNCTION
(WITH 4 CRANK)

Fowler
Position



IMB4F3SFH

ICU MANUAL BED WITH 4 FUNCTION (3 CRANK FIX HEIGHT)



Technical Specifications

External Dimension	2075L * 1000W (in mm)
Bed Frame	2015L * 945W (in mm)
Matress Platform	1870L * 825W (in mm)
Standard Height	600 mm
Backrest Angle	0-75* (+/- 5*)
Kneerest Angle	0-45* (+/- 5*)
Safe Operating Load (Inc. Mattress & Accessories)	150 Kg
Patient Working Load	125 Kg



Technical Configratation

☒ Linear Motion Crank Mechanism (Backrest, kneerest, Tilt Tendelenburg & Rev.Tendelenburg)	3 Pcs
☒ Diagonal Lock Single Wheel Caster (125 mm)	4 pcs
☒ Polymer Head & Foot Board	1 Set
☒ Aluminium Alloy Foldable SS Side Rail (H Type)	1 Set
☒ 100 mm Dia Wall Bumper Wheel	4 pcs
☒ IV Pole	1 Set
☒ IV Pole Provision	4 pcs
☒ Mattress Platform with Metal Top	1 set
☒ Mattress Arrestor	4 pcs

Laminate Color Option :

Sky Blue

Apple Green

Wood

Beige

Optional Accessories

Platform Accessories



X-Ray Permissibile
Back Rest with
Cassaatte Holder



Mattress Four
Section



Urine Bag Holder

Addons Accessories



Oxygen Cylinder
Cage



Oxygen Cylinder
Cage (Vertical)



Moulded
Chart Holder



Heavy Duty IV Pole



Traction Pulley



Lifting Pole : Bearing
Capacity 75 Kg

Head & Foot Board Options



SS Bow with
Laminate



MS Bow with
Laminate



MS Vertical Bow



SS Vertical Bow

Side Rail Options



Aluminium Alloy
Foldable SS Side
Rail (C Type)



Aluminium Alloy
Foldable MS Side
Rail (C Type)




MS Side Rail with
MS Tube (H Type)



MS Dropdown
Side Rail



SS Dropdown
Side Rail



MS Side Rail with
SS Tube (H Type)




Diagonal Lock
Twin Caster
(125 mm)

Castor Options

IMB4F3SFH

ICU MANUAL BED WITH 4 FUNCTION
WITH 3 CRANK (FIX HEIGHT)

Fowler
Position



IMB3F2SFH

ICU MANUAL BED WITH 3 FUNCTION (2 CRANK FIX HEIGHT)



Technical Specifications

External Dimension	2075L * 1000W (in mm)
Bed Frame	2015L * 945W (in mm)
Matress Platform	1870L * 825W (in mm)
Standard Height	600 mm
Backrest Angle	0-75* (+/- 5*)
Kneerest Angle	0-45* (+/- 5*)
Safe Operating Load (Inc. Mattress & Accessories)	150 Kg
Patient Working Load	125 Kg



Technical Configratation

☒ Linear Motion Crank Mechanism - Backrest & Tilt Tendelenburg & Rev. Tendelenburg	2 Pcs
☒ Diagonal Lock Single Wheel Caster (125 mm)	4 pcs
☒ Polymer Head & Foot Board	1 Set
☒ MS Dropdown Side Rail	1 Set
☒ 100 mm Dia Wall Bumper Wheel	4 pcs
☒ IV Pole	1 Set
☒ IV Pole Provision	4 pcs
☒ Mattress Platform with Metal Top	1 set
☒ Mattress Arrestor	4 pcs

Laminate Color Option :

Sky Blue

Apple Green

Wood

Beige

Optional Accessories

Platform Accessories



X-Ray Permissible
Back Rest with
Cassette Holder



Mattress
Two Section



Urine Bag Holder

Addons Accessories



Oxygen Cylinder
Cage



Oxygen Cylinder
Cage (Vertical)



Moulded
Chart Holder



Heavy Duty IV Pole



Traction Pulley



Lifting Pole : Bearing
Capacity 75 Kg

Head & Foot Board Options



SS Bow with
Laminate



MS Bow with
Laminate



MS Vertical Bow



SS Vertical Bow

Side Rail Options



Aluminium Alloy
Foldable SS Side
Rail (C Type)



Aluminium Alloy
Foldable MS Side
Rail (C Type)



MS Side Rail with
MS Tube (H Type)



Aluminium Alloy
Foldable SS Side
Rail (H Type)



MS Side Rail with
SS Tube (H Type)



SS Dropdown
Side Rail




Diagonal Lock
Twin Caster
(125 mm)

Castor Options

IMB3F2SFH

ICU MANUAL BED WITH 3 FUNCTION
(2 CRANK FIX HEIGHT)

Semi-Fowler
Position



H-FB2F2S60C

MANUAL FOWLER BED WITH 2 CRANK
(FIX HEIGHT) WITH CASTOR



Technical Specifications

External Dimension	2075L * 1000W (in mm)
Bed Frame	2015L * 945W (in mm)
Mattress Platform	1870L * 825W (in mm)
Standard Height (with Castor)	600 mm
Backrest Angle	0-75* (+/- 5*)
Kneerest Angle	0-45* (+/- 5*)
Safe Operating Load (Inc. Mattress & Accessories)	150 Kg
Patient Working Load	125 Kg



Technical Configuration

☒ Linear Motion Crank Mechanism (Backrest & Kneerest)	2 Pcs
☒ Polymer Head & Foot Board	1 Set
☒ Aluminium Alloy Foldable SS Side Rail (C Type)	1 Set
☒ IV Pole Provision	4 pcs
☒ Mattress Platform with Metal Top	1 set
☒ Mattress Arrestor	4 pcs
☒ Diagonal Lock Single Caster (125 mm)	4 pcs

Laminate Color Option :





Optional Accessories

Platform Accessories





Addons Accessories



Head & Foot Board Options



Side Rail Options



Castor Options



H-FB2F2S60C

MANUAL FOWLER BED WITH 2 CRANK
(FIX HEIGHT) WITH CASTOR

Fowler
Position



H-FB2F2S60F

MANUAL FOWLER BED WITH 2 CRANK (FIX HEIGHT)



Technical Specifications

External Dimension	2075L * 1000W (in mm)
Bed Frame	2015L * 945W (in mm)
Mattress Platform	1870L * 825W (in mm)
Standard Height	600 mm
Backrest Angle	0-75* (+/- 5*)
Kneerest Angle	0-45* (+/- 5*)
Safe Operating Load (Inc. Mattress & Accessories)	150 Kg
Patient Working Load	125 Kg



Technical Configuration

☒ Linear Motion Crank Mechanism (Backrest & Kneerest)	2 Pcs
☒ SS Bow with Laminate for Head & Foot Board	1 Set
☒ Aluminium Alloy Foldable SS Side Rail (C Type)	1 Set
☒ IV Pole Provision	4 pcs
☒ Mattress Platform with Metal Top	1 set
☒ Mattress Arrestor	4 pcs

Laminate Color Option :



Optional Accessories

Platform Accessories



H - Leg Height
(450mm)



Mattress
Four Section



Urine Bag Holder


Addons Accessories




Traction Pulley



Lifting Pole : Bearing
Capacity 75 Kg



Moulded
Chart Holder



IV Pole

Head & Foot Board Options



Polymer head &
Foot Board



MS Bow with
Laminate



MS Vertical Bow



SS Vertical Bow


Side Rail Options




Aluminium Alloy
Foldable SS Side
Rail (C Type)



MS Dropdown
Side Rail



MS Side Rail with
MS Tube (H Type)



MS Side Rail with
SS Tube (H Type)



SS Dropdown
Side Rail



Aluminium Alloy
Foldable SS Side
Rail (H Type)

Castor Options



100 mm Dia
Wall Bumper Wheel

H-FB2F2S60F

MANUAL FOWLER BED WITH 2 CRANK
(FIX HEIGHT)

Fowler
Position



H-SB1F1S60C

SEMI FLOWER BED WITH 1 CRANK
(FIX HEIGHT) WITH CASTOR



Technical Specifications

External Dimension	2075L * 1000W (in mm)
Bed Frame	2015L * 945W (in mm)
Matress Platform	1870L * 825W (in mm)
Standard Height	600 mm
Backrest Angle	0-75* (+/- 5*)
Safe Operating Load (Inc. Mattress & Accessories)	150 Kg
Patient Working Load	125 Kg



Technical Configratation

☒ Linear Motion Crank Mechanism (Backrest)	1 Pcs
☒ Polymer Head & Foot Board	1 Set
☒ Aluminium Alloy Foldable MS Side Rail (C Type)	1 Set
☒ IV Pole Provision	4 pcs
☒ Mattress Platform with Metal Top	1 set
☒ Mattress Arrestor	4 pcs
☒ 100 mm Dia Wall Bumper Wheel	4 pcs
☒ Diagonal Lock Single Wheel Caster (125 mm)	4 pcs

Laminate Color Option :





Optional Accessories

Platform Accessories





Addons Accessories



Head & Foot Board Options



Side Rail Options




Castor Options



H-SB1F1S60C

SEMI FOWLER BED WITH 1 CRANK
(FIX HEIGHT) WITH CASTOR

Semi-Fowler
Position



H-SB1F1S60F

SEMI FLOWER BED WITH 1 CRANK (FIX HEIGHT)



Technical Specifications

External Dimension	2075L * 1000W (in mm)
Bed Frame	2015L * 945W (in mm)
Mattress Platform	1870L * 825W (in mm)
Standard Height	600 mm
Backrest Angle	0-75* (+/- 5*)
Safe Operating Load (Inc. Mattress & Accessories)	150 Kg
Patient Working Load	125 Kg



Technical Configuration

☒ Linear Motion Crank Mechanism (Backrest)	1 Pcs
☒ MS Bow with Laminate	1 Set
☒ Aluminium Alloy Foldable MS Side Rail (C Type)	1 Set
☒ IV Pole Provision	4 pcs
☒ Mattress Platform with Metal Top	1 set
☒ Mattress Arrestor	4 Pcs

Laminate Color Option :



Optional Accessories

Platform Accessories



H - Leg Height
(450mm)



Mattress
Two Section



Urine Bag Holder


Addons Accessories




Traction Pulley



Lifting Pole : Bearing
Capacity 75 Kg



Moulded
Chart Holder



IV Pole

Head & Foot Board Options



Polymer Head &
Foot Board



SS Bow with
Laminate



MS Vertical Bow



SS Vertical Bow


Side Rail Options




Aluminium Alloy
Foldable SS Side
Rail (C Type)



MS Dropdown
Side Rail



MS Side Rail with
MS Tube (H Type)



MS Side Rail with
SS Tube (H Type)



SS Dropdown
Side Rail



Aluminium Alloy
Foldable SS Side
Rail (H Type)

Castor Options



100 mm Dia
Wall Bumper Wheel

H-SB1F1S60F

SEMI FOWLER BED WITH 1 CRANK
(FIX HEIGHT)

Semi-Fowler
Position



FB2F2S60F

FOWLER BED
(WITH TWO CRANK)



Technical Specifications

External Dimension	2075L * 1000W (in mm)
Bed Frame	2015L * 945W (in mm)
Mattress Platform	1870L * 825W (in mm)
Standard Height	600 mm
Backrest Angle	0-75* (+/- 5*)
Kneerest Angle	0-45* (+/- 5*)
Safe Operating Load (Inc. Mattress & Accessories)	150 Kg
Patient Working Load	125 Kg



Technical Configratation

☒ Linear Motion Crank Mechanism (Backrest & Kneerest)	2 Pcs
☒ MS Head & Foot Board	1 Set
☒ MS Dropdown Side Rail	1 Set
☒ IV Pole Provision	4 pcs
☒ Mattress Platform with Metal Top	1 set
☒ Mattress Arrestor	4 pcs

Optional Accessories

Platform Accessories



Mattress
Four Section



Urine Bag Holder



Moulded
Chart Holder



IV Pole

Side Rail Options



Aluminium Alloy
Foldable SS Side
Rail (C Type)



Aluminium Alloy
Foldable MS Side
Rail (C Type)



MS Side Rail with
MS Tube (H Type)



MS Side Rail with
SS Tube (H Type)

Head & Foot Board Options



SS Dropdown
Side Rail



Aluminium Alloy
Foldable SS Side
Rail (H Type)



SS Vertical Bow

SB1F1S60F

SEMI FOWLER BED

(WITH SINGLE CRANK)



Technical Specifications

External Dimension	2075L * 1000W (in mm)
Bed Frame	2015L * 945W (in mm)
Matress Platform	1870L * 825W (in mm)
Standard Height	600 mm
Backrest Angle	0-75* (+/- 5*)
Kneerest Angle	0-45* (+/- 5*)
Safe Operating Load	150 Kg
(Inc. Mattress & Accessories)	
Patient Working Load	125 Kg



Technical Configatation


☒ Linear Motion Crank Mechanism (Backrest)	1 Pcs
☒ MS Head & Foot Board	1 Set
☒ MS Dropdown Side Rail	1 Set
☒ IV Pole Provision	4 pcs
☒ Mattress Platform with Metal Top	1 set
☒ Mattress Arrestor	4 pcs

Optional Accessories



Platform Accessories




Addons Accessories



Side Rail Options



Head & Foot Board Options



SB1S

SIMPLE BED

(WITH SINGLE SECTION)



Technical Specifications

External Dimension	2135L * 905W * 1090H (in mm)
Matress Platform	2035L * 900W (in mm)
Standard Height	600 mm
Safe Operating Load (Inc. Mattress & Accessories)	150 Kg
Patient Working Load	125 Kg



Technical Configration

☒ MS Vertical Bow for Head & Foot Board	1 Set
☒ Mattress Platform with Metal Top	1 set
☒ Mattress Arrestor	4 pcs

Laminate Color Option :



Optional Accessories

Platform Accessories



Matress
Single Section

Head & Foot Board Options




MS Bow with
Laminate




Urine Bag Holder


Addons Accessories



IV Pole




IV Pole Provision



Moulded
Chart Holder

Side Rail Options



MS Dropdown
Side Rail

ATTENDANT BED CUM CHAIR

AB-01



Technical Specifications

External Dimension	1900L * 660W (in mm)
Standard Height	450 mm
Safe Operating Load	150 Kg
(Inc. Mattress & Accessories)	125 Kg
Patient Working Load	



Technical Configuration

- ☒ MS Tubular Section Frame with Cushion

H-ATTENDENT BED

SIMPLE BED
(WITH SINGLE SECTION)
AB-02



Technical Specifications

External Dimension	1980L * 910W (in mm)
Standard Height	400 mm
Safe Operating Load (Inc. Mattress & Accessories)	150 Kg
Patient Working Load	125 Kg



Technical Configuration

☒ MS Tubular Section Frame	
☒ Mattress Platform with Metal Top	1 Set
☒ Mattress Arrestor	

Optional Accessories

Optional Accessories



Single Section
Mattress

EMERGENCY & RECOVERY TROLLEY

TROLLEY



Technical Specifications

External Dimension	1910L * 710W (in mm)
Matress Platform	1790L * 555W (in mm)
Minimum Height	670 mm
Maximum Height	920mm
Strecher Dimension	1830L * 560W
Tendelenburg	0- 18*
Reverse Tendelenburg	0- 6*
Safe Operating Load (Inc. Mattress & Accessories)	150 Kg
Patient Working Load	125 Kg

Technical Configratation

☒ Matress Platform with Compact Laminate, X Ray Permissiable Top with Cassatte Holder	1 Set
☒ Hydraulic Pump with Both Side Padel	1 Pcs
☒ Oxygen Cylinder Cage	1 Pcs
☒ Tray	
☒ 100 mm Dia Wall Bumper Wheel	4 Pcs
☒ Diagonal Lock Single Wheel Caster (125 mm)	1 Set
☒ SS Dropdown Side Rail	1 Set


Optional Accessories

Platform Accessories



Two Section
Mattress

Side Rail Options



MS Dropdown
Side Rail

STRECHER - TROLLEY (MS)

STRECHER TROLLEY



Technical Specifications

External Dimension	1830L * 560W (in mm)
Matress Platform	1790L * 555W (in mm)
Standard Height	845 mm
Safe Operating Load (Inc. Mattress & Accessories)	150 Kg
Patient Working Load	125 Kg



Technical Configratation

- ☒ MS Tubular Section Frame
- ☒ Strecher top is MS Sheet

Optional Accessories

Platform Accessories



Side Rail Options



Castor Options



STRECHER - TROLLEY (SS)

STRECHER TROLLEY



Technical Specifications

External Dimension	1830L * 560W (in mm)
Matress Platform	1790L * 555W (in mm)
Standard Height	845 mm
Safe Operating Load (Inc. Mattress & Accessories)	150 Kg
Patient Working Load	125 Kg



Technical Configratation

- ☒ SS Tubular Section Frame
- ☒ Strecher Top is of SS Sheet

Optional Accessories

Platform Accessories



Strecher Top with
Aluminium Sheet



Strecher Top with
Stainless Steel Sheet

Side Rail Options



MS Dropdown
Side Rail

Castor Options



Diagonal Lock
Single Wheel
Caster (150 mm)



Diagonal Lock
Single Wheel
Caster (200 mm)

FOLDING STRECHER TROLLEY

STRECHER TROLLEY



Technical Specifications

External Dimension	2100L * 640W (in mm)
Matress Platform	1850L * 560W (in mm)
Standard Height	830 mm
Foldable Length	1020L
Safe Operating Load (Inc. Mattress & Accessories)	150 Kg
Patient Working Load	125 Kg



Technical Configratation

- ☒ MS Tubular Section Frame
- ☒ Strecher Top is of Aluminium Sheet

Optional Accessories

Platform Accessories



Side Rail Options



Castor Options





BIRTHING BED



Technical Specifications

External Dimension	1450L * 945W (in mm)
Matress Platform	1400L * 670W (in mm)
Minimum Height	680 mm
Maximum Height	800 mm
Backrest Angle	0-70* (+/- 5*)
Trendelenburg & Rev. Trendelenburg Angle	0 -08* (+/- 2*)
Safe operating Load (Inc. Mattress & Accessories)	150 Kg
Patient Working Load	125 Kg



Technical Configratisation

☒ Linear Motor (Backrest, Height Adjustment & Trendelenburg & Rev. Trendelenburg)	3 pcs
☒ Diagonal Lock Twin Wheel Caster (125 mm)	4 pcs
☒ Polymer Head & Foot Board	1 Set
☒ Polymer Side Rail	1 Set
☒ 100 mm Dia Wall Bumper Wheel	4 pcs
☒ IV Pole Provision	2 pcs
☒ Urine Bag Holder	2 pcs
☒ Hand Remote Control : Single	1 pcs
☒ Mattress Platform with Laminated Top	1 set
☒ Mattress Arrestor	4 pcs



Electrical Specification

Power Input	230 V AC 50 Hz Max 1 A
Power Output	24 V DC
Electrical Current Protection	Class 1, Type B
Liquid & Dust Protection	IP 54 - IP 66

Laminate Color Option :

Sky Blue

Appple Green

Wood

Beige

Optional Accessories

Platform Accessories



Matress
Two Section

Electrical Accessories



Battery Backup

Addons Accessories



Oxygen
Cylinder Cage



Oxygen Cylinder
Cage (Vertical)



Heavy Duty
IV Pole



Lifting Pole : Bearing
Capacity 75 Kg

Side Rail Options



Aluminium Alloy
Foldable SS
Side Rail (C Type)



Aluminium Alloy
Foldable MS
Side Rail (C Type)

Castor Options



Diagonal Lock
Single Wheel
Caster (125 mm)



Central Lock
Single Wheel
Caster (125 mm)



Central Lock
Twin Wheel
Caster (125 mm)



Directional & Central
Lock Single Wheel
Caster (125 mm)



Directional & Central
Lock Twin Wheel
Caster (125 mm)



GYNAEC COUCH



Technical Specifications

External Dimension	1960L * 580W (in mm)
Standard Height	750 (in mm)
Back Rest with Gas Spring	0-45*
CRCA Tubular Section Frame with Mattress	
Safe Operating Load	230 Kg
Patient Working Load	180 Kg

EXAMINATION COUCH



Technical Specifications

External Dimension	1850L * 655W (in mm)
Standard Height	750 (in mm)
Back Rest & Knee Rest with Gas Spring	0-45*
CRCA Tubular Section Frame with Mattress	
Safe Operating Load	230 Kg
Patient Working Load	

EXAMINATION COUCH - WOODEN

 Technical Specifications

External Dimension	1940L * 700W (in mm)
Standard Height	730 (in mm)
Back Rest with Gas Spring	0- 45*
Safe operating Load	230 kg
Patient Working Load	180 Kg



EXAMINATION TABLE

 Technical Specifications

External Dimension	1900L * 550W (in mm)
Standard Height	750 (in mm)
CRCA Tubular Section Frame with Mattress	
Safe Operating Load	230 Kg
Patient Working Load	180 Kg



PEADIATRIC BED

(BABYBED)



Technical Specifications

External Dimension	1650L * 825W (in mm)
Standard Height	600 (in mm)
Mattress Platform	1550 L * 800 W
CRCA Tubular Section Frame	
Safe Operating Load	230 Kg
Patient Working Load	180 Kg

Optional Accessories

Platform Accessories



Single Section
Mattress (100 mm)

BED SIDE LOCKER

Accessories

BSL-100
Crca(400L * 400W * 820H)



BSL-200
Crca(400L * 400W * 820H)
SS Top



BSL-300
Crca(400L * 400W * 820H)
Membrane Top & Drawer



BSL-400
Crca(400L * 400W * 820H)
Abs Top & Drawer



BSL-500
Wooden(525L * 500W * 805H)



TROLLEYS

Accessories

Crash Cart Trolley
(960L * 500W * 1635H)
Abs



Crash Cart Trolley
(960L * 500W * 1635H)
SS



Oxygen Trolley



Soiled Linen trolley
(510 DIA * 960H)



Instrument Trolley
(680L * 450W * 92
(1067L * 610W * 9
(914L * 508W * 90



Dresssing Trolley
(1015L * 510W * 920H)



Medicine Trolly



OVER BED / CARDIAC TABLE

Accessories

Over bed Table
(1120L * 450W * 1070H)

Top Size
(760L * 450W)



CARDIAC TABLE MANUAL
(WITH MEMBRANE TOP)
(810L * 355W)



CARDIAC TABLE HYDRAULIC
(WITH MEMBRANE TOP)
(810L * 355W)



Mayos Table Tray
(560L * 400W 730-1300H)



STOOLS

Accessories

Revolving Stool

(Dia 365 mm top)

Height

Min - 550 - 760

Top Size - 305L * 305W * 510H

Min - 460 - 665

Base - 410L * 410W

MS
with cushion



MS
without cushion



SS
with cushion



SS
without cushion



MS
with SS Top



Fix Stool

OVER ALL
BASE

305L * 305W * 510H
410L * 410W

MS



SS



MS With SS Top



SALINE STAND

Accessories

Saline stand
(1395 mm to 2290 mm) Height Adjustment

MS
2 hook
4 hook
with Castor (50mm Dia)
without Castor
Height Adjustment

SS
2 hook
4 hook
with Castor (50mm Dia)
without Castor
Height Adjustment



ADD ONNS

Accessories

Single Step Stool
(515L * 305W * 230H)




Double Step Stool
(605L * 510W * 450H)



Kick Bucket
(DIA 375 * 330H)



Bed Side Screen
(2440L * 1960H)



Single Tier Bowl Stand
(DIA 375 * 850H)



Two Tier Bowl Stand
(DIA 375 * 850H)



WHEEL CHAIR

Accessories

Economy Steel
Wheel Chair



Heavy Duty
Wheel Chair



MATTRESS

Accessories


Single Section
Mattress



Two Section
Mattress



Four Section
Mattress



Air
Mattress




HEAD & FOOT BOARD

Accessories




Polymer head & Foot Board




MS Bow with Laminate




MS Vertical Bow



SS Vertical Bow



SS Bow with Laminate



Polymer head & Foot Board



Polymer head & Foot Board

SIDE RAIL

Accessories



Polymer Side Rail



Polymer Side Rail



Aluminium Alloy Foldable SS Side Rail (C Type)



Aluminium Alloy Foldable MS Side Rail (C Type)



MS Side Rail with SS Tube (H Type)



MS Side Rail with MS Tube (H Type)



Aluminium Alloy Foldable SS Side Rail (H Type)



Aluminium Alloy Foldable MS Side Rail (H Type)



SS Dropdown Side Rail



MS Dropdown Side Rail

CASTORS

Accessories



Diagonal Lock
Single Wheel
Caster (125 mm)



Diagonal Lock
Twin Wheel
Caster (125 mm)



Directional & Central
Lock Single Wheel
Caster (125 mm)



Directional & Central
Lock Twin Wheel
Caster (125 mm)



Central Lock
Single Wheel
Caster (125 mm)



Central Lock
Twin Wheel
Caster (125 mm)



100 mm Dia
Wall Bumper
Wheel

ELECTRICAL

Accessories




Nurse
Control Panel / ACP



Battery Backup



Hand Remote
Control



Under Bed
Lighting System

PLATFORMS

Accessories



Mattress Platform
with Polymer Top



Mattress Platform
with Metal Top



X-Ray Permissible
Backrest with
Cassette Holder



Backrest with
CPR Function



Bed Extension
: 200 mm



Urine Bag Holder

ADDONS

Accessories



Moulded
Chart Holder



Heavy Duty
IV Pole



IV Pole



Lifting Pole
Bearing
Capacity 75 Kg



Oxygen Cylinder
Cage (Vertical)



Cylinder Cage
Trolley



Oxygen Cylinder
Cage



Traction Pulley



Linen Holder

