

MOLIO SERIES

MOLIO series are designed for use in spaces where audience sightline, audience comfort and seating capacity maximization are needed.

Its slim profile of 20 inch centre width is best for wide and safe row access when seat and armrests are tipped up. The 33 inch-only back height improves audience sightlines-enabling a non-restricted view of events.



LS-12601



LS-12601R



LS-12601B



LS-12601D



LS-12601E

Molio Collection


					
Model	Molio Upholstery LS-12601	Molio Upholstery LS-12601R	Molio Wood LS-12601B	Molio Wood Plus LS-12601D	Molio Upholstery LS-12601E
Outerback	Full upholstered	Full upholstered	Plywood with wood veneer finish	Plywood with wood veneer finish	Full upholstered (standard) Plywood with wood veneer finish (optional)
Seat pan	Full upholstered	Full upholstered	Plywood with wood veneer finish	Plywood with wood veneer finish	Full upholstered (standard) Plywood with wood veneer finish (optional)
Tip-up seat mechanism	Counterweight	Counterweight	Counterweight	Counterweight	Counterweight
Armrest	PU	PU	Hardwood	Hardwood	PU (standard) Hardwood (optional)

Note:


* Molio series are only available in straight configuration

* Molio series are perfect with telescopic system


OPTIONS



LS-12601R



LS-12601B




LS-12601D

Back

- Optional full upholstered or plywood with wood veneer finish outerback
- Back cushion style: Round or rectangular cushion corner (only limited to LS-12601)
Straight or curved (only limited to LS-12601D)
- Cold-molded high density foam (*LS-12601R/12601B/12601D/LS-12601E*)
 - Foam density: $55 \pm 3\text{kg/m}^3$, foam hardness: $40^\circ \pm 5^\circ$
- Cut foam (*only limited to LS-12601*)
 - Foam density: $35 \pm 3\text{kg/m}^3$, foam hardness: $40^\circ \pm 5^\circ$

Seat

- Optional full upholstered, PP or plywood with wood veneer finish seat pan
- Cold-molded high density foam (*LS-12601R/12601B/12601D/LS-12601E*)
 - Foam density: $55 \pm 3\text{kg/m}^3$, foam hardness: $50^\circ \pm 5^\circ$
- Cut foam (*only limited to LS-12601*)
 - Foam density: $35 \pm 3\text{kg/m}^3$, foam hardness: $50^\circ \pm 5^\circ$



OPTIONS



PU



Hardwood

Arm

- PU
- Hardwood with paint finish




Seat number
on seat pan/outerback

Other optional features

- Three powder coat color (black, dark grey and brown)
- Seat number/row letter plate
- Embroidery logo or numbering
- CAL117/BS5852 fire-retardant finish on fabric/foam


Molio Upholstery LS-12601



DESCRIPTION	MM	INCH
C/C (armrest center to center)	510	20
Arm width	55	2.2
Back cushion width	435	17
Overall depth with seat open	634	25
Overall depth with seat closed	170	6.7
Floor to seat height	440	17.3
Floor to armrest height	622	24.5
Overall back height with seat open	856	33.7
Overall back height with seat closed	771	30.4

Note: A tolerance of ± 10 mm (0.4") is allowed for the above dimension.

Molio Upholstery LS-12601R





DESCRIPTION	MM	INCH
C/C (armrest center to center)	510	20
Arm width	55	2.2
Overall depth with seat open	634	25
Overall depth with seat closed	170	6.7
Inner seat depth	432	17
Floor to seat height	440	17.3
Floor to armrest height	622	24.5
Overall back height with seat open	856	33.7
Overall back height with seat closed	771	30.4

Note: A tolerance of ±10 mm (0.4") is allowed for the above dimension.



Molio Wood LS-12601B





DESCRIPTION	MM	INCH
C/C (armrest center to center)	510	20
Arm width	60	2.4
Overall depth with seat open	640	25.2
Overall depth with seat closed	190	7.5
Inner seat depth	432	17
Floor to seat height	440	17.3
Floor to armrest height	622	24.5
Overall back height with seat open	856	33.7
Overall back height with seat closed	771	30.4

Note: A tolerance of ±10 mm (0.4") is allowed for the above dimension.



Molio Wood Plus LS-12601D




DESCRIPTION	MM	INCH
C/C (armrest center to center)	500	19.7
Arm width	60	2.4
Overall depth with seat open	725	28.5
Overall depth with seat closed	210	8.3
Inner seat depth	470	18.5
Floor to seat height	450	17.7
Floor to armrest height	625	24.6
Overall back height with seat open	900	35.4
Overall back height with seat closed	850	33.5

Note: A tolerance of ±10 mm (0.4") is allowed for the above dimension.




Molio Upholstery LS-12601E




DESCRIPTION	MM	INCH
C/C (armrest center to center)	540	21.3
Arm width	55	2.2
Overall depth with seat open	644	25.4
Overall depth with seat closed	170	6.7
Inner seat depth	432	17
Floor to seat height	455	17.9
Floor to armrest height	622	24.5
Overall back height with seat open	876	34.5
Overall back height with seat closed	804	31.7


Note: A tolerance of ± 10 mm (0.4") is allowed for the above dimension.











QUALITY CONTROL WE ALWAYS SEE THE BIG PICTURE. EVEN WITH THE SMALLEST COMPONENT





Your New Seating Experience

LEADCOM CHINA



+0086 400 885 5535



info@leadcomseating.com



14/F, Yinhui Building, No. 117 Longyi Road, Tianhe District,
Guangzhou, Guangdong, China 510635



No. 10th, Section D, High-tech Industrial Zone, Leping Town, Sanshui District,
Foshan City, Guangdong Province, China 528100

LEADCOM CANADA



+1 289 813 2301



wtang@leadcomseating.com



2275 Upper Middle Rd. East, Suite 101, Oakville, ON L6H 0C3

LEADCOM EUROPE



+31 6260 84850



info@leadcomseating.nl



C. De Haasweg 30D, 3721 TK Bilthoven, The Netherlands