

GANDHI INSTITUTE OF TECHNOLOGY AND MANAGEMENT

Department of Aerospace Engineering

FUNDING & SUPPORT PROPOSAL

IN-SPACe CAN-7USAT India Student Competition 2026

3rd Edition | October–November 2026

Launch Site: Kushinagar, Uttar Pradesh

SUBMITTED TO

SUBMITTED BY

Date of Submission: [INSERT DATE] | Academic Year 2025–2026

Table of Contents

Abstract

This proposal seeks institutional funding and sponsorship support from GITAM Deemed to be University under the Student Innovation Plan (SIP) for the participation of the Department of Aerospace Engineering's student team in the IN-SPACE CAN-7USAT India Student Competition 2026 (3rd Edition), organized by the Indian National Space Promotion and Authorization Centre (IN-SPACE), Government of India.

The competition, conducted under the auspices of the Department of Space, Government of India, challenges undergraduate teams to design, fabricate, integrate, and launch a CAN-sized satellite (CAN-7USAT) to a target altitude of 1,000 metres, with a full descent control system, complete real-time telemetry, gyroscopic stabilization, and post-flight data analysis. The 2026 edition specifically requires teams to demonstrate a dual descent control mechanism that activates at 600 m altitude, and optionally, a precision controlled flight and targeted landing system.

Participation in this competition directly aligns with GITAM's strategic vision of excellence in technology, innovation, and national contribution. It will provide students hands-on experience in satellite systems engineering, embedded systems, RF communication, GNSS navigation, avionics, structures, and mission operations — skills that are critical to India's rapidly growing space sector.

The team respectfully requests a total funding support of ₹1,00,000 (Rupees One Lakh Only) from the institution, along with institutional facilitation in connecting with potential corporate sponsors. The funds will cover mandatory competition fees, component procurement, avionics development, structural fabrication, descent control systems, and ground station infrastructure.

1. About the Competition

1.1 Organizing Authority

The competition is organized by the Indian National Space Promotion and Authorization Centre (IN-SPACe) — a statutory body under the Department of Space, Government of India — in association with the Srinarayani Science Development Foundation (SSDF), Kushinagar, Uttar Pradesh. IN-SPACe serves as the single-window nodal agency for promoting and authorizing space activities by non-governmental entities in India.

Authority	Details
Parent Ministry	Department of Space, Government of India
Organizing Body	IN-SPACe — Indian National Space Promotion and Authorization Centre
Associate Body	Srinarayani Science Development Foundation (SSDF), Kushinagar, U.P.
Competition Edition	3rd Edition — IN-SPACe CAN-7USAT India Student Competition 2026
Document Reference	IN-SPACe.CAN.MR.CG.01, Issue No. 1, Dated 24 March 2026
Official Website	www.inspace.gov.in

1.2 Competition Overview & National Significance

IN-SPACe launched the CAN-7USAT India Student Competition to build India's future space workforce by challenging undergraduate students to develop real-world satellite and avionics systems. The 1st Edition was conducted on April 15–17, 2024, and the 2nd Edition was organized in October 2025 at Kushinagar, Uttar Pradesh. The 3rd Edition (2026) builds on this success with more structured phases, enhanced technical requirements, gyroscopic stabilization mandates, and a broader national participation base.

The competition is designed to bridge the academia-industry gap in space technology, inculcate space science and technology temperament among students, and directly contribute to India's AatmaNirbhar Bharat vision under the National Space Policy 2023.

1.3 Primary Mission Statement

Each team must design and build a CAN-7USAT (CAN-sized satellite) weighing under 1.0 kg (± 0.05 kg), fitting in a cylindrical envelope of 0.15 m diameter $\times$ 0.40 m height, capable of being launched to a target altitude of 1,000 m (± 100 m), with a dual descent control system (primary parachute + secondary mechanism activating at 600 m), mechanical gyroscopic stabilization, complete real-time telemetry via XBEE/LoRa, and post-flight data analysis.

1.4 Core Technical Requirements at a Glance

Parameter	Specification
Target Altitude	1,000 m $\pm$ 100 m above launch site
CAN-7USAT Mass	Under 1.0 kg ($\pm$ 0.050 kg)
CAN-7USAT Dimensions	Max 0.15 m diameter $\times$ 0.40 m height (cylindrical)
Body Colour	Fluorescent: pink, red, or orange; must embody Indian flag
Structural Load (Launch)	Must survive 15 G launch acceleration
Structural Load (Shock)	Must survive 30 G shock at launch and separation
Primary Descent Control	Parachute; deployed immediately after rocket ejection; descent rate < 20 m/s
Secondary Descent Control	Activates at 600 m ($\pm$ 10 m); reduces descent rate to 1–3 m/s
Stabilization	Mechanical gyroscopic wheels (mandatory)
Communication	XBEE radio series 1/2/pro or LoRa WAN; NETID set to team number
Telemetry Rate	1 Hz minimum; real-time display on ground station UI
GNSS	GNSS/NavIC receiver (NavIC given extra weightage)
Battery Type Allowed	Alkaline, Ni-Cad, Ni-MH, Lithium-ion 18650 type only
Prohibited Items	LiPo batteries, pyrotechnic devices, sharp edges on body
Data Storage	Onboard SD card; backup in case of telemetry loss
Audio Beacon	Mandatory; minimum 92 dB sound pressure level (unobstructed)
Team Size	5 to 8 undergraduate members
Teams per College	One (affiliated colleges may register separately)
Max CAN-7USAT Budget	₹1,00,000 maximum (includes material, component & facility costs)

1.5 Competition Phases

The competition is structured across six progressive phases, ensuring systematic development and evaluation of each team's CAN-7USAT system:

Phase	Name	Description	Timeline	Outcome
1	Registration	Team registration, fee payment, institutional approval letter from Hol	24 Mar – 30 Apr 2026	Team ID assigned
2	PDR Submission & Presentation	Design document submission and 10-minute jury presentation	16 May – 30 Jun 2026	Team evaluation & selection
3	Comprehensive Design Review (CDR)	Finalize design, procure components, realize CAN-7USAT; CDR document + presentation to jury	1 Jul – 31 Aug 2026	CDR assessment & selection
4	Flight Readiness Review (FRR)	CAN-7USAT ready for launch; GO/NO-GO evaluation by jury; launch clearance granted	1 Sep – 15 Oct 2026	Flight clearance
5	Launch — Grand Finale	CAN-7USATs launched from rockets at Kushinagar, Uttar Pradesh	16 Oct – 30 Nov 2026	Launch & mission evaluation
6	Post Flight Review (PFR)	Teams present flight results and data analysis to jury; winners announced	After launch	Final ranking & awards

2. GITAM Team — Aerospace Rocketry Initiative (GARI)

2.1 Historical Significance

This participation marks a significant milestone for GITAM Deemed to be University. The Department of Aerospace Engineering is fielding its student team in the IN-SPACE CAN-7USAT India Student Competition (3rd Edition), a government-organized national satellite engineering competition. GITAM's GARI team will represent the university alongside premier engineering institutions from across India, competing in a discipline that demands mastery of satellite systems, embedded avionics, RF communications, and precision descent control.

This initiative is born under the Student Innovation Plan (SIP) and is entirely student-led, reflecting the department's commitment to experiential learning and real-world aerospace engineering.

2.2 Team Composition

[This section to be updated with confirmed team member details before submission.]

S · N O	Name	Institute ID	Year	Branch	Role in Team
1	Harsha vardan	2024001379	2nd	EECE	Team Leader,electronics engineer
2	Tanmaay sharma	2023002696	3rd	aerospace	Co lead,Structures & Mechanical
3	Singam Sai Harshith	2023004243	3rd	aerospace	Avionics & Flight Software
4	Varshith pappuri	2025243318	1st	EECE	Communication & RF Systems
5	Krrish Mathur	2025246761	1st	aerospace	Power & Electrical Systems
6	Rohan jason bellapu	2023001587	3rd	aerospace	Sensor & Payload Systems
7	Satya Rishi Chodesetty	2024041266	2nd	Aerospace	Ground Station & Software
8	Hanzel vergis Thomas	2023001414	3rd	Aerospace	Descent & Recovery Systems
9	[Faculty Advisor Name]	[Faculty ID]	—	Aerospace Engg.	Faculty Advisor (Point of Contact)

Note: The faculty advisor acts solely as the institutional point of contact and does not participate in design decisions, per IN-SPACE competition rules. Up to TWO additional mentors (graduate students, faculty, or alumni) are permitted.

2.3 Alignment with Institutional Goals

Participation in IN-SPACe CAN-7USAT 2026 directly advances GITAM's stated institutional goals of research excellence, student innovation, and societal impact. It aligns with:

- (a) GITAM's commitment to providing transformative undergraduate education with real-world engineering exposure in satellite and space systems.
- (b) The National Education Policy (NEP) 2020's emphasis on experiential, multidisciplinary, and project-based learning.
- (c) India's National Space Policy 2023, which encourages private and academic participation in space activities under IN-SPACe's framework.
- (d) GITAM's aspiration to rank among India's leading aerospace engineering departments and contribute to India's AatmaNirbhar Bharat initiative.

3. Proposal for Funding and Institutional Support

3.1 Proposal Overview

The GITAM Aerospace Rocketry Initiative (GARI) team respectfully submits this proposal to the following authorities for financial support and institutional facilitation:

Proposal Submitted To	Details
Primary Funding Authority	Dean of Research & Innovation, GITAM — under Student Innovation Plan (SIP)
Department Support	Head of Department, Aerospace Engineering, GITAM
Sponsorship Facilitation	GITAM Industry & Alumni Relations Office — to connect team with potential sponsors
Regulatory / Governing Body	IN-SPACe, Department of Space, Government of India
Competition Coordinator	Srinarayani Science Development Foundation (SSDF), Kushinagar, U.P.

3.2 Nature of Support Requested

3.2.1 Financial Support from GITAM (Student Innovation Plan)

The team requests a total grant of ₹1,00,000 (Rupees One Lakh Only) from the institution under the Student Innovation Plan. The complete detailed cost breakdown is provided in Section 4 (Bill of Materials & Budget). This grant will cover mandatory competition fees, CAN-7USAT structural and avionics components, descent control systems, gyroscope subsystem, and ground station development.

3.2.2 Institutional Facilitation for Sponsorship

In addition to direct financial support, the team requests that GITAM's Industry Relations and Alumni Affairs offices formally facilitate connections with potential corporate sponsors in the aerospace, defence, electronics, and manufacturing sectors. Specifically, the team requests:

- (e) An official GITAM endorsement letter to be shared with potential sponsors, confirming institutional support.
- (f) Introductions to companies under the GITAM Industry Partnership network — particularly firms in aerospace, electronics, and precision manufacturing domains.
- (g) Permission to display sponsor logos on the CAN-7USAT body, team uniforms, and all competition documentation, subject to IN-SPACe and institutional guidelines.
- (h) Assistance in drafting formal sponsorship agreements and acknowledgement protocols.

3.2.3 Departmental Support

The team requests the following non-financial support from the Department of Aerospace Engineering:

- (i) Access to the department's laboratory facilities for component testing, electronic integration, vibration testing, and pre-launch simulation.
- (j) Faculty mentorship (up to 2 external mentors permitted per IN-SPACe rules, distinct from the faculty advisor).
- (k) Access to institutional computing resources for FEA, flight simulation, and software development.
- (l) Official institutional approval letter on GITAM letterhead, as mandated by IN-SPACe for registration, signed by the Head of Institution.
- (m) Permission to dedicate a designated workspace for CAN-7USAT assembly, integration, and testing activities.

3.3 Justification for Funding

Justification	Elaboration
National Prestige	GITAM's name will appear alongside IITs, NITs, and top engineering colleges at a government-organized IN-SPACe competition, enhancing institutional prestige significantly.
Alignment with IN-SPACe / Dept. of Space	Participation is a direct response to a Government of India initiative aimed at building India's future space and satellite workforce — a national strategic priority.
Student Skill Development	Students gain hands-on experience in satellite systems engineering, embedded avionics, RF telemetry, GNSS, gyroscopic stabilization, and descent control — directly applicable to ISRO, DRDO, and private space sector careers.
Research & Publications	The project will generate technical reports, PDR/CDR design data, flight telemetry analysis, and potentially peer-reviewed publications — contributing to GITAM's research output.
NEP 2020 Compliance	The project exemplifies project-based, experiential, and multidisciplinary learning — fully aligned with the National Education Policy 2020.
Make in India	IN-SPACe explicitly awards extra points for indigenous components including NavIC GNSS. GITAM's participation actively promotes domestic space manufacturing.

Justification	Elaboration
Low Investment, High Return	The total ask of ₹1,00,000 is modest relative to the national exposure, hands-on satellite engineering training, and institutional branding generated by participation.
Industry-Academia Bridge	The competition is specifically designed by IN-SPACE to bridge the industry-academia skillset gap and create future space force capability for AatmaNirbhar Bharat.

4. Bill of Materials & Detailed Budget

4.1 Mandatory Competition Fees

S. No	Fee Item	Payable To	Amount (₹)	Remarks
1	Registration Fee	SSDF	10,000	Non-refundable; due by 30 Apr 2026
2	CDR Phase Fee	SSDF	15,000	Due at CDR document submission
3	Launcher Payment (to IN-SPACE identified agency)	Launch Agency	30,000	Estimated; details shared during competition
4	Accommodation & Logistics (Kushinagar Finals)	SSDF (at actuals)	20,000	Estimated; paid at actuals to SSDF
5	Travel to Kushinagar (team of 8)	Direct	25,000	Train/bus; estimated return journey
	SUBTOTAL — Mandatory Fees		1,00,000	

4.2 Structural & Mechanical Components

S.No	Component	Qty	Unit Cost (₹)	Total (₹)	Remarks
1	Cylindrical CAN-7USAT Body (0.15m dia. × 0.40m)	1	3,500	3,500	Aluminum or composite; RF transparent material preferred
2	End Caps / Bulkheads (top & bottom)	2	800	1,600	Machined or 3D printed; smooth edges mandatory
3	Internal PCB Mounting Standoffs & Screws	1 set	600	600	Hard mounting; no adhesive-only boards
4	Gyroscopic Wheel Assembly (Mechanical)	1	4,000	4,000	Mandatory per mission req; for descent stabilization
5	Gyro Motor (BLDC) + Motor Driver	1	2,500	2,500	To spin gyroscopic wheel at controlled rate
6	Fluorescent Paint & Body Markings	1 set	600	600	Pink/red/orange + Indian flag + team ID
7	Audio Beacon (92 dB minimum, unobstructed)	1	500	500	Recovery assist; may operate continuously post-landing
8	Fasteners, Adhesives, Epoxies	1 set	700	700	Structural bonding and assembly
	SUBTOTAL — Structural Components			14,000	

4.3 Avionics & Flight Computer

S.No	Component	Qty	Unit Cost (₹)	Total (₹)	Remarks
1	Flight Computer (Arduino Mega / STM32 / ESP32)	1	2,500	2,500	Flight state machine; 8 states (BOOT to IMPACT)
2	XBEE Pro S2C / LoRa WAN Module	1	2,800	2,800	NETID/PANID set to team number at CDR
3	GNSS/NavIC Receiver Module	1	3,500	3,500	NavIC-compatible preferred (IN-SPACe extra weightage)
4	Barometric Altimeter (BMP388 / MS5611)	2	700	1,400	Primary + backup; altitude trigger at 600 m

S.No	Component	Qty	Unit Cost (₹)	Total (₹)	Remarks
5	6-Axis IMU / Gyro Sensor (MPU6050 / ICM42688)	1	1,200	1,200	Orientation + acceleration data; roll, pitch, yaw
6	SD Card Module + 32GB Card	1	500	500	Mandatory onboard backup storage (telemetry loss)
7	Real-Time Clock (DS3231)	1	350	350	Mission clock / timestamp; persists through processor reset
8	Temperature Sensor (thermistor / DS18B20)	1	300	300	Mandatory telemetry parameter
9	Voltage Monitor / ADC Module	1	300	300	0.01 V resolution; power bus monitoring
10	External Power Switch + LED/Buzzer Indicator	1	400	400	Mandatory; avoids disassembly on launch pad
11	Circuit Board Enclosure (Structural Shielding)	1	800	800	Electronics enclosed; only sensors may be exposed
12	Wiring Harness, Crimp Terminals, Connectors	1 set	800	800	No spring contacts; screw/crimp throughout
	SUBTOTAL — Avionics & Flight Computer			14,850	

4.4 Electrical Power System

S · N o	Component	Qty	Unit Cost (₹)	Total (₹)	Remarks
1	Lithium-ion 18650 Battery Pack (3.7V, 3000mAh)	2	700	1,400	LiPo strictly prohibited; must support 2 hr pad wait
2	Power Distribution PCB / BEC / Voltage Regulator	1	1,200	1,200	Regulated power to all subsystems; parallel connections

S · N O	Component	Qty	Unit Cost (₹)	Total (₹)	Remarks
3	Battery Compartment (quick-access; <1 min swap)	1	500	500	Accessible without CAN-7USAT disassembly
	SUBTOTAL — Power System			3,100	

4.5 Descent & Recovery System

S · N O	Component	Qty	Unit Cost (₹)	Total (₹)	Remarks
1	Primary Parachute (Ripstop Nylon; descent < 20 m/s)	1	3,000	3,000	Deploys immediately after rocket ejection; no ejection mechanism
2	Secondary Descent Control Mechanism	1	4,000	4,000	Activates at 600 m; reduces rate to 1–3 m/s (glider/rotor/streamer)
3	Altitude-Triggered Deployment Mechanism (pressurized gas)	1	2,000	2,000	No pyrotechnics; green propulsion (CO2/pressurized gas) allowed
4	Parachute Cord + Outer Body Attachment	1 set	600	600	Primary chute connected to outer body; no ejection mechanism
5	GNSS Tracker / RF Beacon (post-landing recovery)	1	2,500	2,500	Aids recovery in case of distant landing
	SUBTOTAL — Descent & Recovery			12,100	

4.6 Ground Station

S · N o	Component	Qty	Unit Cost (₹)	Total (₹)	Remarks
1	Laptop Computer (min. 2 hr battery)	1	0	0	Existing institutional asset
2	XBEE Pro Radio (Ground Station Unit) / LoRa Gateway	1	2,800	2,800	Paired with CAN-7USAT radio; non-broadcast mode
3	Yagi-Uda / Directional Antenna on Tripod	1	2,000	2,000	Elevated from ground; 10–14 dBi gain; tripod-mounted
4	USB Hub + Cables (for jury data transfer)	1 set	400	400	Telemetry CSV delivered to judges via USB post-flight
5	Ground Station Software Development (custom UI)	1	2,500	2,500	Real-time plot all 16 TM fields; SI units; CSV export; RF command
6	Portable Power Bank (ground station ops)	1	1,500	1,500	Minimum 2 hr operation; portable for field relocation
	SUBTOTAL — Ground Station			9,200	

4.7 Testing, Prototyping & Contingency

S · N o	Item	Qty	Unit Cost (₹)	Total (₹)	Remarks
1	Prototype CAN-7USAT (bench testing)	1	3,000	3,000	Electronics + structure breadboard version
2	Parachute Deployment Testing Materials	1 set	1,500	1,500	Drop test + deployment functional tests
3	Vibration / Shock Test Materials	1 set	1,000	1,000	Qualification: 15G launch, 30G shock survivability
4	3D Printing / Machining Costs	1 set	2,500	2,500	Bulkheads, brackets, housings, gyro mount

S · N O	Item	Qty	Unit Cost (₹)	Total (₹)	Remarks
5	Team Uniforms / PPE for Launch Site	8 sets	500	4,000	Safety requirement at Kushinagar launch site
6	Stationery, Printing, PDR/CDR Documentation	1 set	500	500	Hard copies for jury submission
7	Contingency Reserve (10% of BOM total)	—	—	5,900	Unforeseen procurement, replacements, re-tests
	SUBTOTAL — Testing & Contingency			18,400	

4.8 Budget Summary — Consolidated

S. No	Budget Category	Amount (₹)
1	Mandatory Competition Fees (Registration + CDR + Launcher + Accommodation + Travel)	1,00,000
2	Structural & Mechanical Components (incl. Gyroscopic Wheel Assembly)	14,000
3	Avionics & Flight Computer (GNSS, IMU, XBEE, SD, RTC, etc.)	14,850
4	Electrical Power System (batteries, BEC, distribution PCB)	3,100
5	Descent & Recovery System (dual mechanism + GNSS tracker)	12,100
6	Ground Station (radio, antenna, tripod, software, power bank)	9,200
7	Testing, Prototyping, Documentation & Contingency	18,400
	GRAND TOTAL — Full Competition Budget	₹1,71,650
	Amount Requested from GITAM (SIP Grant)	₹1,00,000
	Amount to be Raised via Sponsorships (with GITAM facilitation)	₹71,650

Note: All costs above are estimates based on current market rates as of April 2026. Actual costs may vary. Any savings will be returned to the institution. Any additional requirement will be managed within the contingency reserve. The maximum CAN-7USAT development cost cap per IN-SPACE rules is ₹1,00,000 (material + component + facility usage).

5. Project Timeline & Milestones

Phase	Activity	Dates	Deliverable	Evaluation
1	Registration & Institutional Approval	By 30 Apr 2026	Registration + ₹10,000 fee + approval letter	Team ID assigned by IN-SPACe
2	PDR Submission & Presentation	16 May – 30 Jun 2026	PDR Document + 10-min jury presentation	Jury graded; PDR score
3	CDR Submission & Review	1 Jul – 31 Aug 2026	CDR Document + ₹15,000 + integration results	Jury graded; CDR score
4	Flight Readiness Review (FRR)	1 Sep – 15 Oct 2026	Fully integrated CAN-7USAT + GO/NO-GO check	Jury inspection; launch clearance
5	Grand Finale Launch (Kushinagar)	16 Oct – 30 Nov 2026	Single launch; flight telemetry CSV	Flight performance evaluation
6	Post Flight Analysis & Awards	Post-launch	Telemetry CSV + data analysis presentation	Final ranking; winners announced

6. Requirements Compliance Matrix

The following matrix summarizes GITAM GARI team's compliance with all mandatory IN-SPACe CAN-7USAT competition requirements. Any deviation will be clearly documented in the PDR/CDR with technical justification.

S.No	Requirement	Compliance	Notes
1	CAN-7USAT mass under 1.0 kg (± 0.050 kg)	Compliant	Mass verified during integration and testing
2	Cylindrical body: max 0.15 m dia. × 0.40 m height	Compliant	Designed to fit with tolerances for ejection
3	No sharp edges on container body	Compliant	Design review to verify all edges are chamfered
4	Fluorescent body colour (pink/red/orange) + Indian flag	Compliant	Fluorescent orange selected; Indian flag on body

S.No	Requirement	Compliance	Notes
5	All electronics enclosed; only sensors exposed	Compliant	Structural enclosure with cutouts for sensors only
6	Structure survives 15G launch acceleration, 30G shock	Compliant	FEA analysis to be presented in PDR/CDR
7	PCBs hard mounted (standoffs + screws; or high-performance adhesive)	Compliant	Standoff mounting system planned throughout
8	Team number, email, phone on structure (English, Hindi & regional language)	Compliant	Will include Telugu (launch state: U.P. — will add local language)
9	Audio beacon: minimum 92 dB SPL (unobstructed)	Compliant	Rated buzzer unit; may operate continuously post-landing
10	External power switch with indicator light/sound	Compliant	Toggle switch + LED indicator on outer body
11	Battery: 2 hr pad wait + flight ops capacity	Compliant	Power budget designed to meet >2 hr operation
12	Battery: Alkaline/Ni-Cad/Ni-MH/Li-ion 18650 only (no LiPo)	Compliant	Only 18650 Li-ion cells planned; LiPo strictly excluded
13	No spring contacts for battery electrical connections	Compliant	Screw/crimp terminals throughout the power circuit
14	2 descent control mechanisms at different altitude stages	Compliant	Primary parachute + secondary mechanism at 600 m
15	Primary parachute deploys immediately after rocket ejection	Compliant	Passive deployment via atmospheric drag
16	Primary descent rate: < 20 m/s (± 5 m/s)	Compliant	Parachute sized via simulation
17	Secondary mechanism activates at 600 m (± 10 m); rate 1–3 m/s	Compliant	Altitude-triggered via barometric sensor at 600 m
18	No pyrotechnic devices; green propulsion (pressurized gas) allowed	Compliant	CO ₂ /pressurized gas deployment; no explosives
19	Mechanical gyroscopic wheels for descent stabilization	Compliant	BLDC-driven gyro wheel assembly included in design
20	XBEE radio series 1/2/pro or LoRa WAN for communication	Compliant	XBEE Pro S2C / LoRa WAN module planned

S.No	Requirement	Compliance	Notes
21	LoRa WAN NETID/PANID set to team number (declared at CDR)	Compliant	Network ID configured and declared at CDR stage
22	XBEE not in broadcast mode; no interference with other radios	Compliant	Radio interference mitigation plan in PDR presentation
23	Ground station: own development; real-time display; SI units; CSV export	Compliant	Custom ground station software with real-time plotting
24	Telemetry at 1 Hz minimum; all 16 TM fields per specification	Compliant	All mandatory TM fields including GYRO SPIN RATE
25	GNSS receiver; NavIC-compatible preferred (extra weightage)	Compliant	NavIC-compatible module to be sourced for extra score
26	Onboard SD card data storage (telemetry backup)	Compliant	SD module in avionics stack; auto-save on power-up
27	Mission clock preserved through processor reset	Compliant	RTC module (DS3231) maintains time through reset
28	Make in India components preferred (extra weightage)	Compliant	Indigenous components identified and documented in BOM
29	Team size: 5–8 undergraduate members; one team per college	Compliant	8 members planned; GITAM's first and only entry
30	No outsourcing of CAN-7USAT design or development	Compliant	Entirely student-designed and built; declared in ethics pledge

7. Declaration & Signatories

We, the undersigned, hereby declare that:

- (n) All information provided in this proposal is accurate and true to the best of our knowledge.
- (o) The design, development, and execution of the CAN-7USAT system will be carried out entirely by the undergraduate student team, in accordance with IN-SPACE competition rules.
- (p) No external agency will be engaged for design or development (outsourcing is a disqualification offence under IN-SPACE rules).
- (q) All funds granted by GITAM under this proposal will be utilized strictly for competition-related purposes and full financial accountability will be maintained.
- (r) The team commits to representing GITAM with integrity, discipline, and the highest standards of engineering excellence.
- (s) The team is aware that copying designs, codes, or ground station software from any source constitutes a disqualification offence under the IN-SPACE Code of Ethics.

Team Leader Name: _____ Signature: _____ Date: _____	Faculty Advisor Name: _____ Signature: _____ Date: _____
Head of Department Department of Aerospace Engineering GITAM Deemed to be University Name: _____ Signature: _____ Official Seal: Date: _____	Dean, Research & Innovation GITAM Deemed to be University Name: _____ Signature: _____ Official Seal: Date: _____