


lab 6 Product Sales Analysis

Question 1: Grouped Bar Chart

Code:

```
sales <- data.frame(  
  Product = c("Product A", "Product B", "Product C"),  
  January = c(2000,1500,1200),  
  February = c(2200,1800,1400),  
  March = c(2400,1600,1100)  
)  
data <- rbind(sales$January, sales$February, sales$March)  
barplot(data,  
  beside = TRUE,  
  names.arg = sales$Product,  
  col = c("red","blue","green"),  
  main = "Quarter 1 Product Sales",  
  xlab = "Products",  
  ylab = "Sales",  
  legend.text = c("January","February","March"))
```

Output:



Question 2: Stacked Area Chart

Code:

```
months <- c(1,2,3)

A <- c(2000,2200,2400)
B <- c(1500,1800,1600)
C <- c(1200,1400,1100)

library(plotrix)

stackpoly(months,

  cbind(A,B,C),

  col = c("red","blue","green"),

  xlab = "Month",

  ylab = "Sales",

  main = "Overall Sales Trend")


axis(1, at = months, labels = c("January","February","March"))

legend("topleft",

  legend = c("Product A","Product B","Product C"),

  fill = c("red","blue","green"))
```

Output:




Question 3: Monthly Sales Table

Code:

```
sales <- data.frame(  
  Product = c("Product A", "Product B", "Product C"),  
  January = c(2000,1500,1200),  
  February = c(2200,1800,1400),  
  March = c(2400,1600,1100)  
)  
print(sales)
```

Output:



The screenshot shows the RStudio interface with the console pane active. The code entered in the console is as follows:

```
>  
> legend("topleft",  
+       legend = c("Product A", "Product B", "Product C"),  
+       fill = c("red", "blue", "green"))  
> # Dataset  
> sales <- data.frame(  
+   Product = c("Product A", "Product B", "Product C"),  
+   January = c(2000,1500,1200),  
+   February = c(2200,1800,1400),  
+   March = c(2400,1600,1100)  
+ )  
>  
> # Display Table  
> print(sales)
```

The output of the `print(sales)` command is displayed in the console:

	Product	January	February	March
1	Product A	2000	2200	2400
2	Product B	1500	1800	1600
3	Product C	1200	1400	1100

```
> # Dataset  
> sales <- data.frame(  
+   Product = c("Product A", "Product B", "Product C"),  
+   January = c(2000,1500,1200),  
+   February = c(2200,1800,1400),  
+   March = c(2400,1600,1100)  
+ )  
>  
> # Display Table  
> print(sales)
```

The output is repeated, showing the same table as above.