Cucumber Report

| Start : Mar 26, 11:50:47.317 am	End : Mar 26, 12:02:29.708 pm	Duration : 11 m 42.391 s
Features	Scenarios	Steps
PASSED - 3 FAILED - 5 SKIPPED - 0	PASSED - 7 FAILED - 10 SKIPPED - 0	PASSED - 94 FAILED - 10 SKIPPED - 26

Features: 8

Scenarios: 17

Steps: 130

Features Pass %: 37 %

Scenarios Pass %: 41 %

Steps Pass %: 72 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Login with UserId	*1 m 52.299 s*	*3*	*1*	*2*	*0*	*21*	*17*	*2*	*2*
Edit User Profile	*1 m 22.061 s*	*2*	*2*	*0*	*0*	*18*	*18*	*0*	*0*
Search Functionality	*2 m 14.497 s*	*3*	*1*	*2*	*0*	*18*	*16*	*2*	*0*
Add to Cart Functionality	*1 m 49.601 s*	*2*	*2*	*0*	*0*	*14*	*14*	*0*	*0*
Find Stores	*1 m 24.354 s*	*2*	*0*	*2*	*0*	*18*	*13*	*2*	*3*
Find Preschool Locator	*50.207 s*	*1*	*1*	*0*	*0*	*9*	*9*	*0*	*0*
Manage Cart	*1 m 16.206 s*	*2*	*0*	*2*	*0*	*16*	*4*	*2*	*10*
Manage Shortlisted Products	*53.077 s*	*2*	*0*	*2*	*0*	*16*	*3*	*2*	*11*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@FirstCry	17	7	10	0	8	3	5	0

| #	Feature Name	T	P	F	S	Duration
1	Login with UserId	3	1	2	0	1 m 52.299 s
2	Edit User Profile	2	2	0	0	1 m 22.061 s
3	Search Functionality	3	1	2	0	2 m 14.497 s
4	Add to Cart Functionality	2	2	0	0	1 m 49.601 s
5	Find Stores	2	0	2	0	1 m 24.354 s
6	Find Preschool Locator	1	1	0	0	50.207 s
7	Manage Cart	2	0	2	0	1 m 16.206 s
8	Manage Shortlisted Products	2	0	2	0	53.077 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login with UserId	Login with UserId	7	7	0	0	39.808 s
2	Login with UserId	Login with UserId	7	5	1	1	35.447 s
3	Login with UserId	Login with UserId	7	5	1	1	37.016 s
4	Edit User Profile	Edit user profile	9	9	0	0	40.950 s
5	Edit User Profile	Edit user profile	9	9	0	0	41.100 s
6	Search Functionality	Search for Product	6	5	1	0	42.436 s
7	Search Functionality	Search for Product	6	5	1	0	41.416 s
8	Search Functionality	Search for Product	6	6	0	0	50.619 s
9	Add to Cart Functionality	Add Product to Cart	7	7	0	0	55.350 s
10	Add to Cart Functionality	Add Product to Cart	7	7	0	0	54.246 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Find Stores	Find FirstCry Stores	9	5	1	3	40.790 s
12	Find Stores	Find FirstCry Stores	9	8	1	0	43.556 s
13	Find Preschool Locator	Search for a Preschool in city	9	9	0	0	50.207 s
14	Manage Cart	Manage Cart Functions	8	2	1	5	39.206 s
15	Manage Cart	Manage Cart Functions	8	2	1	5	36.994 s
16	Manage Shortlisted Products	Manage Shortlist Functions	8	2	1	5	48.905 s
17	Manage Shortlisted Products	Manage Shortlist Functions	8	1	1	6	4.165 s

Login with UserId

FAILED	DURATION - 1 m 52.299 s	Scenarios Total - 3 Pass - 1 Fail - 2 Skip - 0	3	Steps Total - 21 Pass - 17 Fail - 2 Skip - 2	21
	/ 11:50:47.317 am // 11:52:39.616 am /				

Login with UserId

PASSED	DURATION - 39.808 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	7
	/ 11:50:47.325 am // 11:51:27.133 am /			
	Login with UserId			
	@FirstCry			

| #	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	2.641 s
2	When user click on the login button	PASSED	1.374 s
3	Then user should be on login Page	PASSED	0.021 s
4	And User enter "chandumj787013@gmail.com"	PASSED	0.200 s
5	And user click on the continue button	PASSED	1.886 s
6	And user click the submit button	PASSED	33.039 s
7	Then user should be on Home Page	PASSED	0.491 s

Login with UserId

FAILED	*DURATION - 35.447 s*		**Steps**
/ 11:51:27.143 am // 11:52:02.590 am /			Total - 7
Login with UserId			Pass - 5
			Fail - 1
@FirstCry			Skip - 1

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.129 s
2	When user click on the login button	PASSED	0.586 s
3	Then user should be on login Page	PASSED	0.048 s
4	And User enter "chandumj@gmail.co"	PASSED	0.119 s
5	And user click on the continue button	PASSED	1.832 s
6	And user click the submit button	FAILED	30.035 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@id='verfiedbtn']"}   (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [cbe20b869cee4af3049b37e4fe4b8397, findElement {using=xpath, value=//div[@id='verfiedbtn']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28980}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28980/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cbe20b869cee4af3049b37e4fe4b8397

   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnSubmit(LoginPage.java:47) at steps.LoginStepDefination.user_click_the_submit_button(LoginStepDefination.java:46) at ?.user click the submit button(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/1.Login.feature:10) * Not displayable characters are replaced by '?'.		
7	Then user should be on Home Page	SKIPPED	0.000 s

Login with UserId

FAILED	DURATION - 37.016 s
/ 11:52:02.600 am // 11:52:39.616 am /	
Login with UserId	
@FirstCry	

Steps
Total - 7
Pass - 5
Fail - 1
Skip - 1

7

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	2.758 s
2	When user click on the login button	PASSED	0.930 s
3	Then user should be on login Page	PASSED	0.012 s
4	And User enter "chandumj@gmail.co"	PASSED	0.100 s
5	And user click on the continue button	PASSED	1.936 s
6	And user click the submit button	FAILED	30.017 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@id='verfiedbtn']"} (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cbe20b869cee4af3049b37e4fe4b8397, findElement {using=xpath, value=//div[@id='verfiedbtn']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress:		

#	Step / Hook Details	Status	Duration

	localhost:28980}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28980/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cbe20b869cee4af3049b37e4fe4b8397
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source)
	    at pages.LoginPage.clickOnSubmit(LoginPage.java:47)
	    at steps.LoginStepDefination.user_click_the_submit_button(LoginStepDefination.java:46)
	    at ?.user click the submit button(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/1.Login.feature:10)
	* Not displayable characters are replaced by '?'.		

7	Then user should be on Home Page	SKIPPED	0.000 s

Edit User Profile

PASSED	DURATION - 1 m 22.061 s	Scenarios		Steps	
/ 11:52:39.633 am // 11:54:01.694 am /		Total - 2 Pass - 2 Fail - 0 Skip - 0	2	Total - 18 Pass - 18 Fail - 0 Skip - 0	18

Edit user profile

PASSED	DURATION - 40.950 s
/ 11:52:39.633 am // 11:53:20.583 am /	
Edit User Profile	
@FirstCry	

| Steps |
|---|
| Total - 9 |
| Pass - 9 |
| Fail - 0 |
| Skip - 0 |

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.597 s
2	When User log into the application with credentials	PASSED	35.164 s
3	When User click on My Account	PASSED	0.267 s
4	And User select My Profile	PASSED	1.810 s
5	Then User should be on profile page	PASSED	0.046 s
6	And User perform an Edit operation on My Address Book	PASSED	0.381 s
7	And User add/change delivery address of "ValidData"	PASSED	1.273 s
8	And click on Save	PASSED	0.112 s
9	Then User can view the "ValidData"	PASSED	0.181 s

Edit user profile

PASSED	DURATION - 41.100 s
/ 11:53:20.594 am // 11:54:01.694 am /	
Edit User Profile	
@FirstCry	

Steps
Total - 9
Pass - 9
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.752 s
2	When User log into the application with credentials	PASSED	35.271 s
3	When User click on My Account	PASSED	0.339 s

#	Step / Hook Details	Status	Duration
4	And User select My Profile	PASSED	1.968 s
5	Then User should be on profile page	PASSED	0.038 s
6	And User perform an Edit operation on My Address Book	PASSED	0.371 s
7	And User add/change delivery address of "InvalidData"	PASSED	0.884 s
8	And click on Save	PASSED	0.101 s
9	Then User can view the "InvalidData"	PASSED	0.121 s

Search Functionality

FAILED	DURATION - 2 m 14.497 s	Scenarios	Steps
		Total - 3	Total - 18
/ 11:54:01.715 am // 11:56:16.212 am /		Pass - 1	Pass - 16
		Fail - 2	Fail - 2
		Skip - 0	Skip - 0

Search for Product

FAILED	DURATION - 42.436 s		Steps
			Total - 6
/ 11:54:01.715 am // 11:54:44.151 am /			Pass - 5
			Fail - 1
Search Functionality			Skip - 0
@FirstCry			

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.479 s
2	When User log into the application with credentials	PASSED	35.246 s
3	When User search for "shirts"	PASSED	3.177 s
4	And select product from the search results	PASSED	0.484 s
5	And User switches focus to the new tab	PASSED	0.011 s
6	Then title should be "Buy Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys (3-4 Years) Online in India, Shop at FirstCry.com - 15934333"	FAILED	1.356 s

#	Step / Hook Details	Status	Duration

	java.lang.AssertionError
	   at steps.SearchStep.title_should_be(SearchStep.java:55)
	   at ?.title should be "Buy Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys (3-4 Years) Online in India, Shop at FirstCry.com - 15934333"(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/3.SearchOperation.feature:12)
	* Not displayable characters are replaced by '?'.		

Search for Product

FAILED	DURATION - 41.416 s
/ 11:54:44.167 am // 11:55:25.583 am /	
Search Functionality	
@FirstCry	

Steps
Total - 6
Pass - 5
Fail - 1
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.541 s
2	When User log into the application with credentials	PASSED	35.319 s
3	When User search for "shirts"	PASSED	2.588 s
4	And select product from the search results	PASSED	0.313 s
5	And User switches focus to the new tab	PASSED	0.017 s
6	Then title should be "Buy Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys (3-4 Years) Online in India, Shop at FirstCry.com - 15934333"	FAILED	0.920 s

	java.lang.AssertionError
	   at steps.SearchStep.title_should_be(SearchStep.java:55)
	   at ?.title should be "Buy Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys (3-4 Years) Online in India, Shop at FirstCry.com - 15934333"(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/3.SearchOperation.feature:12)
	* Not displayable characters are replaced by '?'.		

Search for Product

| PASSED	DURATION - 50.619 s		Steps
/ 11:55:25.593 am // 11:56:16.212 am /			Total - 6
Search Functionality			Pass - 6
			Fail - 0
@FirstCry			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.599 s
2	When User log into the application with credentials	PASSED	35.610 s
3	When User search for "123456"	PASSED	5.827 s
4	And select product from the search results	PASSED	5.235 s
5	And User switches focus to the new tab	PASSED	0.008 s
6	Then title should be "Baby Products Online India: Newborn Baby Products & Kids Online Shopping at FirstCry.com"	PASSED	2.044 s

Add to Cart Functionality

| PASSED	DURATION - 1 m 49.601 s	Scenarios		Steps	
/ 11:56:16.218 am // 11:58:05.819 am /		Total - 2	2	Total - 14	14
		Pass - 2		Pass - 14	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Add Product to Cart

PASSED	DURATION - 55.350 s		Steps
/ 11:56:16.218 am // 11:57:11.568 am /			Total - 7
Add to Cart Functionality			Pass - 7
			Fail - 0
@FirstCry			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.370 s
2	When User log into the application with credentials	PASSED	36.142 s
3	When User search for a "Pine Kids Cotton Woven Full Sleeves Solid Color Shirt - Orange"	PASSED	3.269 s
4	And Click on one Product	PASSED	6.778 s
5	And User switches focus to the new tab	PASSED	0.008 s
6	And click on Add to Cart for the selected product	PASSED	0.260 s
7	Then "Pine Kids Cotton Woven Full Sleeves Solid Color Shirt - Orange" should be added to my cart	PASSED	5.625 s

Add Product to Cart

| PASSED	DURATION - 54.246 s		Steps
/ 11:57:11.573 am // 11:58:05.819 am /			Total - 7
			Pass - 7
Add to Cart Functionality			Fail - 0
			Skip - 0
@FirstCry			

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.104 s
2	When User log into the application with credentials	PASSED	35.444 s
3	When User search for a "Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue"	PASSED	3.504 s
4	And Click on one Product	PASSED	6.739 s
5	And User switches focus to the new tab	PASSED	0.009 s
6	And click on Add to Cart for the selected product	PASSED	0.274 s
7	Then "Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue" should be added to my cart	PASSED	5.644 s

Find Stores

FAILED	DURATION - 1 m 24.354 s	Scenarios		Steps	
		Total - 2		Total - 18	
/ 11:58:05.825 am // 11:59:30.179 am /		Pass - 0	2	Pass - 13	18
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 3	

Find FirstCry Stores

| FAILED	DURATION - 40.790 s		Steps	
			Total - 9	
/ 11:58:05.825 am // 11:58:46.615 am /			Pass - 5	9
Find Stores			Fail - 1	
@FirstCry			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.308 s
2	When User log into the application with credentials	PASSED	35.828 s
3	When User must hover over the stores&preschool	PASSED	0.394 s
4	And User must click on the find stores from drop down	PASSED	0.217 s
5	And User switches focus to the new tab	PASSED	0.014 s
6	Then User should be on storelocator page "FirstCry, BabyOye & BabyHug Store Locator - Find One Near You"	FAILED	1.205 s

	java.lang.AssertionError
	    at steps.StoreLocatorStep.user_should_be_on_storelocator_page(StoreLocatorStep.java:43)
	    at ?.User should be on storelocator page "FirstCry, BabyOye & BabyHug Store Locator - Find One Near You"(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/5.StoreLocator.feature:12)
	* Not displayable characters are replaced by '?'.		

7	When User select the "FirstCry","Andhra Pradesh" and "Anakapalle Town"	SKIPPED	0.000 s
8	And User click on the search button	SKIPPED	0.001 s
9	Then User must be able to view the storeresult	SKIPPED	0.000 s

Find FirstCry Stores

FAILED	*DURATION - 43.556 s*

/ 11:58:46.623 am // 11:59:30.179 am /

*Find Stores*

@FirstCry

Steps
Total - 9
Pass - 8
Fail - 1
Skip - 0


#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.763 s
2	When User log into the application with credentials	PASSED	39.197 s
3	When User must hover over the stores&preschool	PASSED	0.254 s
4	And User must click on the find stores from drop down	PASSED	0.193 s
5	And User switches focus to the new tab	PASSED	0.011 s
6	Then User should be on storelocator page "FirstCry, BabyOye & BabyHug Store Locator - Find One Near You"	PASSED	1.010 s
7	When User select the "FirstCry","Andhra Pradesh" and "Anakapalle Town"	PASSED	0.493 s
8	And User click on the search button	PASSED	0.132 s
9	Then User must be able to view the storeresult	FAILED	0.035 s

	java.lang.AssertionError: Element is not visible expected [true] but found [false]
	    at org.testng.Assert.fail(Assert.java:110)
	    at org.testng.Assert.failNotEquals(Assert.java:1577)
	    at org.testng.Assert.assertTrue(Assert.java:56)
	    at steps.StoreLocatorStep.user_must_be_able_to_view_the_storeresult(StoreLocatorStep.java:73)
	    at ?.User must be able to view the storeresult(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/5.StoreLocator.feature:15)
	* Not displayable characters are replaced by '?'.		

Find Preschool Locator

PASSED	*DURATION - 50.207 s*

/ 11:59:30.192 am // 12:00:20.399 pm /

Scenarios
Total - 1
Pass - 1
Fail - 0
Skip - 0

Steps
Total - 9
Pass - 9
Fail - 0
Skip - 0

Search for a Preschool in city

PASSED	DURATION - 50.207 s
/ 11:59:30.192 am // 12:00:20.399 pm /	
Find Preschool Locator	
@FirstCry	

Steps
Total - 9
Pass - 9
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.598 s
2	When User log into the application with credentials	PASSED	42.250 s
3	When user can click on storeandpreschool	PASSED	0.276 s
4	And user can click on findpreschool	PASSED	0.213 s
5	And user switches focus to new tab	PASSED	0.018 s
6	Then user should be on "FirstCry Intellitots Preschool Locator: Find a Preschool Near You" tab	PASSED	2.268 s
7	And user search for "Agra"	PASSED	0.103 s
8	And click on findmy preschool	PASSED	0.141 s
9	Then User should see preschools in "Agra"	PASSED	2.978 s

Manage Cart

FAILED	DURATION - 1 m 16.206 s
/ 12:00:20.414 pm // 12:01:36.620 pm /	

Scenarios
Total - 2
Pass - 0
Fail - 2
Skip - 0

Steps
Total - 16
Pass - 4
Fail - 2
Skip - 10

Manage Cart Functions

FAILED	DURATION - 39.206 s

/ 12:00:20.414 pm // 12:00:59.620 pm /

Manage Cart

@FirstCry

Steps
Total - 8
Pass - 2
Fail - 1
Skip - 5

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.422 s
2	When User log into the application with credentials	PASSED	35.395 s
3	When User add a few products to the cart	FAILED	0.309 s

pants for boys
Toys

org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found   (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cbe20b869cee4af3049b37e4fe4b8397, isElementDisplayed {id=f.97294AB94EB3AD4A8A8164C6BB932AFB.d.AD5909943488F6AC4B00B11F1AC57F34.e.488}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28980}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28980/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (cbe20b869cee4af3049b37e4fe4b8397)] -> xpath: //div[@id='searchlist']/descendant::li[1]] Session ID: cbe20b869cee4af3049b37e4fe4b8397
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:280) at jdk.internal.reflect.GeneratedMethodAccessor64.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at pages.HomePage.EnterProduct(HomePage.java:67) at steps.CartFuncStep.user_add_a_few_products_to_the_cart(CartFuncStep.java:34) at ?.User add a few products to the cart(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/7.CartFunction.feature:9) * Not displayable characters are replaced by '?'.		
4	And User click on cart	SKIPPED	0.000 s
5	Then user can see "<allproducts>" in the cart	SKIPPED	0.000 s
6	When User move a product to the shortlist	SKIPPED	0.000 s
7	When User change the quantity of product from the cart	SKIPPED	0.000 s
8	Then the "<quantity>" should be changed	SKIPPED	0.000 s

Manage Cart Functions

FAILED	DURATION - 36.994 s
/ 12:00:59.626 pm // 12:01:36.620 pm /	
Manage Cart	
@FirstCry	

Steps
Total - 8
Pass - 2
Fail - 1
Skip - 5

8

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.503 s
2	When User log into the application with credentials	PASSED	33.970 s

#	Step / Hook Details	Status	Duration

3	When User add a few products to the cart
	
	pants for boys
	Toys
	
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='search_box']"} (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [cbe20b869cee4af3049b37e4fe4b8397, findElement {using=xpath, value=//input[@id='search_box']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28980}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28980/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cbe20b869cee4af3049b37e4fe4b8397
	  at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy45.clear(Unknown Source)
	  at pages.HomePage.EnterProduct(HomePage.java:65)
	  at steps.CartFuncStep.user_add_a_few_products_to_the_cart(CartFuncStep.java:34)
	  at ?.User add a few products to the cart(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/7.CartFunction.feature:9)
	* Not displayable characters are replaced by '?'.
		FAILED	1.061 s

4	And User click on cart	SKIPPED	0.000 s
5	Then user can see "<allproducts>" in the cart	SKIPPED	0.000 s
6	When User move a product to the shortlist	SKIPPED	0.000 s

| #	Step / Hook Details	Status	Duration
7	When User change the quantity of product from the cart	SKIPPED	0.000 s
8	Then the "<quantity>" should be changed	SKIPPED	0.000 s

Manage Shortlisted Products

FAILED	DURATION - 53.077 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Steps Total - 16 Pass - 3 Fail - 2 Skip - 11	16
	/ 12:01:36.631 pm // 12:02:29.708 pm /				

Manage Shortlist Functions

FAILED	DURATION - 48.905 s		Steps Total - 8 Pass - 2 Fail - 1 Skip - 5	8
	/ 12:01:36.631 pm // 12:02:25.536 pm /			
	Manage Shortlisted Products			
	@FirstCry			

| #	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.816 s
2	When User log into the application with credentials	PASSED	35.972 s
3	When User shortlist few products	FAILED	10.497 s
	Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys Babyhug Cotton Woven Full Sleeves Checked Shirt - Red for Boys		
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//div[@class='li_inner_block'])[1]/descendant::img' (tried for 5 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at pages.SearchPage.clickonFirstProduct(SearchPage.java:26) at steps.ShortListStep.user_shortlist_few_products(ShortListStep.java:32) at ?.User shortlist few products(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/8.ShortlistFunction.feature:9) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		

#	Step / Hook Details	Status	Duration

	{"method":"xpath","selector":"(//div[@class='li_inner_block'])[1]/descendant::img"} (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cbe20b869cee4af3049b37e4fe4b8397, findElement {using=xpath, value=(//div[@class='li_inner_block'])[1]/descendant::img}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28980}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28980/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cbe20b869cee4af3049b37e4fe4b8397
	  at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy45.isDisplayed(Unknown Source)
	  at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)
	  at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:37)
	  at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)
	  at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:287)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)
	  at pages.SearchPage.clickonFirstProduct(SearchPage.java:26)
	  at steps.ShortListStep.user_shortlist_few_products(ShortListStep.java:32)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	  at io.cucumber.java.Invoker.invoke(Invoker.java:24)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:829)		
	at org.testng.TestRunner.run(TestRunner.java:602)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		

#	Step / Hook Details	Status	Duration
	at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:283) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:75) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:120) at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:384) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:345) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:126) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:418) * Not displayable characters are replaced by '?'.		
4	And User click on the Shortlist button	SKIPPED	0.000 s
5	Then user can see "<allproducts>" in the shortlist	SKIPPED	0.000 s
6	When User add a product to the cart from the shortlist	SKIPPED	0.000 s
7	When User delete a product from the shortlist	SKIPPED	0.000 s
8	Then the "<product>" should be removed from the shortlist	SKIPPED	0.000 s

Manage Shortlist Functions

FAILED	DURATION - 4.165 s
/ 12:02:25.543 pm // 12:02:29.708 pm /	
Manage Shortlisted Products	
@FirstCry	

Steps
Total - 8
Pass - 1
Fail - 1
Skip - 6

8

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.862 s
2	When User log into the application with credentials	FAILED	2.059 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cbe20b869cee4af3049b37e4fe4b8397, findElement {using=xpath, value=//div[@id='loginotp']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28980}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28980/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration

	cbe20b869cee4af3049b37e4fe4b8397
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source)
	  at pages.LoginPage.clickOnContinue(LoginPage.java:43)
	  at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:119)
	  at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/
	8.ShortlistFunction.feature:6)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - steps.SharedSteps.afterStep(io.cucumber.java.Scenario)	FAILED	0.007 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cbe20b869cee4af3049b37e4fe4b8397, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28980}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28980/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cbe20b869cee4af3049b37e4fe4b8397
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at utilities.ScreenShotUtility.captureScreenshot(ScreenShotUtility.java:15) at steps.SharedSteps.afterStep(SharedSteps.java:67)		
3	When User shortlist few products Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys Babyhug Cotton Woven Full Sleeves Checked Shirt - Red for Boys	SKIPPED	0.000 s
4	And User click on the Shortlist button	SKIPPED	0.000 s
5	Then user can see "<allproducts>" in the shortlist	SKIPPED	0.000 s
6	When User add a product to the cart from the shortlist	SKIPPED	0.000 s
7	When User delete a product from the shortlist	SKIPPED	0.001 s
8	Then the "<product>" should be removed from the shortlist	SKIPPED	0.000 s
	AFTER - steps.SharedSteps.teardownScenario(io.cucumber.java.Scenario)	FAILED	0.002 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cbe20b869cee4af3049b37e4fe4b8397, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28980}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28980/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cbe20b869cee4af3049b37e4fe4b8397 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:455) at steps.SharedSteps.teardownScenario(SharedSteps.java:79)		