Cucumber Report

| Start : Mar 26, 10:32:49.122 pm	End : Mar 26, 10:34:19.747 pm	Duration : 1 m 30.625 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 0 FAILED - 4 SKIPPED - 0	PASSED - 6 FAILED - 2 SKIPPED - 24

Features: 2

Scenarios: 4

Steps: 32

Pass %: 0 %

Pass %: 0 %

Pass %: 18 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Manage Cart	1 m 30.521 s	2	0	2	0	16	6	2	8
Manage Shortlisted Products	0.070 s	2	0	2	0	16	0	0	16

Tag	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@FirstCry2	4	0	4	0	2	0	2	0

#	Feature Name	T	P	F	S	Duration
1	Manage Cart	2	0	2	0	1 m 30.521 s
2	Manage Shortlisted Products	2	0	2	0	0.070 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Manage Cart	Manage Cart Functions	8	5	1	2	55.420 s
2	Manage Cart	Manage Cart Functions	8	1	1	6	35.064 s
3	Manage Shortlisted Products	Manage Shortlist Functions	8	0	0	8	0.034 s
4	Manage Shortlisted Products	Manage Shortlist Functions	8	0	0	8	0.016 s

Manage Cart

FAILED	DURATION - 1 m 30.521 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Steps Total - 16 Pass - 6 Fail - 2 Skip - 8	16
/ 10:32:49.122 pm // 10:34:19.643 pm /					

Manage Cart Functions

FAILED	DURATION - 55.420 s		Steps Total - 8 Pass - 5 Fail - 1 Skip - 2	8
/ 10:32:49.125 pm // 10:33:44.545 pm /				
Manage Cart				
@FirstCry2				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	3.240 s
2	When User log into the application with credentials	PASSED	37.259 s
3	When User add a few products to the cart pens books	PASSED	10.984 s
4	And User click on cart	PASSED	1.887 s
5	Then user can see "<allproducts>" in the cart	PASSED	0.076 s
6	When User move a product to the shortlist org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (363, 521). Other element would receive the click: <div class="placeOrderButtonWraper">...</div> (Session info: chrome=123.0.6312.59) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [18388c8d1a3c6e1e275fadbc18771c4a, clickElement {id=f.410C84C11BBEA9A6E433E016F0F3A527.d.A5333D57CD118D1705145C63005EC466.e.273}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:46052}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:46052/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,	FAILED	1.407 s

#	Step / Hook Details	Status	Duration

	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (18388c8d1a3c6e1e275fadbc18771c4a)] -> xpath: (//span[@class='M15_21 removetext'])[4]] Session ID: 18388c8d1a3c6e1e275fadbc18771c4a
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	    at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source)
	    at pages.CartPage.moveToShortlist(CartPage.java:66)
	    at steps.CartFuncStep.user_move_a_product_to_the_shortlist(CartFuncStep.java:59)
	    at ?.User move a product to the shortlist(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/7.CartFunction.feature:14)
	* Not displayable characters are replaced by '?'.		

7	When User change the quantity of product from the cart	SKIPPED	0.000 s
8	Then the "<quantity>" should be changed	SKIPPED	0.000 s

Manage Cart Functions

FAILED	**DURATION - 35.064 s**	
/ 10:33:44.579 pm // 10:34:19.643 pm /		
Manage Cart		
@FirstCry2		

Steps
Total - 8
Pass - 1
Fail - 1
Skip - 6

8

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.790 s
2	When User log into the application with credentials	FAILED	33.003 s

org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.59) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [18388c8d1a3c6e1e275fadbc18771c4a, findElement {using=xpath, value=//div[@id='verfiedbtn']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:46052}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:46052/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 18388c8d1a3c6e1e275fadbc18771c4a

  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnSubmit(LoginPage.java:48) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:122) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/7.CartFunction.feature:6) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - steps.SharedSteps.afterStep(io.cucumber.java.Scenario)	FAILED	0.004 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.59) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [18388c8d1a3c6e1e275fadbc18771c4a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:46052}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:46052/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 18388c8d1a3c6e1e275fadbc18771c4a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at utilities.ScreenShotUtility.captureScreenshot(ScreenShotUtility.java:15) at steps.SharedSteps.afterStep(SharedSteps.java:67)		
3	When User add a few products to the cart pens books	SKIPPED	0.001 s
4	And User click on cart	SKIPPED	0.000 s
5	Then user can see "<allproducts>" in the cart	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
6	When User move a product to the shortlist	SKIPPED	0.000 s
7	When User change the quantity of product from the cart	SKIPPED	0.001 s
8	Then the "<quantity>" should be changed	SKIPPED	0.001 s
	AFTER - steps.SharedSteps.teardownScenario(io.cucumber.java.Scenario)	FAILED	0.004 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.59) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [18388c8d1a3c6e1e275fadbc18771c4a, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc. ..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:46052}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:46052/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 18388c8d1a3c6e1e275fadbc18771c4a 　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) 　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) 　at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) 　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) 　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) 　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) 　at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:455) 　at steps.SharedSteps.teardownScenario(SharedSteps.java:79)		

Manage Shortlisted Products

FAILED	DURATION - 0.070 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Steps Total - 16 Pass - 0 Fail - 0 Skip - 16	16
	/ 10:34:19.677 pm // 10:34:19.747 pm /				

Manage Shortlist Functions

FAILED	DURATION - 0.034 s
/ 10:34:19.677 pm // 10:34:19.711 pm /	
Manage Shortlisted Products	
@FirstCry2	

Steps
Total - 8
Pass - 0
Fail - 0
Skip - 8

8

#	Step / Hook Details	Status	Duration
	BEFORE - steps.SharedSteps.setupScenario(io.cucumber.java.Scenario)	FAILED	0.009 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.59) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [18388c8d1a3c6e1e275fadbc18771c4a, deleteAllCookies {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:46052}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:46052/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 18388c8d1a3c6e1e275fadbc18771c4a
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)
	  at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions.deleteAllCookies(RemoteWebDriver.java:800)
	  at steps.SharedSteps.setupScenario(SharedSteps.java:57)		

1	Given User navigate to the FirstCry URL	SKIPPED	0.000 s
2	When User log into the application with credentials	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	When User shortlist few products toys bangles	SKIPPED	0.002 s
4	And User click on the Shortlist button	SKIPPED	0.000 s
5	Then user can see "<allproducts>" in the shortlist	SKIPPED	0.005 s
6	When User add a product to the cart from the shortlist	SKIPPED	0.000 s
7	When User delete a product from the shortlist	SKIPPED	0.000 s
8	Then the "<product>" should be removed from the shortlist	SKIPPED	0.000 s
	AFTER - steps.SharedSteps.teardownScenario(io.cucumber.java.Scenario)	FAILED	0.008 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.59) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [18388c8d1a3c6e1e275fadbc18771c4a, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc. ..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:46052}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:46052/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 18388c8d1a3c6e1e275fadbc18771c4a
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)
	   at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:455)
	   at steps.SharedSteps.teardownScenario(SharedSteps.java:79)		

Manage Shortlist Functions

FAILED	DURATION - 0.016 s

/ 10:34:19.731 pm // 10:34:19.747 pm /

Manage Shortlisted Products

@FirstCry2

Steps
Total - 8
Pass - 0
Fail - 0
Skip - 8

8

#	Step / Hook Details	Status	Duration
	BEFORE - steps.SharedSteps.setupScenario(io.cucumber.java.Scenario)	FAILED	0.004 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.59) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [18388c8d1a3c6e1e275fadbc18771c4a, deleteAllCookies {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:46052}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:46052/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 18388c8d1a3c6e1e275fadbc18771c4a
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)
	  at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions.deleteAllCookies(RemoteWebDriver.java:800)
	  at steps.SharedSteps.setupScenario(SharedSteps.java:57)		

1	Given User navigate to the FirstCry URL	SKIPPED	0.000 s
2	When User log into the application with credentials	SKIPPED	0.000 s
3	When User shortlist few products	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
	toys bangles		
4	And User click on the Shortlist button	SKIPPED	0.000 s
5	Then user can see "<allproducts>" in the shortlist	SKIPPED	0.001 s
6	When User add a product to the cart from the shortlist	SKIPPED	0.000 s
7	When User delete a product from the shortlist	SKIPPED	0.000 s
8	Then the "<product>" should be removed from the shortlist	SKIPPED	0.000 s
	AFTER - steps.SharedSteps.teardownScenario(io.cucumber.java.Scenario)	FAILED	0.005 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.59) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [18388c8d1a3c6e1e275fadbc18771c4a, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc. ..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:46052}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:46052/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 18388c8d1a3c6e1e275fadbc18771c4a
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)
	   at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:455)
	   at steps.SharedSteps.teardownScenario(SharedSteps.java:79)		