


Feature			Scei	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Login with UserId	1 m 49.629 s	3	1	2	0	21	17	2	2
Edit User Profile	2 m 4.687 s	3	2	1	0	27	20	1	6
Search Functionality	2 m 59.604 s	4	1	3	0	24	21	3	0
Add to Cart Functionality	1 m 52.917 s	2	2	0	0	14	14	0	0
Find Stores	1 m 22.431 s	2	1	1	0	18	14	1	3
Find Preschool Locator	45.487 s	1	1	0	0	9	9	0	0
Manage Cart	1 m 40.820 s	2	0	2	0	16	4	2	10
Manage Shortlisted Products	1 m 34.880 s	2	0	2	0	16	4	2	10


Tag	Scenario Feature							
Name	T	P	F	S	T	P	F	S
@FirstCry	19	8	11	0	8	2	6	0

FEATURES SUMMARY




#	Feature Name	T	P	F	S	Duration
1	Login with UserId	3	1	2	0	1 m 49.629 s
2	Edit User Profile	3	2	1	0	2 m 4.687 s
3	Search Functionality	4	1	3	0	2 m 59.604 s
4	Add to Cart Functionality	2	2	0	0	1 m 52.917 s
5	<u>Find Stores</u>	2	1	1	0	1 m 22.431 s
6	<u>Find Preschool Locator</u>	1	1	0	0	45.487 s
7	Manage Cart	2	0	2	0	1 m 40.820 s
8	Manage Shortlisted Products	2	0	2	0	1 m 34.880 s

SCENARIOS SUMMARY -- 5 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login with UserId	Login with UserId	7	7	0	0	40.032 s
2	Login with UserId	Login with UserId	7	5	1	1	35.217 s
3	Login with UserId	Login with UserId	7	5	1	1	34.332 s
4	Edit User Profile	Edit user profile	9	2	1	6	41.178 s
5	Edit User Profile	Edit user profile	9	9	0	0	42.347 s
6	Edit User Profile	Edit user profile	9	9	0	0	41.157 s
7	Search Functionality	Search for Product	6	5	1	0	43.140 s
8	Search Functionality	Search for Product	6	5	1	0	43.482 s
9	Search Functionality	Search for Product	6	5	1	0	47.461 s
10	Search Functionality	Search for Product	6	6	0	0	45.477 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Add to Cart Functionality	Add Product to Cart	7	7	0	0	56.619 s
12	Add to Cart Functionality	Add Product to Cart	7	7	0	0	56.292 s
13	Find Stores	Find FirstCry Stores	9	5	1	3	41.235 s
14	Find Stores	Find FirstCry Stores	9	9	0	0	41.182 s
15	Find Preschool Locator	Search for a Preschool in city	9	9	0	0	45.486 s
16	Manage Cart	Manage Cart Functions	8	2	1	5	50.971 s
17	Manage Cart	Manage Cart Functions	8	2	1	5	49.843 s
18	Manage Shortlisted Products	Manage Shortlist Functions	8	2	1	5	47.859 s
19	Manage Shortlisted Products	Manage Shortlist Functions	8	2	1	5	47.004 s

DETAILED SECTION -- 7 -

Login with UserId

FAILED	DURATION - 1 m 49.629 s	Scenarios Total - 3		Steps Total - 21	
/ 12:38:00.310 pm //	12:39:49.939 pm /	Pass - 1 Fail - 2	3	Pass - 17	21
		Skip - 0		Skip - 2	


Login with UserId



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	2.511 s
2	When user click on the login button	PASSED	1.863 s
3	Then user should be on login Page	PASSED	0.068 s
4	And User enter "chandumj787013@gmail.com"	PASSED	0.143 s
5	And user click on the continue button	PASSED	2.010 s
6	And user click the submit button	PASSED	32.704 s
7	Then user should be on Home Page	PASSED	0.552 s

Login with UserId


DETAILED SECTION -- 8 --



#	Step / Hook Details	Status	Duration
	Given User navigate to the FirstCry URL	PASSED	1.223 s
	When user click on the login button	PASSED	1.030 s
	Then user should be on login Page	PASSED	0.012 s
	And User enter ""	PASSED	0.061 s
	And user click on the continue button	PASSED	1.061 s
	And user click the submit button	FAILED	30.058 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/div[@id='verfiedbtn]"} (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5acab0c8029276ff114159fa106cdd6, findElement (using=xpath, value=//div[@id='verfiedbtn]]) Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128} (f18a44fedeb, userDataDir: C:\Users\lenovo\AppData\Loc}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30659/devtoo, se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:reredBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5acab0c802927f0ff1f4159fa106cdd6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:171) at org.openqa.se		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.berautteinentEocator.imdelement[JoerautteinentEocator],ava:38) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source)		
	at pages.LoginPage.clickOnSubmit(LoginPage.java:47) at steps.LoginStepDefination.user_click_the_submit_button(LoginStepDefination.java:46)		
	at ?.user click the submit button(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/1.Login.feature:10) * Not displayable characters are replaced by '?'.		
7	Then user should be on Home Page	SKIPPED	0.001 s

Login with UserId




#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.991 s
2	When user click on the login button	PASSED	0.828 s
3	Then user should be on login Page	PASSED	0.017 s
4	And User enter ""	PASSED	0.118 s
5	And user click on the continue button	PASSED	1.071 s
6	And user click the submit button	FAILED	30.028 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@id='verfiedbtn']"} (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5acab0c802927f0ff1f4159fa106cdd6, findElement {using=xpath, value=//div[@id='verfiedbtn']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb, userDataDir: C:\Users\lenovo\AppData\Loc}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress:		

DETAILED SECTION -- 10 --


#	Step / Hook Details	Status	Duration
	localhost:30659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30659/devtoo, se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:pf: true, webauthn:virtualAuthenticators:		
	true} Session ID: 5acab0c802927f0ff1f4159fa106cdd6		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source)		
	at pages.LoginPage.clickOnSubmit(LoginPage.java:47)		
	at steps.LoginStepDefination.user_click_the_submit_button(LoginStepDefination.java:46)		
	at ?.user click the submit button(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/1.Login.feature:10) * Not displayable characters are replaced by '?'.		
7	Then user should be on Home Page	SKIPPED	0.000 s

Edit User Profile



DETAILED SECTION -- 11 --

Edit user profile




#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.694 s
2	When User log into the application with credentials	PASSED	33.824 s
3	When User click on My Account	FAILED	5.367 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //span[contains(@class,'anch myacc_2')]' (tried for 5 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.java:100 at pages. HomePage.bovertoMyAccount(HomePage.java:76) at steps.MyProfileStep.user_click_on_my_account(MyProfileStep.java:30) at 7.User click on My Account(file://lif-/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/2.MyProfile.feature:9) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath"; "selector": "/span[contains(@class,'anch myacc_2]]"] (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [Sacab0c802927f0ff1f4159fa106cdd6, findElement (using=xpath, value=//span[contains(@class,'anch myacc_2])]) Capabilities (acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb, userDataDir: C:\Userslenov\AppDatalLoc}, fedem:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30659/devtoo, se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:pr		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)		
	at pages.HomePage.hovertoMyAccount(HomePage.java:76)		
	at steps.MyProfileStep.user_click_on_my_account(MyProfileStep.java:30)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.lnvoker.dolnvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect. Delegating Method Accessor Impl. invoke (Delegating Method Accessor Impl. java: 43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	$at\ org. testng. internal. invokers. Method Invocation Helper. invoke Method (Method Invocation Helper. java: 139)$		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runlnSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:829)		
	at org.testng.TestRunner.run(TestRunner.java:602)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:283)		
	at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:75)		
	at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:120)		
	at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:384)		
	at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:345)		
	at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:126)		
	at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:418)		
-	* Not displayable characters are replaced by '?'.		
4	And User select My Profile	SKIPPED	0.000 s
5	Then User should be on profile page	SKIPPED	0.000 s
6	And User perform an Edit operation on My Address Book	SKIPPED	0.000 s
7	And User add/change delivery address of "ValidData"	SKIPPED	0.000 s
8	And click on Save	SKIPPED	0.000 s
9	Then User can view the "ValidData"	SKIPPED	0.000 s


DETAILED SECTION -- 14 --

Edit user profile



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.733 s
2	When User log into the application with credentials	PASSED	35.783 s
3	When User click on My Account	PASSED	0.427 s
4	And User select My Profile	PASSED	2.094 s
5	Then User should be on profile page	PASSED	0.047 s
6	And User perform an Edit operation on My Address Book	PASSED	0.448 s
7	And User add/change delivery address of "ValidData"	PASSED	1.434 s
8	And click on Save	PASSED	0.115 s
9	Then User can view the "ValidData"	PASSED	0.146 s

Edit user profile



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.433 s
2	When User log into the application with credentials	PASSED	35.712 s
3	When User click on My Account	PASSED	0.305 s


DETAILED SECTION -- 15 --

#	Step / Hook Details	Status	Duration
4	And User select My Profile	PASSED	1.995 s
5	Then User should be on profile page	PASSED	0.037 s
6	And User perform an Edit operation on My Address Book	PASSED	0.273 s
7	And User add/change delivery address of "InvalidData"	PASSED	0.908 s
8	And click on Save	PASSED	0.100 s
9	Then User can view the "InvalidData"	PASSED	0.149 s

Search Functionality

FAILED	DURATION - 2 m 59.604 s	Scenarios		Steps	
		Total - 4		Total - 24	
/ 12:41:54.656 pm //	12:44:54.260 pm /	Pass - 1	4	Pass - 21	24
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 0	

Search for Product




#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.679 s
2	When User log into the application with credentials	PASSED	35.200 s
3	When User search for "shirts"	PASSED	3.696 s
4	And select product from the search results	PASSED	0.352 s
5	And User switches focus to the new tab	PASSED	0.069 s
6	Then title should be "Buy Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys (3-4 Years) Online in India,	FAILED	1.500 s
	Shop at FirstCry.com - 15934333"		

DETAILED SECTION -- 16 --

#	Step / Hook Details	Status	Duration
	java.lang.AssertionError: expected [Buy Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys (3-4 Years) Online in India,		
	Shop at FirstCry.com - 15934333] but found []		
	at org.testng.Assert.fail(Assert.java:110)		
	at org.testng.Assert.failNotEquals(Assert.java:1577)		
	at org.testng.Assert.assertEqualsImpl(Assert.java:149)		
	at org.testng.Assert.assertEquals(Assert.java:131)		
	at org.testng.Assert.assertEquals(Assert.java:655)		
	at org.testng.Assert.assertEquals(Assert.java:665)		
	at steps.SearchStep.title_should_be(SearchStep.java:57)		
	at ?.title should be "Buy Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys (3-4 Years) Online in India, Shop at		
	FirstCry.com - 15934333"(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/3.SearchOperation.feature:12)		
	* Not displayable characters are replaced by '?'.		


Search for Product



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.987 s
2	When User log into the application with credentials	PASSED	36.108 s
3	When User search for "shirts"	PASSED	2.636 s
4	And select product from the search results	PASSED	0.368 s
5	And User switches focus to the new tab	PASSED	0.082 s
6	Then title should be "Buy Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys (3-4 Years) Online in India, Shop at FirstCry.com - 15934333"	FAILED	1.577 s
	java.lang.AssertionError: expected [Buy Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys (3-4 Years) Online in India, Shop at FirstCry.com - 15934333] but found [Buy Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys (9-12 Months) Online in India, Shop at FirstCry.com - 15934329] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149)		

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.assertEquals(Assert.java:131)		
	at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665)		
	at steps.SearchStep.title_should_be(SearchStep.java:57)		
	at ?.title should be "Buy Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys (3-4 Years) Online in India, Shop at		
	FirstCry.com - 15934333"(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/3.SearchOperation.feature:12) * Not displayable characters are replaced by '?'.		

Search for Product



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	2.835 s
2	When User log into the application with credentials	PASSED	35.978 s
3	When User search for "123456"	PASSED	2.663 s
4	And select product from the search results	PASSED	5.271 s
5	And User switches focus to the new tab	PASSED	0.016 s
6	Then title should be "Baby Products Online India: Newborn Baby Products & Kids Online Shopping at FirstCry.com"	FAILED	0.000 s
	java.lang.AssertionError: expected [Baby Products Online India: Newborn Baby Products & Kids Online Shopping at FirstCry.com] but found [Usborne Rhyming 123 - English Online in India, Buy at Best Price from FirstCry.com - 16263364] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at steps.SearchStep.title_should_be(SearchStep.java:57) at ?.title should be "Baby Products Online India: Newborn Baby Products & Kids Online Shopping at FirstCry. com"(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/3.SearchOperation.feature:12) * Not displayable characters are replaced by '?'.		

Search for Product


PASSED DURATION - 45.477 s						: 1	Steps	
/10 /100 700	30 -		;				Total - 6	
/ 12:44:08.783 pm // 12:44:54.260 pm /	20 -						Pass - 6	
Search Functionality	10 -							6
				•			Skip - 0	
@FirstCry	0 -		<u> </u>					
		1 :	2 3	4	5	6		

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.818 s
2	When User log into the application with credentials	PASSED	35.421 s
3	When User search for "123456"	PASSED	0.507 s
4	And select product from the search results	PASSED	5.289 s
5	And User switches focus to the new tab	PASSED	0.006 s
6	Then title should be "Baby Products Online India: Newborn Baby Products & Kids Online Shopping at FirstCry.com"	PASSED	2.126 s

Add to Cart Functionality

PASSED	DURATION - 1 m 52.917 s	Scenarios		Steps	
		Total - 2		Total - 14	
/ 12:44:54.269 p	om // 12:46:47.186 pm /	Pass - 2	2	Pass - 14	14
		Fail - 0	~ /	Fail - 0	
		Skip - 0		Skip - 0	


Add Product to Cart



DETAILED SECTION -- 19 --

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.297 s
2	When User log into the application with credentials	PASSED	35.770 s
3	When User search for a "Pine Kids Cotton Woven Full Sleeves Solid Color Shirt - Orange"	PASSED	0.837 s
4	And Click on one Product	PASSED	6.847 s
5	And User switches focus to the new tab	PASSED	0.001 s
6	And click on Add to Cart for the selected product	PASSED	6.704 s
7	Then "Pine Kids Cotton Woven Full Sleeves Solid Color Shirt - Orange" should be added to my cart	PASSED	3.562 s


Add Product to Cart




#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.372 s
2	When User log into the application with credentials	PASSED	35.708 s
3	When User search for a "Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue"	PASSED	1.028 s
4	And Click on one Product	PASSED	6.711 s
5	And User switches focus to the new tab	PASSED	0.000 s
6	And click on Add to Cart for the selected product	PASSED	6.699 s
7	Then "Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue" should be added to my cart	PASSED	3.203 s

Find Stores

DETAILED SECTION -- 20 --




Find FirstCry Stores



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.693 s
2	When User log into the application with credentials	PASSED	36.202 s
3	When User must hover over the stores&preschool	PASSED	0.237 s
4	And User must click on the find stores from drop down	PASSED	0.196 s
5	And User switches focus to the new tab	PASSED	0.013 s
6	Then User should be on storelocator page "FirstCry, BabyOye & BabyHug Store Locator - Find One Near You"	FAILED	1.390 s
	java.lang.AssertionError at steps.StoreLocatorStep.user_should_be_on_storelocator_page(StoreLocatorStep.java:40) at ?.User should be on storelocator page "FirstCry, BabyOye & BabyHug Store Locator - Find One Near You"(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/5.StoreLocator.feature:12) * Not displayable characters are replaced by '?'.		
7	When User select the "FirstCry","Andhra Pradesh" and "Anakapalle Town"	SKIPPED	0.000 s
8	And User click on the search button	SKIPPED	0.000 s
9	Then User must be able to view the storeresult	SKIPPED	0.000 s


Find FirstCry Stores

DETAILED SECTION -- 21 --




#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.585 s
2	When User log into the application with credentials	PASSED	35.182 s
3	When User must hover over the stores&preschool	PASSED	0.259 s
4	And User must click on the find stores from drop down	PASSED	0.192 s
5	And User switches focus to the new tab	PASSED	0.017 s
6	Then User should be on storelocator page "FirstCry, BabyOye & BabyHug Store Locator - Find One Near You"	PASSED	1.221 s
7	When User select the "FirstCry","Andhra Pradesh" and "Anakapalle Town"	PASSED	0.470 s
8	And User click on the search button	PASSED	0.131 s
9	Then User must be able to view the storeresult	PASSED	1.777 s

Find Preschool Locator




Search for a Preschool in city

DETAILED SECTION -- 22 --




#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.200 s
2	When User log into the application with credentials	PASSED	37.286 s
3	When user can click on storeandpreschool	PASSED	0.263 s
4	And user can click on findpreschool	PASSED	0.188 s
5	And user switches focus to new tab	PASSED	0.014 s
6	Then user should be on "FirstCry Intellitots Preschool Locator: Find a Preschool Near You" tab	PASSED	1.913 s
7	And user search for "Agra"	PASSED	0.106 s
8	And click on findmy preschool	PASSED	0.091 s
9	Then User should see preschools in "Agra"	PASSED	2.904 s

Manage Cart



Manage Cart Functions


DETAILED SECTION -- 23 --



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.505 s
2	When User log into the application with credentials	PASSED	35.052 s
3	When User add a few products to the cart	FAILED	12.656 s
	pants for boys Toys org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <img mailto:line"="" src="//cdn.fcglcdn.com/brainbees/images/</td><td></td><td></td></tr><tr><td></td><td>org.openqa.selenium.ElementClickinterceptedException: element click intercepted: Element line rog.openqa.selenium.Element(lickinterceptedException: element click intercepted: Element line rog.openqa.selenium.Element(lickinterceptedException: element click intercepted: Element line rog.openqa.selenium.Element(lickinterceptedException: element clickinterceptedException: element file rog.openqa.selenium. Croe Game Set - Multicolor" is not clickable at point (362, 348). Other element would receive the click: span (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5acab0c802927f0ff1f4159fa106cdd6, clickElement {id=f.BEDBDA559F881168931DB67130C74CA1.d. D11B74EB1A8E85EBDB80AE21F6CE624E.e.113}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb, userDataDir: C:\Users\lenovo\AppData\Loc}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30659/devtoo, se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (5acab0c802927f0ff1f4159fa106cdd6)] -> xpath: (//div[@class='li_inner_block'])[1]/descendant:img] Session ID: 5acab0c802927f0ff1f4159fa106cdd6		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.w3cHttpResponseCodec.decode(W3CHttpResponseCodec.java.133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java.133)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:32)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor62.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.SearchPage.clickonFirstProduct(SearchPage.java:27) at steps.CartFuncStep.user_add_a_few_products_to_the_cart(CartFuncStep.java:36) at ?.User add a few products to the cart(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/7.CartFunction.feature:9) * Not displayable characters are replaced by '?'.		
4	And User click on cart	SKIPPED	0.000 s
5	Then user can see " <allproducts>" in the cart</allproducts>	SKIPPED	0.000 s
6	When User move a product to the shortlist	SKIPPED	0.000 s
7	When User change the quantity of product from the cart	SKIPPED	0.000 s
8	Then the " <quantity>" should be changed</quantity>	SKIPPED	0.000 s

Manage Cart Functions



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.859 s
2	When User log into the application with credentials	PASSED	35.204 s
3	When User add a few products to the cart	FAILED	12.073 s
	pants for boys Toys		
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element		


#	Step / Hook Details	Status	Duration
	Tac Toe Game Set - Multicolor" title="Anindita Toys Tic Tac Toe Game Set - Multicolor"> is not clickable at point (362, 348). Other element would receive the click 'Aspan' (Session info: chrome=122.0.6261.131) Bull din fio: version: '4.11.0', revision: '4.11.0', revision: '4.11.0', revision: '4.11.0', pack entroits org. openqa.selenium. chrome. ChromeDriver Command: [Sacab0c802927f0ff14159fa106cdd6, clickElement; (left_D581DDA8CFDE56EDAF9AF91F303C410C.d. F35993AF262E0F4F001229267EC0CD74.e.11.6]) Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.128 (tl8a4dfedeb, userDataDir: C:\UserslenovoAppDataLoc); fedcm.accounts: true, googchromeOptions: (debuggerAddress: localhost:30659), networkConnectionEnableic false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), secuple ws://localhost:30659/devtoo, secuplevrsion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismisa and notify, webauthn-svension.credBlob: true, webauthnesterasion.credBlob: true, web		
4	And User click on cart	SKIPPED	0.000 s
5	Then user can see " <allproducts>" in the cart</allproducts>	SKIPPED	0.000 s
6	When User move a product to the shortlist	SKIPPED	0.000 s
7	When User change the quantity of product from the cart	SKIPPED	0.000 s
8	Then the " <quantity>" should be changed</quantity>	SKIPPED	0.000 s

DETAILED SECTION -- 26 --

Manage Shortlisted Products

FAILED	DURATION - 1 m 34.880 s	Scenarios		Steps	
		Total - 2		Total - 16	
/ 12:50:35.981 pm // :	12:52:10.861 pm /	Pass - 0	2	Pass - 4	16
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 10	

Manage Shortlist Functions




#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.850 s
2	When User log into the application with credentials	PASSED	36.063 s
3	When User shortlist few products	FAILED	9.253 s
	Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys Babyhug Cotton Woven Full Sleeves Checked Shirt - Red for Boys		
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//div[@class='li_inner_block'])[1]/descendant::img' (tried for 5 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at pages.SearchPage.clickonFirstProduct(SearchPage.java:26) at steps.ShortListStep.user_shortlist_few_products(ShortListStep.java:32) at ?.User shortlist few products(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/8.ShortlistFunction.feature:9) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//div[@class="li_inner_block'])[1]/descendant::img"} (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5acab0c802927f0ff1f4159fa106cdd6, findElement {using=xpath, value=(//div[@class="li_inner_block'])[1]/descendant::img}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		

#	Step / Hook Details	Status	Duration
	122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb, userDataDir: C:\Users\lenovo\AppData\Loc}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30659/devtoo, se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		
	webauthn:virtualAuthenticators: true} Session ID: 5acab0c802927f0ff1f4159fa106cdd6		
	at jdk.internal.reflect.GeneratedConstructorAccessor33.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)		
	at pages.SearchPage.clickonFirstProduct(SearchPage.java:26)		
	at steps.ShortListStep.user_shortlist_few_products(ShortListStep.java:32)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at jdk.internal.reflect.GeneratedMethodAccessor70.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:829)		
	at org.testng.TestRunner.run(TestRunner.java:602)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:283)		
	at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:75)		
	at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:120)		
	at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:384)		
	at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:345)		

#	Step / Hook Details	Status	Duration
	at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:126) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:418) * Not displayable characters are replaced by '?'.		
4	And User click on the Shortlist button	SKIPPED	0.000 s
5	Then user can see " <allproducts>" in the shortlist</allproducts>	SKIPPED	0.000 s
6	When User add a product to the cart from the shortlist	SKIPPED	0.000 s
7	When User delete a product from the shortlist	SKIPPED	0.000 s
8	Then the " <pre>roduct>" should be removed from the shortlist</pre>	SKIPPED	0.000 s

Manage Shortlist Functions



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.602 s
2	When User log into the application with credentials	PASSED	35.580 s
3	When User shortlist few products	FAILED	9.337 s
	Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys Babyhug Cotton Woven Full Sleeves Checked Shirt - Red for Boys		
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//div[@class='li_inner_block'])[1]/descendant::img' (tried for 5 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at pages.SearchPage.clickonFirstProduct(SearchPage.java:26) at steps.ShortListStep.user_shortlist_few_products(ShortListStep.java:32) at ?.User shortlist few products(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/8.ShortlistFunction.feature:9) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//div[@class='li_inner_block'])[1]/descendant::img"} (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info:		

#	Step / Hook Details	Status	Duration
	info: org.openqa.selenium.chrome.ChromeDriver Command: [5acab0c802927f0ff1f4159fa106cdd6, findElement {using=xpath, value=(//div[@class='li_inner_block'])[1]/descendant::img}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb, userDataDir: C:\Users\lenovo\AppData\Loc}}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30659/devtoo, se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:prf: true,		
	webauthn:virtualAuthenticators: true} Session ID: 5acab0c802927f0ff1f4159fa106cdd6		
	at jdk.internal.reflect.GeneratedConstructorAccessor33.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)		
	at pages.SearchPage.clickonFirstProduct(SearchPage.java:26)		
	at steps.ShortListStep.user_shortlist_few_products(ShortListStep.java:32)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	$at\ io. cucumber. core. runtime. Cucumber \textit{ExecutionContext.} lambda\$run \textit{TestCase}\$5 (Cucumber \textit{ExecutionContext.} java: 129)$		
	$at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at jdk.internal.reflect.GeneratedMethodAccessor70.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.retryFailed(TestInvoker.java:263)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:62)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:829)		
	at org.testng.TestRunner.run(TestRunner.java:602)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:283)		
	at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:75)		
	at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:120)		

DETAILED SECTION -- 32 --

#	Step / Hook Details	Status	Duration
	at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:384) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:345) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:126) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:418) * Not displayable characters are replaced by '?'.		
4	And User click on the Shortlist button	SKIPPED	0.000 s
5	Then user can see " <allproducts>" in the shortlist</allproducts>	SKIPPED	0.000 s
6	When User add a product to the cart from the shortlist	SKIPPED	0.000 s
7	When User delete a product from the shortlist	SKIPPED	0.000 s
8	Then the " <pre>roduct>" should be removed from the shortlist</pre>	SKIPPED	0.000 s