

Cucumber Report

26-Mar-2024, 11:46:12 am

Start : Mar 26, 11:36:58.112 am

End : Mar 26, 11:46:10.462 am

Duration : 9 m 12.350 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 7

SKIPPED - 0

PASSED - 3



FAILED - 18

SKIPPED - 0

PASSED - 73


FAILED - 10

SKIPPED - 76




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login with UserId</u>	1 m 54.239 s	3	1	2	0	21	17	2	2
<u>Edit User Profile</u>	1 m 22.485 s	2	2	0	0	18	18	0	0
<u>Search Functionality</u>	2 m 42.859 s	4	0	4	0	24	14	4	6
<u>Add to Cart Functionality</u>	3 m 12.578 s	4	0	4	0	28	24	4	0
<u>Find Stores</u>	0.036 s	2	0	2	0	18	0	0	18
<u>Find Preschool Locator</u>	0.029 s	2	0	2	0	18	0	0	18
<u>Manage Cart</u>	0.025 s	2	0	2	0	16	0	0	16
<u>Manage Shortlisted Products</u>	0.026 s	2	0	2	0	16	0	0	16


<i>Tag</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@FirstCry	21	3	18	0	8	1	7	0




#	Feature Name	T	P	F	S	Duration
1	<u>Login with UserId</u>	3	1	2	0	1 m 54.239 s
2	<u>Edit User Profile</u>	2	2	0	0	1 m 22.485 s
3	<u>Search Functionality</u>	4	0	4	0	2 m 42.859 s
4	<u>Add to Cart Functionality</u>	4	0	4	0	3 m 12.578 s
5	<u>Find Stores</u>	2	0	2	0	0.036 s
6	<u>Find Preschool Locator</u>	2	0	2	0	0.029 s
7	<u>Manage Cart</u>	2	0	2	0	0.025 s
8	<u>Manage Shortlisted Products</u>	2	0	2	0	0.026 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login with UserId</u>	<u>Login with UserId</u>	7	7	0	0	40.455 s
2	<u>Login with UserId</u>	<u>Login with UserId</u>	7	5	1	1	35.925 s
3	<u>Login with UserId</u>	<u>Login with UserId</u>	7	5	1	1	37.827 s
4	<u>Edit User Profile</u>	<u>Edit user profile</u>	9	9	0	0	41.656 s
5	<u>Edit User Profile</u>	<u>Edit user profile</u>	9	9	0	0	40.818 s
6	<u>Search Functionality</u>	<u>Search for Product</u>	6	2	1	3	35.232 s
7	<u>Search Functionality</u>	<u>Search for Product</u>	6	5	1	0	41.599 s
8	<u>Search Functionality</u>	<u>Search for Product</u>	6	2	1	3	36.258 s
9	<u>Search Functionality</u>	<u>Search for Product</u>	6	5	1	0	49.744 s
10	<u>Add to Cart Functionality</u>	<u>Add Product to Cart</u>	7	6	1	0	49.443 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Add to Cart Functionality</u>	<u>Add Product to Cart</u>	7	6	1	0	49.467 s
12	<u>Add to Cart Functionality</u>	<u>Add Product to Cart</u>	7	6	1	0	50.839 s
13	<u>Add to Cart Functionality</u>	<u>Add Product to Cart</u>	7	6	1	0	42.808 s
14	<u>Find Stores</u>	<u>Find FirstCry Stores</u>	9	0	0	9	0.017 s
15	<u>Find Stores</u>	<u>Find FirstCry Stores</u>	9	0	0	9	0.011 s
16	<u>Find Preschool Locator</u>	<u>Search for a Preschool in city</u>	9	0	0	9	0.011 s
17	<u>Find Preschool Locator</u>	<u>Search for a Preschool in city</u>	9	0	0	9	0.010 s
18	<u>Manage Cart</u>	<u>Manage Cart Functions</u>	8	0	0	8	0.011 s
19	<u>Manage Cart</u>	<u>Manage Cart Functions</u>	8	0	0	8	0.009 s
20	<u>Manage Shortlisted Products</u>	<u>Manage Shortlist Functions</u>	8	0	0	8	0.010 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>Manage Shortlisted Products</u>	<u>Manage Shortlist Functions</u>	8	0	0	8	0.009 s

Login with UserId

FAILED	DURATION - 1 m 54.239 s	Scenarios Total - 3 Pass - 1 Fail - 2 Skip - 0		Steps Total - 21 Pass - 17 Fail - 2 Skip - 2	
/ 11:36:58.112 am // 11:38:52.351 am /					

Login with UserId

PASSED		DURATION - 40.455 s			Steps	
/ 11:36:58.122 am // 11:37:38.577 am /					Total - 7	
Login with UserId					Pass - 7	
@FirstCry					Fail - 0	
					Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	2.989 s
2	When user click on the login button	PASSED	1.792 s
3	Then user should be on login Page	PASSED	0.072 s
4	And User enter "chandumj787013@gmail.com"	PASSED	0.147 s
5	And user click on the continue button	PASSED	2.025 s
6	And user click the submit button	PASSED	32.757 s
7	Then user should be on Home Page	PASSED	0.507 s



Login with UserId

<div>FAILED</div> <div>DURATION - 35.925 s</div>		<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>1.35</td></tr><tr><td>2</td><td>0.64</td></tr><tr><td>3</td><td>0.02</td></tr><tr><td>4</td><td>0.16</td></tr><tr><td>5</td><td>1.88</td></tr><tr><td>6</td><td>30.04</td></tr></tbody></table>	Step	Duration (s)	1	1.35	2	0.64	3	0.02	4	0.16	5	1.88	6	30.04	<div>Steps</div> <div>Total - 7</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div>7</div>
Step	Duration (s)																	
1	1.35																	
2	0.64																	
3	0.02																	
4	0.16																	
5	1.88																	
6	30.04																	
/ 11:37:38.589 am // 11:38:14.514 am /																		
Login with UserId																		
@FirstCry																		

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.354 s
2	When user click on the login button	PASSED	0.638 s
3	Then user should be on login Page	PASSED	0.020 s
4	And User enter "chandumj@gmail.co"	PASSED	0.160 s
5	And user click on the continue button	PASSED	1.881 s
6	And user click the submit button org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@id='verfiedbtn']"} (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, findElement {using=xpath, value=//div[@id='verfiedbtn']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)	FAILED	30.044 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnSubmit(LoginPage.java:47) at steps.LoginStepDefination.user_click_the_submit_button(LoginStepDefination.java:46) at ?.user click the submit button(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/1.Login.feature:10) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
7	Then user should be on Home Page	SKIPPED	0.001 s



Login with UserId

<div>FAILED</div> <div>DURATION - 37.827 s</div>		<div>Steps</div> <div>Total - 7</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 1</div>	
<div>/ 11:38:14.524 am // 11:38:52.351 am /</div>			
<div>Login with UserId</div>			
<div>@FirstCry</div>			



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	4.764 s
2	When user click on the login button	PASSED	0.756 s
3	Then user should be on login Page	PASSED	0.025 s
4	And User enter "chandumj@gmail.co"	PASSED	0.147 s
5	And user click on the continue button	PASSED	1.858 s
6	And user click the submit button	FAILED	30.023 s
	<pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@id='verfiedbtn']"} (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, findElement {using=xpath, value=//div[@id='verfiedbtn']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: </pre>		

#	Step / Hook Details	Status	Duration
	<p>localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnSubmit(LoginPage.java:47) at steps.LoginStepDefination.user_click_the_submit_button(LoginStepDefination.java:46) at ?.user click the submit button(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/1.Login.feature:10)</p> <p>* Not displayable characters are replaced by '?'. </p>		
7	Then user should be on Home Page	SKIPPED	0.000 s

Edit User Profile



PASSED	DURATION - 1 m 22.485 s	Scenarios		Steps	
/ 11:38:52.370 am // 11:40:14.855 am /		Total - 2		Total - 18	
		Pass - 2		Pass - 18	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Edit user profile

<div>PASSED</div>	<div>DURATION - 41.656 s</div>	<div><table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>2</td></tr><tr><td>2</td><td>35</td></tr><tr><td>3</td><td>1</td></tr><tr><td>4</td><td>2</td></tr><tr><td>5</td><td>0</td></tr><tr><td>6</td><td>0.5</td></tr><tr><td>7</td><td>1.5</td></tr><tr><td>8</td><td>0.5</td></tr><tr><td>9</td><td>0.5</td></tr></tbody></table></div>	Step	Duration (s)	1	2	2	35	3	1	4	2	5	0	6	0.5	7	1.5	8	0.5	9	0.5	<div><div>Steps</div><div>Total - 9</div><div>Pass - 9</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
Step	Duration (s)																						
1	2																						
2	35																						
3	1																						
4	2																						
5	0																						
6	0.5																						
7	1.5																						
8	0.5																						
9	0.5																						
<div>/ 11:38:52.371 am // 11:39:34.027 am /</div>																							
<div>Edit User Profile</div>																							
<div>@FirstCry</div>																							

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.682 s
2	When User log into the application with credentials	PASSED	35.337 s
3	When User click on My Account	PASSED	0.570 s
4	And User select My Profile	PASSED	2.026 s
5	Then User should be on profile page	PASSED	0.006 s
6	And User perform an Edit operation on My Address Book	PASSED	0.289 s
7	And User add/change delivery address of "ValidData"	PASSED	1.370 s
8	And click on Save	PASSED	0.099 s
9	Then User can view the "ValidData"	PASSED	0.132 s



Edit user profile

<div>PASSED</div>	<div>DURATION - 40.818 s</div>	<div></div>	<div><div>Steps</div><div>Total - 9</div><div>Pass - 9</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 11:39:34.037 am // 11:40:14.855 am /</div>				
<div>Edit User Profile</div>				
<div>@FirstCry</div>				



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.661 s
2	When User log into the application with credentials	PASSED	35.233 s
3	When User click on My Account	PASSED	0.316 s

#	Step / Hook Details	Status	Duration
4	And User select My Profile	PASSED	1.711 s
5	Then User should be on profile page	PASSED	0.042 s
6	And User perform an Edit operation on My Address Book	PASSED	0.373 s
7	And User add/change delivery address of "InvalidData"	PASSED	0.911 s
8	And click on Save	PASSED	0.109 s
9	Then User can view the "InvalidData"	PASSED	0.165 s

Search Functionality

FAILED	DURATION - 2 m 42.859 s	Scenarios		Steps	
/ 11:40:14.871 am // 11:42:57.730 am /		Total - 4		Total - 24	
		Pass - 0		Pass - 14	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 6	

Search for Product

FAILED	DURATION - 35.232 s		Steps	
/ 11:40:14.871 am // 11:40:50.103 am /			Total - 6	
Search Functionality			Pass - 2	
@FirstCry			Fail - 1	
			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.721 s
2	When User log into the application with credentials	PASSED	33.035 s
3	When User search for "Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys"	FAILED	0.037 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='search-button']"} (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, findElement {using=xpath, value=//span[@class='search-button']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion:		

#	Step / Hook Details	Status	Duration
	122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.HomePage.clickOnSearch(HomePage.java:72) at steps.SearchStep.user_search_for(SearchStep.java:25) at ?.User search for "Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys"(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/3.SearchOperation.feature:9) * Not displayable characters are replaced by '?'.		
4	And select product from the search results	SKIPPED	0.000 s
5	And User switches focus to the new tab	SKIPPED	0.001 s
6	Then title should be "Buy Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys (3-4 Years) Online in India, Shop at FirstCry.com - 15934333"	SKIPPED	0.000 s

Search for Product

FAILED	DURATION - 41.599 s		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 11:40:50.111 am // 11:41:31.710 am /				
Search Functionality				
@FirstCry				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.832 s
2	When User log into the application with credentials	PASSED	35.554 s
3	When User search for "Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys"	PASSED	2.573 s
4	And select product from the search results	PASSED	1.265 s
5	And User switches focus to the new tab	PASSED	0.000 s
6	Then title should be "Buy Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys (3-4 Years) Online in India, Shop at FirstCry.com - 15934333"	FAILED	0.015 s
	java.lang.AssertionError at steps.SearchStep.title_should_be(SearchStep.java:55) at ?.title should be "Buy Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys (3-4 Years) Online in India, Shop at FirstCry.com - 15934333"(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/3.SearchOperation.feature:12) * Not displayable characters are replaced by '?'.		



Search for Product

FAILED	DURATION - 36.258 s		Steps Total - 6 Pass - 2 Fail - 1 Skip - 3	
/ 11:41:31.718 am // 11:42:07.976 am /				
Search Functionality				
@FirstCry				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.597 s
2	When User log into the application with credentials	PASSED	34.096 s

#	Step / Hook Details	Status	Duration
3	<p>When User search for "123456"</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='search-button']"} (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, findElement {using=xpath, value=//span[@class='search-button']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.HomePage.clickOnSearch(HomePage.java:72) at steps.SearchStep.user_search_for(SearchStep.java:25) at ?.User search for "123456"(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/3.SearchOperation.feature:9) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.049 s
4	And select product from the search results	SKIPPED	0.000 s
5	And User switches focus to the new tab	SKIPPED	0.000 s
6	Then title should be "Baby Products Online India: Newborn Baby Products & Kids Online Shopping at FirstCry.com"	SKIPPED	0.000 s

Search for Product

<div>FAILED</div> <div>DURATION - 49.744 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:42:07.986 am // 11:42:57.730 am /</div>			
<div>Search Functionality</div>			
<div>@FirstCry</div>			

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.902 s
2	When User log into the application with credentials	PASSED	35.140 s
3	When User search for "123456"	PASSED	7.164 s
4	And select product from the search results	PASSED	5.261 s
5	And User switches focus to the new tab	PASSED	0.015 s
6	Then title should be "Baby Products Online India: Newborn Baby Products & Kids Online Shopping at FirstCry.com"	FAILED	0.005 s
	java.lang.AssertionError at steps.SearchStep.title_should_be(SearchStep.java:55) at ?.title should be "Baby Products Online India: Newborn Baby Products & Kids Online Shopping at FirstCry.com"(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/3.SearchOperation.feature:12) * Not displayable characters are replaced by '?'.		

Add to Cart Functionality

<div>FAILED</div> <div>DURATION - 3 m 12.578 s</div>		<div>Scenarios</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 4</div> <div>Skip - 0</div>	<div><div></div><div>4</div></div>	<div>Steps</div> <div>Total - 28</div> <div>Pass - 24</div> <div>Fail - 4</div> <div>Skip - 0</div>	<div><div></div><div>28</div></div>
/ 11:42:57.730 am // 11:46:10.308 am /					



Add Product to Cart

<div>FAILED</div> <div>DURATION - 49.443 s</div>	<div><table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>2</td></tr><tr><td>2</td><td>35</td></tr><tr><td>3</td><td>2</td></tr><tr><td>4</td><td>7</td></tr><tr><td>5</td><td>0</td></tr><tr><td>6</td><td>0</td></tr><tr><td>7</td><td>3</td></tr></tbody></table></div>	Step	Duration (s)	1	2	2	35	3	2	4	7	5	0	6	0	7	3	<div>Steps</div> <div>Total - 7</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div><div>7</div></div>
Step		Duration (s)																	
1		2																	
2		35																	
3	2																		
4	7																		
5	0																		
6	0																		
7	3																		
<div>/ 11:42:57.730 am // 11:43:47.173 am /</div>																			
<div>Add to Cart Functionality</div>																			
<div>@FirstCry</div>																			

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.649 s
2	When User log into the application with credentials	PASSED	35.449 s
3	When User search for a "Pine Kids Cotton Woven Full Sleeves Solid Color Shirt - Orange"	PASSED	2.183 s
4	And Click on one Product	PASSED	6.660 s
5	And User switches focus to the new tab	PASSED	0.005 s
6	And click on Add to Cart for the selected product	PASSED	0.204 s
7	Then "Pine Kids Cotton Woven Full Sleeves Solid Color Shirt - Orange" should be added to my cart	FAILED	2.819 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//pro15666795[contains(text(),'Pine Kids Cotton Woven Full Sleeves Solid Color Sh')]} (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, findElement {using=xpath, value=//pro15666795[contains(text(),'Pine Kids Cotton Woven Full Sleeves Solid Color Sh')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor33.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy45.getText(Unknown Source) at pages.CartPage.getProductNameFromCart(CartPage.java:70) at steps.AddToCartStepDefination.should_be_added_to_my_cart(AddToCartStepDefination.java:67) at ?."Pine Kids Cotton Woven Full Sleeves Solid Color Shirt - Orange" should be added to my cart(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/4.AddToCart.feature:13) * Not displayable characters are replaced by '?'. </pre>		



Add Product to Cart

<div>FAILED</div> <div>DURATION - 49.467 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 11:43:47.188 am // 11:44:36.655 am /				
Add to Cart Functionality				
@FirstCry				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.580 s
2	When User log into the application with credentials	PASSED	35.531 s
3	When User search for a "Pine Kids Cotton Woven Full Sleeves Solid Color Shirt - Orange"	PASSED	2.331 s
4	And Click on one Product	PASSED	6.662 s
5	And User switches focus to the new tab	PASSED	0.003 s
6	And click on Add to Cart for the selected product	PASSED	0.201 s
7	Then "Pine Kids Cotton Woven Full Sleeves Solid Color Shirt - Orange" should be added to my cart	FAILED	2.723 s
	<pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/pro15666795[contains(text(),'Pine Kids Cotton Woven Full Sleeves Solid Color Sh')]"} (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/ errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, </pre>		

#	Step / Hook Details	Status	Duration
	<p>findElement {using=xpath, value=//pro15666795[contains(text(),'Pine Kids Cotton Woven Full Sleeves Solid Color Sh')]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor33.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy45.getText(Unknown Source)</p> <p>at pages.CartPage.getProductNameFromCart(CartPage.java:70)</p> <p>at steps.AddToCartStepDefination.should_be_added_to_my_cart(AddToCartStepDefination.java:67)</p> <p>at ?. "Pine Kids Cotton Woven Full Sleeves Solid Color Shirt - Orange" should be added to my cart(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/4.AddToCart.feature:13)</p> <p>* Not displayable characters are replaced by '?'.</p>		

Add Product to Cart

<div><div>FAILED</div><div>DURATION - 50.839 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 7</div><div>Pass - 6</div><div>Fail - 1</div><div>Skip - 0</div></div>	<div></div>
/ 11:44:36.655 am // 11:45:27.494 am /				
Add to Cart Functionality				
@FirstCry				



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.747 s
2	When User log into the application with credentials	PASSED	33.159 s
3	When User search for a "Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue"	PASSED	1.037 s
4	And Click on one Product	PASSED	6.645 s
5	And User switches focus to the new tab	PASSED	0.011 s
6	And click on Add to Cart for the selected product	PASSED	6.721 s
7	Then "Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue" should be added to my cart	FAILED	1.023 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@id='cart_TotalCount']"} (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: <https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, findElement {using=xpath, value=//span[@id='cart_TotalCount']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d

at jdk.internal.reflect.GeneratedConstructorAccessor33.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.HomePage.clickonCart(HomePage.java:95) at steps.AddToCartStepDefination.should_be_added_to_my_cart(AddToCartStepDefination.java:66) at ?."Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue" should be added to my cart(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/4.AddToCart.feature:13) * Not displayable characters are replaced by '?'. </pre>		

Add Product to Cart

FAILED	DURATION - 42.808 s		<div>Steps</div> <div>Total - 7</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 11:45:27.500 am // 11:46:10.308 am /				
Add to Cart Functionality				
@FirstCry				



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	2.251 s
2	When User log into the application with credentials	PASSED	33.941 s
3	When User search for a "Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue"	PASSED	1.041 s
4	And Click on one Product	PASSED	5.437 s
5	And User switches focus to the new tab	PASSED	0.004 s
6	And click on Add to Cart for the selected product	PASSED	0.002 s
7	Then "Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue" should be added to my cart	FAILED	0.006 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, findElement {using=xpath, value=//span[@id='cart_TotalCount']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, </pre>		

#	Step / Hook Details	Status	Duration
	<p>networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.HomePage.clickonCart(HomePage.java:95) at steps.AddToCartStepDefination.should_be_added_to_my_cart(AddToCartStepDefination.java:66) at ?."Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue" should be added to my cart(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/4.AddToCart.feature:13) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - steps.SharedSteps.afterStep(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p>	FAILED	0.004 s



#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at utilities.ScreenShotUtility.captureScreenshot(ScreenShotUtility.java:15) at steps.SharedSteps.afterStep(SharedSteps.java:67)		
	AFTER - steps.SharedSteps.teardownScenario(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:455) at steps.SharedSteps.teardownScenario(SharedSteps.java:79)		

Find Stores

FAILED	DURATION - 0.036 s	Scenarios		Steps	
/ 11:46:10.318 am // 11:46:10.354 am /		Total - 2		Total - 18	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 18	

Find FirstCry Stores



<div>FAILED</div> <div>DURATION - 0.017 s</div>			Steps	
/ 11:46:10.318 am // 11:46:10.335 am /			Total - 9	
Find Stores			Pass - 0	
@FirstCry			Fail - 0	
			Skip - 9	

#	Step / Hook Details	Status	Duration
	BEFORE - steps.SharedSteps.setupScenario(io.cucumber.java.Scenario)	FAILED	0.005 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, deleteAllCookies {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.deleteAllCookies(RemoteWebDriver.java:800) at steps.SharedSteps.setupScenario(SharedSteps.java:57)		
1	Given User navigate to the FirstCry URL	SKIPPED	0.001 s
2	When User log into the application with credentials	SKIPPED	0.000 s
3	When User must hover over the stores&preschool	SKIPPED	0.000 s
4	And User must click on the find stores from drop down	SKIPPED	0.000 s
5	And User switches focus to the new tab	SKIPPED	0.000 s
6	Then User should be on storelocator page "FirstCry, BabyOye & BabyHug Store Locator - Find One Near You"	SKIPPED	0.002 s
7	When User select the "FirstCry", "Andhra Pradesh" and "Anakapalle Town"	SKIPPED	0.000 s
8	And User click on the search button	SKIPPED	0.000 s
9	Then User must be able to view the storeresult	SKIPPED	0.000 s
	AFTER - steps.SharedSteps.teardownScenario(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:455) at steps.SharedSteps.teardownScenario(SharedSteps.java:79) </pre>		

Find FirstCry Stores



FAILED	DURATION - 0.011 s		Steps Total - 9 Pass - 0 Fail - 0 Skip - 9	
/ 11:46:10.343 am // 11:46:10.354 am /				
Find Stores				
@FirstCry				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - steps.SharedSteps.setupScenario(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, deleteAllCookies {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) </pre>	FAILED	0.004 s



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.deleteAllCookies(RemoteWebDriver.java:800) at steps.SharedSteps.setupScenario(SharedSteps.java:57)		
1	Given User navigate to the FirstCry URL	SKIPPED	0.000 s
2	When User log into the application with credentials	SKIPPED	0.000 s
3	When User must hover over the stores&preschool	SKIPPED	0.000 s
4	And User must click on the find stores from drop down	SKIPPED	0.000 s
5	And User switches focus to the new tab	SKIPPED	0.000 s
6	Then User should be on storelocator page "FirstCry, BabyOye & BabyHug Store Locator - Find One Near You"	SKIPPED	0.000 s
7	When User select the "FirstCry", "Andhra Pradesh" and "Anakapalle Town"	SKIPPED	0.000 s
8	And User click on the search button	SKIPPED	0.000 s
9	Then User must be able to view the storeresult	SKIPPED	0.000 s
	AFTER - steps.SharedSteps.teardownScenario(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d at jdk.internal.reflect.GeneratedConstructorAccessor36.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:455) at steps.SharedSteps.teardownScenario(SharedSteps.java:79)		

Find Preschool Locator

FAILED	DURATION - 0.029 s	Scenarios		Steps	
/ 11:46:10.362 am // 11:46:10.391 am /		Total - 2		Total - 18	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 18	

Search for a Preschool in city



FAILED	DURATION - 0.011 s		Steps	
/ 11:46:10.363 am // 11:46:10.374 am /			Total - 9	
Find Preschool Locator			Pass - 0	
@FirstCry			Fail - 0	
			Skip - 9	

#	Step / Hook Details	Status	Duration
	BEFORE - steps.SharedSteps.setupScenario(io.cucumber.java.Scenario)	FAILED	0.004 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, deleteAllCookies {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:28373/devtoo..., se.cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		

#	Step / Hook Details	Status	Duration
	webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d at jdk.internal.reflect.GeneratedConstructorAccessor36.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.deleteAllCookies(RemoteWebDriver.java:800) at steps.SharedSteps.setupScenario(SharedSteps.java:57)		
1	Given User navigate to the FirstCry URL	SKIPPED	0.000 s
2	When User log into the application with credentials	SKIPPED	0.002 s
3	When user can click on storeandpreschool	SKIPPED	0.000 s
4	And user can click on findpreschool	SKIPPED	0.000 s
5	And user switches focus to new tab	SKIPPED	0.000 s
6	Then user should be on "FirstCry Intellitots Preschool Locator: Find a Preschool Near You" tab	SKIPPED	0.001 s
7	And user search for "Agra"	SKIPPED	0.000 s
8	And click on findmy preschool	SKIPPED	0.000 s
9	Then User should see preschools in "Agra"	SKIPPED	0.000 s
	AFTER - steps.SharedSteps.teardownScenario(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc.. ..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d at jdk.internal.reflect.GeneratedConstructorAccessor36.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:455) at steps.SharedSteps.teardownScenario(SharedSteps.java:79) </pre>		

Search for a Preschool in city



<div>FAILED</div> <div>DURATION - 0.010 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 9</div>	
/ 11:46:10.381 am // 11:46:10.391 am /				
Find Preschool Locator				
@FirstCry				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - steps.SharedSteps.setupScenario(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, deleteAllCookies {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d at jdk.internal.reflect.GeneratedConstructorAccessor36.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) </pre>	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.deleteAllCookies(RemoteWebDriver.java:800) at steps.SharedSteps.setupScenario(SharedSteps.java:57)		
1	Given User navigate to the FirstCry URL	SKIPPED	0.000 s
2	When User log into the application with credentials	SKIPPED	0.000 s
3	When user can click on storeandpreschool	SKIPPED	0.000 s
4	And user can click on findpreschool	SKIPPED	0.000 s
5	And user switches focus to new tab	SKIPPED	0.000 s
6	Then user should be on "FirstCry Intellitots Preschool Locator: Find a Preschool Near You" tab	SKIPPED	0.000 s
7	And user search for "Agra"	SKIPPED	0.000 s
8	And click on findmy preschool	SKIPPED	0.000 s
9	Then User should see preschools in "Agra"	SKIPPED	0.000 s
	AFTER - steps.SharedSteps.teardownScenario(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d atjdk.internal.reflect.GeneratedConstructorAccessor36.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:455) at steps.SharedSteps.teardownScenario(SharedSteps.java:79) </pre>		

Manage Cart

FAILED	DURATION - 0.025 s	Scenarios		Steps	
/ 11:46:10.403 am // 11:46:10.428 am /		Total - 2		Total - 16	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 16	

Manage Cart Functions



<div>FAILED</div> <div>DURATION - 0.011 s</div>			Steps	
/ 11:46:10.403 am // 11:46:10.414 am /			Total - 8	
Manage Cart			Pass - 0	
@FirstCry			Fail - 0	
			Skip - 8	

#	Step / Hook Details	Status	Duration
	BEFORE - steps.SharedSteps.setupScenario(io.cucumber.java.Scenario)	FAILED	0.002 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, deleteAllCookies {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, </pre>		

#	Step / Hook Details	Status	Duration
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d at jdk.internal.reflect.GeneratedConstructorAccessor36.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.deleteAllCookies(RemoteWebDriver.java:800) at steps.SharedSteps.setupScenario(SharedSteps.java:57)		
1	Given User navigate to the FirstCry URL	SKIPPED	0.001 s
2	When User log into the application with credentials	SKIPPED	0.000 s
3	When User add a few products to the cart <div> <div>pants for boys</div> <div>Toys</div> </div>	SKIPPED	0.003 s
4	And User click on cart	SKIPPED	0.000 s
5	Then user can see "<allproducts>" in the cart	SKIPPED	0.000 s
6	When User move a product to the shortlist	SKIPPED	0.000 s
7	When User change the quantity of product from the cart	SKIPPED	0.000 s
8	Then the "<quantity>" should be changed	SKIPPED	0.000 s
	AFTER - steps.SharedSteps.teardownScenario(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> atjdk.internal.reflect.GeneratedConstructorAccessor36.newInstance(Unknown Source) atjava.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) atjava.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) atjava.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) atorg.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) atorg.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) atorg.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) atorg.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) atorg.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) atorg.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) atorg.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:455) atsteps.SharedSteps.teardownScenario(SharedSteps.java:79) </pre>		

Manage Cart Functions



FAILED	DURATION - 0.009 s		Steps Total - 8 Pass - 0 Fail - 0 Skip - 8	
/ 11:46:10.419 am // 11:46:10.428 am /				
Manage Cart				
@FirstCry				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - steps.SharedSteps.setupScenario(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, deleteAllCookies {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d atjdk.internal.reflect.GeneratedConstructorAccessor36.newInstance(Unknown Source) </pre>	FAILED	0.004 s



#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.deleteAllCookies(RemoteWebDriver.java:800) at steps.SharedSteps.setupScenario(SharedSteps.java:57) </pre>		
1	Given User navigate to the FirstCry URL	SKIPPED	0.000 s
2	When User log into the application with credentials	SKIPPED	0.000 s
3	When User add a few products to the cart	SKIPPED	0.000 s
	<div>pants for boys</div> <div>Toys</div>		
4	And User click on cart	SKIPPED	0.000 s
5	Then user can see "<allproducts>" in the cart	SKIPPED	0.000 s
6	When User move a product to the shortlist	SKIPPED	0.000 s
7	When User change the quantity of product from the cart	SKIPPED	0.000 s
8	Then the "<quantity>" should be changed	SKIPPED	0.000 s
	<p>AFTER - steps.SharedSteps.teardownScenario(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc. ..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d at jdk.internal.reflect.GeneratedConstructorAccessor36.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:455) at steps.SharedSteps.teardownScenario(SharedSteps.java:79) </pre>		

Manage Shortlisted Products

FAILED	DURATION - 0.026 s	Scenarios		Steps	
/ 11:46:10.436 am // 11:46:10.462 am /		Total - 2		Total - 16	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 16	

Manage Shortlist Functions



<div>FAILED</div> <div>DURATION - 0.010 s</div>			Steps		
/ 11:46:10.436 am // 11:46:10.446 am /			Total - 8		
Manage Shortlisted Products			Pass - 0		
@FirstCry			Fail - 0		
			Skip - 8		

#	Step / Hook Details	Status	Duration
	BEFORE - steps.SharedSteps.setupScenario(io.cucumber.java.Scenario)	FAILED	0.005 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: </pre>		

#	Step / Hook Details	Status	Duration
	<pre>[2cf6b52a3e5756e7a3f6ecdeafab793d, deleteAllCookies {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d atjdk.internal.reflect.GeneratedConstructorAccessor36.newInstance(Unknown Source) atjava.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) atjava.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) atjava.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) atorg.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) atorg.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) atorg.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) atorg.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) atorg.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) atorg.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) atorg.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.deleteAllCookies(RemoteWebDriver.java:800) atsteps.SharedSteps.setupScenario(SharedSteps.java:57)</pre>		
1	Given User navigate to the FirstCry URL	SKIPPED	0.000 s
2	When User log into the application with credentials	SKIPPED	0.000 s
3	When User shortlist few products	SKIPPED	0.000 s
	<div>Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys</div> <div>Babyhug Cotton Woven Full Sleeves Checked Shirt - Red for Boys</div>		
4	And User click on the Shortlist button	SKIPPED	0.000 s
5	Then user can see "<allproducts>" in the shortlist	SKIPPED	0.000 s
6	When User add a product to the cart from the shortlist	SKIPPED	0.000 s
7	When User delete a product from the shortlist	SKIPPED	0.000 s
8	Then the "<product>" should be removed from the shortlist	SKIPPED	0.000 s
	<p>AFTER - steps.SharedSteps.teardownScenario(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc.</pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> ..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d at jdk.internal.reflect.GeneratedConstructorAccessor36.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:455) at steps.SharedSteps.teardownScenario(SharedSteps.java:79) </pre>		

Manage Shortlist Functions

<div>FAILED</div> <div>DURATION - 0.009 s</div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	
/ 11:46:10.453 am // 11:46:10.462 am /				
Manage Shortlisted Products				
@FirstCry				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - steps.SharedSteps.setupScenario(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, deleteAllCookies {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<p>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor36.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.deleteAllCookies(RemoteWebDriver.java:800)</p> <p>at steps.SharedSteps.setupScenario(SharedSteps.java:57)</p>		
1	Given User navigate to the FirstCry URL	SKIPPED	0.000 s
2	When User log into the application with credentials	SKIPPED	0.000 s
3	When User shortlist few products	SKIPPED	0.000 s
	<div>Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys</div> <div>Babyhug Cotton Woven Full Sleeves Checked Shirt - Red for Boys</div>		
4	And User click on the Shortlist button	SKIPPED	0.000 s
5	Then user can see "<allproducts>" in the shortlist	SKIPPED	0.000 s
6	When User add a product to the cart from the shortlist	SKIPPED	0.000 s
7	When User delete a product from the shortlist	SKIPPED	0.000 s
8	Then the "<product>" should be removed from the shortlist	SKIPPED	0.000 s
	AFTER - steps.SharedSteps.teardownScenario(io.cucumber.java.Scenario)	FAILED	0.003 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=122.0.6261.131) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cf6b52a3e5756e7a3f6ecdeafab793d, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28373}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28373/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,</p>		

#	Step / Hook Details	Status	Duration
	<pre>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cf6b52a3e5756e7a3f6ecdeafab793d at jdk.internal.reflect.GeneratedConstructorAccessor36.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:455) at steps.SharedSteps.teardownScenario(SharedSteps.java:79)</pre>		