

# Cucumber Report

27-Mar-2024, 8:30:46 am

Start : Mar 27, 8:22:06.003 am

End : Mar 27, 8:30:44.339 am

Duration : 8 m 38.336 s

Features



Scenarios

Steps

PASSED - 4  
FAILED - 4  
SKIPPED - 0


PASSED - 7  
FAILED - 7  
SKIPPED - 0

PASSED - 78  
FAILED - 6  
SKIPPED - 25




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login with UserId</u>	1 m 50.163 s	3	1	2	0	21	17	2	2
<u>Edit User Profile</u>	1 m 21.280 s	2	2	0	0	18	18	0	0
<u>Search Functionality</u>	44.449 s	1	1	0	0	6	6	0	0
<u>Add to Cart Functionality</u>	1 m 33.004 s	2	1	1	0	14	13	1	0
<u>Find Stores</u>	41.633 s	1	1	0	0	9	9	0	0
<u>Find Preschool Locator</u>	43.809 s	1	1	0	0	9	9	0	0
<u>Manage Cart</u>	1 m 38.054 s	2	0	2	0	16	5	2	9
<u>Manage Shortlisted Products</u>	5.832 s	2	0	2	0	16	1	1	14


<i>Tag</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@FirstCry	14	7	7	0	8	4	4	0



#	Feature Name	T	P	F	S	Duration
1	<u>Login with UserId</u>	3	1	2	0	1 m 50.163 s
2	<u>Edit User Profile</u>	2	2	0	0	1 m 21.280 s
3	<u>Search Functionality</u>	1	1	0	0	44.449 s
4	<u>Add to Cart Functionality</u>	2	1	1	0	1 m 33.004 s
5	<u>Find Stores</u>	1	1	0	0	41.633 s
6	<u>Find Preschool Locator</u>	1	1	0	0	43.809 s
7	<u>Manage Cart</u>	2	0	2	0	1 m 38.054 s
8	<u>Manage Shortlisted Products</u>	2	0	2	0	5.832 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login with UserId</u>	<u>Login with UserId</u>	7	7	0	0	40.594 s
2	<u>Login with UserId</u>	<u>Login with UserId</u>	7	5	1	1	35.226 s
3	<u>Login with UserId</u>	<u>Login with UserId</u>	7	5	1	1	34.284 s
4	<u>Edit User Profile</u>	<u>Edit user profile</u>	9	9	0	0	41.135 s
5	<u>Edit User Profile</u>	<u>Edit user profile</u>	9	9	0	0	40.125 s
6	<u>Search Functionality</u>	<u>Search for Product</u>	6	6	0	0	44.449 s
7	<u>Add to Cart Functionality</u>	<u>Add Product to Cart</u>	7	6	1	0	44.001 s
8	<u>Add to Cart Functionality</u>	<u>Add Product to Cart</u>	7	7	0	0	48.994 s
9	<u>Find Stores</u>	<u>Find FirstCry Stores</u>	9	9	0	0	41.632 s
10	<u>Find Preschool Locator</u>	<u>Search for a Preschool in city</u>	9	9	0	0	43.809 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Manage Cart</u>	<u>Manage Cart Functions</u>	8	3	1	4	50.808 s
12	<u>Manage Cart</u>	<u>Manage Cart Functions</u>	8	2	1	5	47.238 s
13	<u>Manage Shortlisted Products</u>	<u>Manage Shortlist Functions</u>	8	1	1	6	5.814 s
14	<u>Manage Shortlisted Products</u>	<u>Manage Shortlist Functions</u>	8	0	0	8	0.009 s

## Login with UserId


FAILED	DURATION - 1 m 50.163 s	Scenarios Total - 3 Pass - 1 Fail - 2 Skip - 0		Steps Total - 21 Pass - 17 Fail - 2 Skip - 2	
/ 8:22:06.003 am // 8:23:56.166 am /					

## Login with UserId

<div>PASSED</div> <div>DURATION - 40.594 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:22:06.011 am // 8:22:46.605 am /</div>			
<div>Login with UserId</div>			
<div>@FirstCry</div>			

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	3.197 s
2	When user click on the login button	PASSED	1.846 s
3	Then user should be on login Page	PASSED	0.068 s
4	And User enter "chandumj787013@gmail.com"	PASSED	0.163 s
5	And user click on the continue button	PASSED	2.040 s
6	And user click the submit button	PASSED	32.673 s
7	Then user should be on Home Page	PASSED	0.434 s

## Login with UserId



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.332 s
2	When user click on the login button	PASSED	0.618 s
3	Then user should be on login Page	PASSED	0.046 s
4	And User enter ""	PASSED	0.100 s
5	And user click on the continue button	PASSED	1.071 s
6	And user click the submit button	FAILED	30.030 s



org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@id='verfiedbtn']"} (Session info: chrome=123.0.6312.59) For documentation on this error, please visit: <https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0b95fe920947d773584a61b936bcc56, findElement {using=xpath, value=//div[@id='verfiedbtn']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53964/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0b95fe920947d773584a61b936bcc56

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnSubmit(LoginPage.java:48) at steps.LoginStepDefination.user_click_the_submit_button(LoginStepDefination.java:46) at ?.user click the submit button(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/1.Login.feature:10) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
7	Then user should be on Home Page	SKIPPED	0.000 s



## Login with UserId

<div>FAILED</div> <div>DURATION - 34.284 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 8:23:21.882 am // 8:23:56.166 am /				
Login with UserId				
@FirstCry				



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.930 s
2	When user click on the login button	PASSED	0.700 s
3	Then user should be on login Page	PASSED	0.011 s
4	And User enter ""	PASSED	0.192 s
5	And user click on the continue button	PASSED	1.096 s
6	And user click the submit button	FAILED	30.012 s
	<pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@id='verfiedbtn']"} (Session info: chrome=123.0.6312.59) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [e0b95fe920947d773584a61b936bcc56, findElement {using=xpath, value=//div[@id='verfiedbtn']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: </pre>		

#	Step / Hook Details	Status	Duration
	<pre>{debuggerAddress: localhost:53964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53964/devtoo..., se.cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0b95fe920947d773584a61b936bcc56   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)   at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)   at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source)   at pages.LoginPage.clickOnSubmit(LoginPage.java:48)   at steps.LoginStepDefination.user_click_the_submit_button(LoginStepDefination.java:46)   at ?.user click the submit button(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/1.Login.feature:10) * Not displayable characters are replaced by '?'. </pre>		
7	Then user should be on Home Page	SKIPPED	0.000 s

## Edit User Profile



<b>PASSED</b>	<b>DURATION - 1 m 21.280 s</b>	Scenarios		Steps	
/ 8:23:56.183 am // 8:25:17.463 am /		Total - 2		Total - 18	
		Pass - 2	2	Pass - 18	18
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

**Edit user profile**

<div>PASSED</div> <div>DURATION - 41.135 s</div>	<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:23:56.183 am // 8:24:37.318 am /</div>			
<div>Edit User Profile</div>			
<div>@FirstCry</div>			

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.864 s
2	When User log into the application with credentials	PASSED	35.314 s
3	When User click on My Account	PASSED	0.283 s
4	And User select My Profile	PASSED	1.824 s
5	Then User should be on profile page	PASSED	0.006 s
6	And User perform an Edit operation on My Address Book	PASSED	0.227 s
7	And User add/change delivery address of "ValidData"	PASSED	1.297 s
8	And click on Save	PASSED	0.085 s
9	Then User can view the "ValidData"	PASSED	0.102 s



**Edit user profile**

<div>PASSED</div>	<div>DURATION - 40.125 s</div>	<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:24:37.338 am // 8:25:17.463 am /</div>				
<div>Edit User Profile</div>				
<div>@FirstCry</div>				



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.517 s
2	When User log into the application with credentials	PASSED	34.962 s
3	When User click on My Account	PASSED	0.327 s

#	Step / Hook Details	Status	Duration
4	And User select My Profile	PASSED	1.703 s
5	Then User should be on profile page	PASSED	0.036 s
6	And User perform an Edit operation on My Address Book	PASSED	0.316 s
7	And User add/change delivery address of "InvalidData"	PASSED	0.805 s
8	And click on Save	PASSED	0.092 s
9	Then User can view the "InvalidData"	PASSED	0.100 s

## Search Functionality



PASSED	DURATION - 44.449 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 8:25:17.470 am // 8:26:01.919 am /					

## Search for Product




PASSED	DURATION - 44.449 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 8:25:17.470 am // 8:26:01.919 am /				
Search Functionality				
@FirstCry				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.340 s
2	When User log into the application with credentials	PASSED	35.093 s
3	When User search for "toys"	PASSED	4.996 s
4	And select product from the search results	PASSED	0.571 s
5	And User switches focus to the new tab	PASSED	0.020 s
6	Then title should be "Buy Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys (3-4 Years) Online in India, Shop at FirstCry.com - 15934333"	PASSED	2.138 s

## Add to Cart Functionality



<b>FAILED</b>	<b>DURATION - 1 m 33.004 s</b>	Scenarios		Steps	
/ 8:26:01.939 am // 8:27:34.943 am /		Total - 2		Total - 14	
		Pass - 1		Pass - 13	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## Add Product to Cart

<div><div>FAILED</div><div>DURATION - 44.001 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 0</div> <td rowspan="4"><div></div></td>	<div></div>
/ 8:26:01.939 am // 8:26:45.940 am /				
Add to Cart Functionality				
@FirstCry				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.619 s
2	When User log into the application with credentials	PASSED	35.529 s
3	When User search for a "watches"	PASSED	3.081 s
4	And Click on one Product	PASSED	0.343 s
5	And User switches focus to the new tab	PASSED	0.017 s
6	And click on Add to Cart for the selected product	PASSED	1.927 s
7	Then "Pine Kids Cotton Woven Full Sleeves Solid Color Shirt - Orange" should be added to my cart	FAILED	0.191 s
	java.lang.AssertionError: expected [Shopping Cart - Checkout   FirstCry.com] but found [Spiky 100% Accuracy Silicone Spiky Sporty Analogue Watch Bunny Design - Pink for Both (5-15 Years) Online in India, Buy at FirstCry.com - 9985935] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at steps.AddToCartStepDefination.should_be_added_to_my_cart(AddToCartStepDefination.java:74) at ?. "Pine Kids Cotton Woven Full Sleeves Solid Color Shirt - Orange" should be added to my cart(file:///F:/Mphasis%20Practice%20Eclipse/		

#	Step / Hook Details	Status	Duration
	RLLProject/src/test/java/features/4.AddToCart.feature:13) * Not displayable characters are replaced by '?'.  <b>Add Product to Cart</b>		



<div>PASSED</div> <div>DURATION - 48.994 s</div>	<div><table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>2</td></tr><tr><td>2</td><td>35</td></tr><tr><td>3</td><td>3</td></tr><tr><td>4</td><td>1</td></tr><tr><td>5</td><td>0</td></tr><tr><td>6</td><td>6</td></tr><tr><td>7</td><td>4</td></tr></tbody></table></div> <div><div>Steps</div><div>Total - 7</div><div>Pass - 7</div><div>Fail - 0</div><div>Skip - 0</div></div> <div><div>7</div></div>	Step	Duration (s)	1	2	2	35	3	3	4	1	5	0	6	6	7	4
Step		Duration (s)															
1		2															
2		35															
3	3																
4	1																
5	0																
6	6																
7	4																
<div>/ 8:26:45.949 am // 8:27:34.943 am /</div>																	
<div>Add to Cart Functionality</div>																	
<div>@FirstCry</div>																	

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.586 s
2	When User log into the application with credentials	PASSED	35.425 s
3	When User search for a "watches"	PASSED	2.197 s
4	And Click on one Product	PASSED	0.358 s
5	And User switches focus to the new tab	PASSED	0.021 s
6	And click on Add to Cart for the selected product	PASSED	5.420 s
7	Then "Pine Kids Cotton Woven Full Sleeves Solid Color Shirt - Orange" should be added to my cart	PASSED	3.661 s

## Find Stores

<div>PASSED</div>	<div>DURATION - 41.633 s</div>	<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>1</div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>9</div></div>
/ 8:27:34.961 am // 8:28:16.594 am /					

## Find FirstCry Stores

<div>PASSED</div>	<div>DURATION - 41.632 s</div>	<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:27:34.962 am // 8:28:16.594 am /</div>				
<div>Find Stores</div>				
<div>@FirstCry</div>				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.503 s
2	When User log into the application with credentials	PASSED	35.549 s
3	When User must hover over the stores&preschool	PASSED	0.514 s
4	And User must click on the find stores from drop down	PASSED	0.201 s
5	And User switches focus to the new tab	PASSED	0.014 s
6	Then User should be on storelocator page "FirstCry, BabyOye & BabyHug Store Locator - Find One Near You"	PASSED	1.195 s
7	When User select the "FirstCry", "Andhra Pradesh" and "Anakapalle Town"	PASSED	0.490 s
8	And User click on the search button	PASSED	0.124 s
9	Then User must be able to view the storeresult	PASSED	1.602 s

## Find Preschool Locator

<div>PASSED</div>	<div>DURATION - 43.809 s</div>	<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>1</div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>9</div></div>
/ 8:28:16.611 am // 8:29:00.420 am /					

## Search for a Preschool in city

<b>PASSED</b>	DURATION - 43.809 s		<b>Steps</b> Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 8:28:16.611 am // 8:29:00.420 am /				
Find Preschool Locator				
@FirstCry				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	0.978 s
2	When User log into the application with credentials	PASSED	36.399 s
3	When user can click on storeandpreschool	PASSED	0.529 s
4	And user can click on findpreschool	PASSED	0.251 s
5	And user switches focus to new tab	PASSED	0.018 s
6	Then user should be on "FirstCry Intellitots Preschool Locator: Find a Preschool Near You" tab	PASSED	1.894 s
7	And user search for "Agra"	PASSED	0.079 s
8	And click on findmy preschool	PASSED	0.076 s
9	Then User should see preschools in "Agra"	PASSED	1.976 s

## Manage Cart

<b>FAILED</b>	DURATION - 1 m 38.054 s	<b>Scenarios</b> Total - 2 Pass - 0 Fail - 2 Skip - 0		<b>Steps</b> Total - 16 Pass - 5 Fail - 2 Skip - 9	
/ 8:29:00.440 am // 8:30:38.494 am /					

## Manage Cart Functions





<div>FAILED</div> <div>DURATION - 50.808 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 8:29:00.440 am // 8:29:51.248 am /</div>				
<div>Manage Cart</div>				
<div>@FirstCry</div>				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.559 s
2	When User log into the application with credentials	PASSED	35.389 s
3	When User add a few products to the cart	PASSED	10.722 s
	<div>pens</div> <div>books</div>		
4	And User click on cart  org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <span class="M14_61 pos-rel" id="cart_TotalCount">...</span> is not clickable at point (1216, 8). Other element would receive the click: <div class="pdp-wrap">...</div> (Session info: chrome=123.0.6312.59) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0b95fe920947d773584a61b936bcc56, clickElement {id=f.BB2D18A2C55685FDD15EB2086038E331.d.3F891CA0AB4239D1829903A1A56F1744.e.91}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53964/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (e0b95fe920947d773584a61b936bcc56)] -> xpath: //span[@id='cart_TotalCount']] Session ID: e0b95fe920947d773584a61b936bcc56 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	1.131 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) atjdk.internal.reflect.GeneratedMethodAccessor62.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) atjdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.HomePage.clickonCart(HomePage.java:96) at steps.CartFuncStep.user_click_on_cart(CartFuncStep.java:45) at ?.User click on cart(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/7.CartFunction.feature:12) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
5	Then user can see "<allproducts>" in the cart	SKIPPED	0.000 s
6	When User move a product to the shortlist	SKIPPED	0.000 s
7	When User change the quantity of product from the cart	SKIPPED	0.000 s
8	Then the "<quantity>" should be changed	SKIPPED	0.000 s



## Manage Cart Functions

<div>FAILED</div> <div>DURATION - 47.238 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 8:29:51.256 am // 8:30:38.494 am /</div>				
<div>Manage Cart</div>				
<div>@FirstCry</div>				



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	2.079 s
2	When User log into the application with credentials	PASSED	35.546 s
3	When User add a few products to the cart <div> pens books </div> <pre> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on windows (e0b95fe920947d773584a61b936bcc56)] -&gt; xpath: (//span[@class='M16_white'])[4]] (tried for 5 second(s) with 500 milliseconds interval) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' </pre>	FAILED	9.034 s

#	Step / Hook Details	Status	Duration
	<p>Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:53964/devtoo..., se.cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0b95fe920947d773584a61b936bcc56</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)  at pages.ProductsPage.clickOnAddToCart(ProductsPage.java:31)  at steps.CartFuncStep.user_add_a_few_products_to_the_cart(CartFuncStep.java:38)  at ?.User add a few products to the cart(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/7.CartFunction.feature:9)</p> <p>* Not displayable characters are replaced by '?'.  </p>		
4	And User click on cart	SKIPPED	0.000 s
5	Then user can see "<allproducts>" in the cart	SKIPPED	0.000 s
6	When User move a product to the shortlist	SKIPPED	0.000 s
7	When User change the quantity of product from the cart	SKIPPED	0.000 s
8	Then the "<quantity>" should be changed	SKIPPED	0.000 s

## Manage Shortlisted Products

FAILED	DURATION - 5.832 s	Scenarios		Steps	
/ 8:30:38.507 am // 8:30:44.339 am /		Total - 2		Total - 16	
		Pass - 0		Pass - 1	
		Fail - 2		Fail - 1	
		Skip - 0		Skip - 14	

## Manage Shortlist Functions



FAILED		DURATION - 5.814 s			Steps	
/ 8:30:38.508 am // 8:30:44.322 am /					Total - 8	
Manage Shortlisted Products					Pass - 1	
@FirstCry					Fail - 1	
					Skip - 6	

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	0.418 s
2	<p>When User log into the application with credentials</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.59) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0b95fe920947d773584a61b936bcc56, findElement {using=xpath, value=//li[@class='logreg']/child::span[1]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53964/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0b95fe920947d773584a61b936bcc56 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy45.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:295) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:227) at pages.LoginPage.clickOnLogin(LoginPage.java:34) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:115) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/ </pre>	FAILED	5.123 s

#	Step / Hook Details	Status	Duration
	8.ShortlistFunction.feature:6) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - steps.SharedSteps.afterStep(io.cucumber.java.Scenario)  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.59) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0b95fe920947d773584a61b936bcc56, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53964/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0b95fe920947d773584a61b936bcc56 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at utilities.ScreenShotUtility.captureScreenshot(ScreenShotUtility.java:15) at steps.SharedSteps.afterStep(SharedSteps.java:67)	FAILED	0.002 s
3	When User shortlist few products  <div>toys</div> <div>bangles</div>	SKIPPED	0.001 s
4	And User click on the Shortlist button	SKIPPED	0.000 s
5	Then user can see "<allproducts>" in the shortlist	SKIPPED	0.000 s
6	When User add a product to the cart from the shortlist	SKIPPED	0.000 s
7	When User delete a product from the shortlist	SKIPPED	0.001 s
8	Then the "<product>" should be removed from the shortlist	SKIPPED	0.000 s
	AFTER - steps.SharedSteps.teardownScenario(io.cucumber.java.Scenario)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.59) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0b95fe920947d773584a61b936bcc56, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53964/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0b95fe920947d773584a61b936bcc56</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)  at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:455)  at steps.SharedSteps.teardownScenario(SharedSteps.java:79)</p>		

## Manage Shortlist Functions

<div>FAILED</div> <div>DURATION - 0.009 s</div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	
/ 8:30:44.330 am // 8:30:44.339 am /				
Manage Shortlisted Products				
@FirstCry				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - steps.SharedSteps.setupScenario(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.59) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0b95fe920947d773584a61b936bcc56, deleteAllCookies {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53964/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0b95fe920947d773584a61b936bcc56</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)  at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.deleteAllCookies(RemoteWebDriver.java:800)  at steps.SharedSteps.setupScenario(SharedSteps.java:57)</p>	FAILED	0.002 s
1	Given User navigate to the FirstCry URL	SKIPPED	0.000 s
2	When User log into the application with credentials	SKIPPED	0.001 s
3	When User shortlist few products	SKIPPED	0.000 s
	<div>toys</div> <div>bangles</div>		
4	And User click on the Shortlist button	SKIPPED	0.000 s
5	Then user can see "<allproducts>" in the shortlist	SKIPPED	0.000 s
6	When User add a product to the cart from the shortlist	SKIPPED	0.000 s
7	When User delete a product from the shortlist	SKIPPED	0.000 s
8	Then the "<product>" should be removed from the shortlist	SKIPPED	0.001 s
	AFTER - steps.SharedSteps.teardownScenario(io.cucumber.java.Scenario)	FAILED	0.003 s



#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.59) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0b95fe920947d773584a61b936bcc56, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53964/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0b95fe920947d773584a61b936bcc56</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)  at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:455)  at steps.SharedSteps.teardownScenario(SharedSteps.java:79)</p>		