

# Cucumber Report

26-Mar-2024, 7:33:11 pm

Start : Mar 26, 7:22:09.079 pm

End : Mar 26, 7:33:09.968 pm

Duration : 11 m 0.889 s

Features



Scenarios

Steps

PASSED - 3  
FAILED - 5  
SKIPPED - 0


PASSED - 7  
FAILED - 9  
SKIPPED - 0

PASSED - 84  
FAILED - 9  
SKIPPED - 31




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login with UserId</u>	1 m 49.589 s	3	1	2	0	21	17	2	2
<u>Edit User Profile</u>	1 m 22.026 s	2	2	0	0	18	18	0	0
<u>Search Functionality</u>	1 m 31.049 s	2	1	1	0	12	11	1	0
<u>Add to Cart Functionality</u>	1 m 44.845 s	2	2	0	0	14	14	0	0
<u>Find Stores</u>	1 m 28.413 s	2	0	2	0	18	8	2	8
<u>Find Preschool Locator</u>	47.812 s	1	1	0	0	9	9	0	0
<u>Manage Cart</u>	1 m 23.958 s	2	0	2	0	16	4	2	10
<u>Manage Shortlisted Products</u>	53.103 s	2	0	2	0	16	3	2	11


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@FirstCry	16	7	9	0	8	3	5	0



#	Feature Name	T	P	F	S	Duration
1	<u>Login with UserId</u>	3	1	2	0	1 m 49.589 s
2	<u>Edit User Profile</u>	2	2	0	0	1 m 22.026 s
3	<u>Search Functionality</u>	2	1	1	0	1 m 31.049 s
4	<u>Add to Cart Functionality</u>	2	2	0	0	1 m 44.845 s
5	<u>Find Stores</u>	2	0	2	0	1 m 28.413 s
6	<u>Find Preschool Locator</u>	1	1	0	0	47.812 s
7	<u>Manage Cart</u>	2	0	2	0	1 m 23.958 s
8	<u>Manage Shortlisted Products</u>	2	0	2	0	53.103 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login with UserId</u>	<u>Login with UserId</u>	7	7	0	0	40.380 s
2	<u>Login with UserId</u>	<u>Login with UserId</u>	7	5	1	1	34.964 s
3	<u>Login with UserId</u>	<u>Login with UserId</u>	7	5	1	1	34.216 s
4	<u>Edit User Profile</u>	<u>Edit user profile</u>	9	9	0	0	41.983 s
5	<u>Edit User Profile</u>	<u>Edit user profile</u>	9	9	0	0	40.035 s
6	<u>Search Functionality</u>	<u>Search for Product</u>	6	5	1	0	45.482 s
7	<u>Search Functionality</u>	<u>Search for Product</u>	6	6	0	0	45.557 s
8	<u>Add to Cart Functionality</u>	<u>Add Product to Cart</u>	7	7	0	0	52.489 s
9	<u>Add to Cart Functionality</u>	<u>Add Product to Cart</u>	7	7	0	0	52.343 s
10	<u>Find Stores</u>	<u>Find FirstCry Stores</u>	9	6	1	2	52.200 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Find Stores</u>	<u>Find FirstCry Stores</u>	9	2	1	6	36.197 s
12	<u>Find Preschool Locator</u>	<u>Search for a Preschool in city</u>	9	9	0	0	47.812 s
13	<u>Manage Cart</u>	<u>Manage Cart Functions</u>	8	2	1	5	47.179 s
14	<u>Manage Cart</u>	<u>Manage Cart Functions</u>	8	2	1	5	36.773 s
15	<u>Manage Shortlisted Products</u>	<u>Manage Shortlist Functions</u>	8	2	1	5	50.838 s
16	<u>Manage Shortlisted Products</u>	<u>Manage Shortlist Functions</u>	8	1	1	6	2.254 s

## Login with UserId

<div>FAILED</div> <div>DURATION - 1 m 49.589 s</div>		<div>Scenarios</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 2</div> <div>Skip - 0</div>		<div></div>	<div>Steps</div> <div>Total - 21</div> <div>Pass - 17</div> <div>Fail - 2</div> <div>Skip - 2</div>		<div></div>
/ 7:22:09.079 pm // 7:23:58.668 pm /							

## Login with UserId

<div>PASSED</div>	<div>DURATION - 40.380 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:22:09.084 pm // 7:22:49.464 pm /</div>				
<div>Login with UserId</div>				
<div>@FirstCry</div>				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	2.695 s
2	When user click on the login button	PASSED	1.761 s
3	Then user should be on login Page	PASSED	0.045 s
4	And User enter "chandumj787013@gmail.com"	PASSED	0.140 s
5	And user click on the continue button	PASSED	1.985 s
6	And user click the submit button	PASSED	33.134 s
7	Then user should be on Home Page	PASSED	0.460 s

## Login with UserId



<div>FAILED</div> <div>DURATION - 34.964 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>1.3</td></tr><tr><td>2</td><td>0.6</td></tr><tr><td>3</td><td>0.0</td></tr><tr><td>4</td><td>0.1</td></tr><tr><td>5</td><td>1.0</td></tr><tr><td>6</td><td>30.0</td></tr><tr><td>7</td><td>0.0</td></tr></tbody></table></div>	Step	Duration (s)	1	1.3	2	0.6	3	0.0	4	0.1	5	1.0	6	30.0	7	0.0	<div>Steps</div> <div>Total - 7</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div><div>7</div></div>
Step		Duration (s)																	
1		1.3																	
2		0.6																	
3	0.0																		
4	0.1																		
5	1.0																		
6	30.0																		
7	0.0																		
<div>/ 7:22:49.477 pm // 7:23:24.441 pm /</div>																			
<div>Login with UserId</div>																			
<div>@FirstCry</div>																			

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.354 s
2	When user click on the login button	PASSED	0.640 s
3	Then user should be on login Page	PASSED	0.019 s
4	And User enter ""	PASSED	0.109 s
5	And user click on the continue button	PASSED	1.064 s
6	And user click the submit button	FAILED	30.040 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@id='verfiedbtn']"} (Session info: chrome=123.0.6312.59) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f687e79b7a68cd36e831872aba64dd02, findElement {using=xpath, value=//div[@id='verfiedbtn']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:40021}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:40021/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f687e79b7a68cd36e831872aba64dd02</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnSubmit(LoginPage.java:48) at steps.LoginStepDefination.user_click_the_submit_button(LoginStepDefination.java:43) at ?.user click the submit button(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/1.Login.feature:10) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
7	Then user should be on Home Page	SKIPPED	0.000 s



## Login with UserId

<div>FAILED</div> <div>DURATION - 34.216 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 7:23:24.452 pm // 7:23:58.668 pm /				
Login with UserId				
@FirstCry				



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.920 s
2	When user click on the login button	PASSED	0.744 s
3	Then user should be on login Page	PASSED	0.042 s
4	And User enter ""	PASSED	0.073 s
5	And user click on the continue button	PASSED	1.072 s
6	And user click the submit button	FAILED	30.023 s
	<pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@id='verfiedbtn']"} (Session info: chrome=123.0.6312.59) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [f687e79b7a68cd36e831872aba64dd02, findElement {using=xpath, value=//div[@id='verfiedbtn']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: </pre>		

#	Step / Hook Details	Status	Duration
	<pre>{debuggerAddress: localhost:40021}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:40021/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f687e79b7a68cd36e831872aba64dd02 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnSubmit(LoginPage.java:48) at steps.LoginStepDefination.user_click_the_submit_button(LoginStepDefination.java:43) at ?.user click the submit button(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/1.Login.feature:10) * Not displayable characters are replaced by '?'. </pre>		
7	Then user should be on Home Page	SKIPPED	0.001 s

## Edit User Profile



PASSED	DURATION - 1 m 22.026 s	Scenarios		Steps	
/ 7:23:58.688 pm // 7:25:20.714 pm /		Total - 2		Total - 18	
		Pass - 2		Pass - 18	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

**Edit user profile**

<div>PASSED</div>	<div>DURATION - 41.983 s</div>	<div></div>	<div><div>Steps</div><div>Total - 9</div><div>Pass - 9</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 7:23:58.688 pm // 7:24:40.671 pm /</div>				
<div>Edit User Profile</div>				
<div>@FirstCry</div>				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.944 s
2	When User log into the application with credentials	PASSED	35.741 s
3	When User click on My Account	PASSED	0.543 s
4	And User select My Profile	PASSED	1.919 s
5	Then User should be on profile page	PASSED	0.007 s
6	And User perform an Edit operation on My Address Book	PASSED	0.252 s
7	And User add/change delivery address of "ValidData"	PASSED	1.250 s
8	And click on Save	PASSED	0.100 s
9	Then User can view the "ValidData"	PASSED	0.123 s



**Edit user profile**

<div>PASSED</div>	<div>DURATION - 40.035 s</div>	<div></div>	<div><div>Steps</div><div>Total - 9</div><div>Pass - 9</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 7:24:40.679 pm // 7:25:20.714 pm /</div>				
<div>Edit User Profile</div>				
<div>@FirstCry</div>				



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.790 s
2	When User log into the application with credentials	PASSED	34.452 s
3	When User click on My Account	PASSED	0.244 s

#	Step / Hook Details	Status	Duration
4	And User select My Profile	PASSED	2.020 s
5	Then User should be on profile page	PASSED	0.023 s
6	And User perform an Edit operation on My Address Book	PASSED	0.260 s
7	And User add/change delivery address of "InvalidData"	PASSED	0.822 s
8	And click on Save	PASSED	0.087 s
9	Then User can view the "InvalidData"	PASSED	0.123 s

## Search Functionality

<b>FAILED</b>	DURATION - 1 m 31.049 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 12 Pass - 11 Fail - 1 Skip - 0	
/ 7:25:20.727 pm // 7:26:51.776 pm /					

## Search for Product

<b>FAILED</b>	DURATION - 45.482 s		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 7:25:20.727 pm // 7:26:06.209 pm /				
Search Functionality				
@FirstCry				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.627 s
2	When User log into the application with credentials	PASSED	35.568 s
3	When User search for "toys"	PASSED	4.511 s
4	And select product from the search results	PASSED	0.471 s
5	And User switches focus to the new tab	PASSED	0.078 s
6	Then title should be "Buy Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys (3-4 Years) Online in India, Shop at FirstCry.com - 15934333"	FAILED	2.737 s



#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.JavascriptException: javascript error: {"status":60,"value":"[object HTMLSpanElement] has no size and location"} (Session info: chrome=123.0.6312.59) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f687e79b7a68cd36e831872aba64dd02, actions {actions=[org.openqa.selenium.interactions.Sequence@2375a976]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:40021}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:40021/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f687e79b7a68cd36e831872aba64dd02</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604)  at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:605)  at pages.HomePage.clickOnLogout(HomePage.java:108)  at steps.SearchStep.title_should_be(SearchStep.java:66)  at ?.title should be "Buy Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys (3-4 Years) Online in India, Shop at FirstCry.com - 15934333"(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/3.SearchOperation.feature:12)  * Not displayable characters are replaced by '?'. </p>		

## Search for Product



<div>PASSED</div> <div>DURATION - 45.557 s</div>		<div><table><caption>Step Counts</caption><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>2</td></tr><tr><td>2</td><td>35</td></tr><tr><td>3</td><td>5</td></tr><tr><td>4</td><td>1</td></tr><tr><td>5</td><td>0</td></tr><tr><td>6</td><td>2</td></tr></tbody></table></div>	Step	Count	1	2	2	35	3	5	4	1	5	0	6	2	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
Step	Count																	
1	2																	
2	35																	
3	5																	
4	1																	
5	0																	
6	2																	
<div>/ 7:26:06.219 pm // 7:26:51.776 pm /</div>																		
<div>Search Functionality</div>																		
<div>@FirstCry</div>																		

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	2.242 s
2	When User log into the application with credentials	PASSED	36.058 s
3	When User search for "toys"	PASSED	4.314 s
4	And select product from the search results	PASSED	0.628 s
5	And User switches focus to the new tab	PASSED	0.084 s
6	Then title should be "Buy Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys (3-4 Years) Online in India, Shop at FirstCry.com - 15934333"	PASSED	1.887 s

## Add to Cart Functionality



PASSED	DURATION - 1 m 44.845 s	Scenarios		Steps	
/ 7:26:51.795 pm // 7:28:36.640 pm /		Total - 2		Total - 14	
		Pass - 2		Pass - 14	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Add Product to Cart

PASSED	DURATION - 52.489 s		Steps	
/ 7:26:51.796 pm // 7:27:44.285 pm /			Total - 7	
Add to Cart Functionality			Pass - 7	
@FirstCry			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	2.019 s
2	When User log into the application with credentials	PASSED	35.661 s
3	When User search for a "balls"	PASSED	3.594 s
4	And Click on one Product	PASSED	0.292 s
5	And User switches focus to the new tab	PASSED	0.060 s
6	And click on Add to Cart for the selected product	PASSED	5.306 s
7	Then "Pine Kids Cotton Woven Full Sleeves Solid Color Shirt - Orange" should be added to my cart	PASSED	4.250 s

## Add Product to Cart



<div><div>PASSED</div><div>DURATION - 52.343 s</div></div>	<div></div>	<div><div>Steps</div><div>Total - 7</div><div>Pass - 7</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 7:27:44.297 pm // 7:28:36.640 pm /</div>		
<div>Add to Cart Functionality</div>		
<div>@FirstCry</div>		

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.278 s
2	When User log into the application with credentials	PASSED	36.700 s
3	When User search for a "bat"	PASSED	3.146 s
4	And Click on one Product	PASSED	0.285 s
5	And User switches focus to the new tab	PASSED	0.061 s
6	And click on Add to Cart for the selected product	PASSED	5.355 s
7	Then "Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue" should be added to my cart	PASSED	3.980 s

## Find Stores

<div>FAILED</div> <div>DURATION - 1 m 28.413 s</div>		<div>Scenarios</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 2</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 18</div> <div>Pass - 8</div> <div>Fail - 2</div> <div>Skip - 8</div>	<div></div>
/ 7:28:36.652 pm // 7:30:05.065 pm /					

## Find FirstCry Stores

<div>FAILED</div> <div>DURATION - 52.200 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 7:28:36.653 pm // 7:29:28.853 pm /				
Find Stores				
@FirstCry				



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.221 s
2	When User log into the application with credentials	PASSED	41.658 s
3	When User must hover over the stores&preschool	PASSED	0.523 s
4	And User must click on the find stores from drop down	PASSED	0.187 s
5	And User switches focus to the new tab	PASSED	1.078 s
6	Then User should be on storelocator page "FirstCry, BabyOye & BabyHug Store Locator - Find One Near You"	PASSED	0.365 s
7	When User select the "FirstCry", "Andhra Pradesh" and "Anakapalle Town" <pre> java.lang.AssertionError: Error     at org.testng.Assert.fail(Assert.java:98)     at steps.StoreLocatorStep.user_select_the_and(StoreLocatorStep.java:53)     at ?.User select the "FirstCry", "Andhra Pradesh" and "Anakapalle Town"(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/5.StoreLocator.feature:13) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for title to contain "store". Current title: "FirstCry, BabyOye &amp; BabyHug Store Locator - Find One Near You" (tried for 5 second(s) with 500 milliseconds interval) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:40021}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:40021/devtoo..., se.cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f687e79b7a68cd36e831872aba64dd02     at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)     at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)     at pages.FindStoresPage.selectOneStore(FindStoresPage.java:40)     at steps.StoreLocatorStep.user_select_the_and(StoreLocatorStep.java:49)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:568) </pre>	FAILED	5.295 s



#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:283) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:75) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:120) at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:384) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:345) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:126) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:418) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
8	And User click on the search button	SKIPPED	0.000 s
9	Then User must be able to view the storeresult	SKIPPED	0.000 s

## Find FirstCry Stores

<div>FAILED</div> <div>DURATION - 36.197 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
<div>/ 7:29:28.868 pm // 7:30:05.065 pm /</div>				
<div>Find Stores</div>				
<div>@FirstCry</div>				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.712 s
2	When User log into the application with credentials	PASSED	33.016 s
3	When User must hover over the stores&preschool	FAILED	1.043 s
	<pre> org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [f687e79b7a68cd36e831872aba64dd02, actions {actions=[org.openqa.selenium.interactions. Sequence@3605ab16]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:40021}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:40021/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f687e79b7a68cd36e831872aba64dd02 at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:415) </pre>		

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:178)</p> <p>at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:200)</p> <p>at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183)</p> <p>at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179)</p> <p>at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)</p> <p>at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)</p> <p>at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)</p> <p>at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)</p> <p>at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)</p> <p>at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)</p> <p>at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)</p> <p>at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:200)</p> <p>at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:218)</p> <p>at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:213)</p> <p>at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:332)</p> <p>at org.openqa.selenium.json.Json.toJson(Json.java:47)</p> <p>at org.openqa.selenium.json.Json.toJson(Json.java:41)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604)</p> <p>at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:605)</p> <p>at org.openqa.selenium.interactions.Actions.perform(Actions.java:574)</p> <p>at pages.HomePage.hovertoStoresandPreSchool(HomePage.java:84)</p> <p>at steps.StoreLocatorStep.user_must_hover_over_the_stores_preschool(StoreLocatorStep.java:24)</p> <p>at ?.User must hover over the stores&amp;preschool(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/5.StoreLocator.feature:9)</p> <p>Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:357) at org.openqa.selenium.json.Json.toJson(Json.java:45) at org.openqa.selenium.json.Json.toJson(Json.java:41) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.</p>		

#	Step / Hook Details	Status	Duration
	<p> execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor.  invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.  execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) at org.openqa.selenium.interactions.  Actions\$BuiltAction.perform(Actions.java:605) at org.openqa.selenium.interactions.Actions.perform(Actions.java:574) at pages.  HomePage.hovertoStoresandPreSchool(HomePage.java:84) at steps.StoreLocatorStep.  user_must_hover_over_the_stores_preschool(StoreLocatorStep.java:24) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.  invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at  java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.  reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.  invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.  java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.  java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.  runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.  cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.  cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.  CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.  RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.  CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.  runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.  runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.  DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.  java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.  internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.retryFailed(TestInvoker.  java:263) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:62) at org.testng.internal.invokers.  TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.  invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.  java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.  forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.  java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)  at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.  SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.  testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.  TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.  TestNGExecutor.run(TestNGExecutor.java:283) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.  java:75) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:120) at org.apache.maven.surefire.booter.  ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:384) at org.apache.maven.surefire.booter.ForkedBooter.  runSuitesInProcess(ForkedBooter.java:345) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:126) at  org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:418) Caused by: java.lang.reflect.InvocationTargetException  at jdk.internal.reflect.GeneratedMethodAccessor65.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:411) </p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:178) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:200) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:200) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:218) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:213) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:332) at org.openqa.selenium.json.Json.toJson(Json.java:47) at org.openqa.selenium.json.Json.toJson(Json.java:41) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:605) at org.openqa.selenium.interactions.Actions.perform(Actions.java:574) at pages.HomePage.hovertoStoresandPreSchool(HomePage.java:84) at steps.StoreLocatorStep.user_must_hover_over_the_stores_preschool(StoreLocatorStep.java:24) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		



#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.retryFailed(TestInvoker.java:263) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:62) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:283) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:75)		

#	Step / Hook Details	Status	Duration
	<pre> at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:120) at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:384) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:345) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:126) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:418) </pre> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Stores &amp; Preschools']"} (Session info: chrome=123.0.6312.59) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f687e79b7a68cd36e831872aba64dd02, findElement {using=xpath, value=//span[text()='Stores &amp; Preschools']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:40021}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:40021/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f687e79b7a68cd36e831872aba64dd02</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy45.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:275) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:224) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:81) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
4	And User must click on the find stores from drop down	SKIPPED	0.000 s





#	Step / Hook Details	Status	Duration
5	And User switches focus to the new tab	SKIPPED	0.000 s
6	Then User should be on storelocator page "FirstCry, BabyOye & BabyHug Store Locator - Find One Near You"	SKIPPED	0.000 s
7	When User select the "FirstCry","Andhra Pradesh" and "Anakapalle Town"	SKIPPED	0.000 s
8	And User click on the search button	SKIPPED	0.001 s
9	Then User must be able to view the storeresult	SKIPPED	0.000 s

## Find Preschool Locator

<b>PASSED</b>	DURATION - 47.812 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 7:30:05.072 pm // 7:30:52.884 pm /					

## Search for a Preschool in city



<b>PASSED</b>	DURATION - 47.812 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 7:30:05.072 pm // 7:30:52.884 pm /				
Find Preschool Locator				
@FirstCry				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	2.306 s
2	When User log into the application with credentials	PASSED	36.967 s
3	When user can click on storeandpreschool	PASSED	0.486 s
4	And user can click on findpreschool	PASSED	0.182 s
5	And user switches focus to new tab	PASSED	1.071 s
6	Then user should be on "FirstCry Intellitots Preschool Locator: Find a Preschool Near You" tab	PASSED	3.630 s
7	And user search for "Agra"	PASSED	0.090 s
8	And click on findmy preschool	PASSED	0.087 s





#	Step / Hook Details	Status	Duration
9	Then User should see preschools in "Agra"	PASSED	2.812 s

## Manage Cart

FAILED	DURATION - 1 m 23.958 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 16 Pass - 4 Fail - 2 Skip - 10	
/ 7:30:52.907 pm // 7:32:16.865 pm /					

## Manage Cart Functions

FAILED	DURATION - 47.179 s		Steps Total - 8 Pass - 2 Fail - 1 Skip - 5	
/ 7:30:52.907 pm // 7:31:40.086 pm /				
Manage Cart				
@FirstCry				



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.230 s
2	When User log into the application with credentials	PASSED	36.745 s
3	When User add a few products to the cart	FAILED	7.587 s
	<div>pens</div> <div>books</div> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//div[@class='list_img wifi'])[1]' (tried for 5 second(s) with 500 milliseconds interval)  at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)  at pages.SearchPage.clickonFirstProduct(SearchPage.java:26)  at steps.CartFuncStep.user_add_a_few_products_to_the_cart(CartFuncStep.java:36)  at ?.User add a few products to the cart(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/7.CartFunction.feature:9)  Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:  {"method":"xpath","selector":"(//div[@class='list_img wifi'])[1]"} (Session info: chrome=123.0.6312.59) For documentation on this error, please</p>		

#	Step / Hook Details	Status	Duration
	<p>visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f687e79b7a68cd36e831872aba64dd02, findElement {using=xpath, value=(//div[@class='list_img wifi'])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:40021}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:40021/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f687e79b7a68cd36e831872aba64dd02</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)</p> <p>at pages.SearchPage.clickonFirstProduct(SearchPage.java:26)</p> <p>at steps.CartFuncStep.user_add_a_few_products_to_the_cart(CartFuncStep.java:36)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067)		

#	Step / Hook Details	Status	Duration
	<pre> at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:283) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:75) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:120) at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:384) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:345) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:126) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:418) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
4	And User click on cart	SKIPPED	0.000 s
5	Then user can see "<allproducts>" in the cart	SKIPPED	0.000 s
6	When User move a product to the shortlist	SKIPPED	0.000 s
7	When User change the quantity of product from the cart	SKIPPED	0.000 s
8	Then the "<quantity>" should be changed	SKIPPED	0.001 s



## Manage Cart Functions

<div>FAILED</div> <div>DURATION - 36.773 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 7:31:40.092 pm // 7:32:16.865 pm /</div>				
<div>Manage Cart</div>				
<div>@FirstCry</div>				



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	2.035 s
2	When User log into the application with credentials	PASSED	33.278 s
3	When User add a few products to the cart <div> pens books </div> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@id='search_box']"} (Session info: chrome=123.0.6312.59) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f687e79b7a68cd36e831872aba64dd02, findElement {using=xpath, value=/input[@id='search_box']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: </pre>	FAILED	1.014 s

#	Step / Hook Details	Status	Duration
	<p>123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:40021}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:40021/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f687e79b7a68cd36e831872aba64dd02</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy45.clear(Unknown Source)  at pages.HomePage.EnterProduct(HomePage.java:65)  at steps.CartFuncStep.user_add_a_few_products_to_the_cart(CartFuncStep.java:34)  at ?.User add a few products to the cart(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/7.CartFunction.feature:9)</p> <p>* Not displayable characters are replaced by '?'. </p>		
4	And User click on cart	SKIPPED	0.000 s
5	Then user can see "<allproducts>" in the cart	SKIPPED	0.000 s
6	When User move a product to the shortlist	SKIPPED	0.000 s
7	When User change the quantity of product from the cart	SKIPPED	0.000 s
8	Then the "<quantity>" should be changed	SKIPPED	0.000 s

## Manage Shortlisted Products

<b>FAILED</b>	<b>DURATION - 53.103 s</b>	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 16 Pass - 3 Fail - 2 Skip - 11	
/ 7:32:16.865 pm // 7:33:09.968 pm /					



## Manage Shortlist Functions

<b>FAILED</b>	<b>DURATION - 50.838 s</b>		Steps Total - 8 Pass - 2 Fail - 1 Skip - 5	
/ 7:32:16.865 pm // 7:33:07.703 pm /				
Manage Shortlisted Products				
@FirstCry				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	2.759 s
2	When User log into the application with credentials	PASSED	36.094 s
3	When User shortlist few products	FAILED	11.447 s
	<div>toys</div> <div>bangles</div> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for title to contain "Baby". Current title: "Anindita Toys Tic Tac Toe Game Set - Multicolor Online India, Buy Board Games for (5-10 Years) at FirstCry.com - 755788" (tried for 5 second(s) with 500 milliseconds interval) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:40021}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:40021/devtoo..., se.cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f687e79b7a68cd36e831872aba64dd02  at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)  at pages.ProductsPage.clickOnShortlistBtn(ProductsPage.java:35)  at steps.ShortListStep.user_shortlist_few_products(ShortListStep.java:35)  at ?.User shortlist few products(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/8.ShortlistFunction.feature:9)</p>		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. And User click on the Shortlist button		
4	And User click on the Shortlist button	SKIPPED	0.000 s
5	Then user can see "<allproducts>" in the shortlist	SKIPPED	0.000 s
6	When User add a product to the cart from the shortlist	SKIPPED	0.000 s
7	When User delete a product from the shortlist	SKIPPED	0.000 s
8	Then the "<product>" should be removed from the shortlist	SKIPPED	0.001 s

## Manage Shortlist Functions

<b>FAILED</b> DURATION - 2.254 s / 7:33:07.714 pm // 7:33:09.968 pm / Manage Shortlisted Products @FirstCry		Steps Total - 8 Pass - 1 Fail - 1 Skip - 6	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.892 s
2	When User log into the application with credentials org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //input[@id='lemail'] For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at pages.LoginPage.enterEmail(LoginPage.java:39) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:117) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/8.ShortlistFunction.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.112 s
	AFTER_STEP - steps.SharedSteps.afterStep(io.cucumber.java.Scenario)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.59) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f687e79b7a68cd36e831872aba64dd02, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:40021}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:40021/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f687e79b7a68cd36e831872aba64dd02</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321)  at utilities.ScreenShotUtility.captureScreenshot(ScreenShotUtility.java:15)  at steps.SharedSteps.afterStep(SharedSteps.java:67)</p>		
3	When User shortlist few products	SKIPPED	0.000 s
	<div>toys</div> <div>bangles</div>		
4	And User click on the Shortlist button	SKIPPED	0.000 s
5	Then user can see "<allproducts>" in the shortlist	SKIPPED	0.000 s
6	When User add a product to the cart from the shortlist	SKIPPED	0.000 s
7	When User delete a product from the shortlist	SKIPPED	0.000 s
8	Then the "<product>" should be removed from the shortlist	SKIPPED	0.000 s
	AFTER - steps.SharedSteps.teardownScenario(io.cucumber.java.Scenario)	FAILED	0.008 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.59) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		



#	Step / Hook Details	Status	Duration
	<p>[f687e79b7a68cd36e831872aba64dd02, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:40021}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:40021/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f687e79b7a68cd36e831872aba64dd02</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)  at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:455)  at steps.SharedSteps.teardownScenario(SharedSteps.java:79)</p>		