

Cucumber Report

26-Mar-2024, 9:25:24 pm

Start : Mar 26, 9:13:38.377 pm

End : Mar 26, 9:25:22.140 pm

Duration : 11 m 43.763 s

Features



Scenarios

Steps

PASSED - 1
FAILED - 7
SKIPPED - 0


PASSED - 7
FAILED - 11
SKIPPED - 0

PASSED - 86
FAILED - 10
SKIPPED - 46




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login with UserId</u>	2 m 2.943 s	3	1	2	0	21	17	2	2
<u>Edit User Profile</u>	2 m 7.973 s	3	2	1	0	27	19	1	7
<u>Search Functionality</u>	1 m 39.693 s	2	1	1	0	12	11	1	0
<u>Add to Cart Functionality</u>	1 m 49.877 s	2	2	0	0	14	14	0	0
<u>Find Stores</u>	1 m 31.424 s	2	1	1	0	18	14	1	3
<u>Find Preschool Locator</u>	50.363 s	2	0	2	0	18	6	2	10
<u>Manage Cart</u>	1 m 35.884 s	2	0	2	0	16	4	2	10
<u>Manage Shortlisted Products</u>	5.459 s	2	0	2	0	16	1	1	14


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@FirstCry	18	7	11	0	8	1	7	0



#	Feature Name	T	P	F	S	Duration
1	<u>Login with UserId</u>	3	1	2	0	2 m 2.943 s
2	<u>Edit User Profile</u>	3	2	1	0	2 m 7.973 s
3	<u>Search Functionality</u>	2	1	1	0	1 m 39.693 s
4	<u>Add to Cart Functionality</u>	2	2	0	0	1 m 49.877 s
5	<u>Find Stores</u>	2	1	1	0	1 m 31.424 s
6	<u>Find Preschool Locator</u>	2	0	2	0	50.363 s
7	<u>Manage Cart</u>	2	0	2	0	1 m 35.884 s
8	<u>Manage Shortlisted Products</u>	2	0	2	0	5.459 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login with UserId</u>	<u>Login with UserId</u>	7	7	0	0	54.566 s
2	<u>Login with UserId</u>	<u>Login with UserId</u>	7	5	1	1	34.028 s
3	<u>Login with UserId</u>	<u>Login with UserId</u>	7	5	1	1	34.296 s
4	<u>Edit User Profile</u>	<u>Edit user profile</u>	9	1	1	7	41.235 s
5	<u>Edit User Profile</u>	<u>Edit user profile</u>	9	9	0	0	43.954 s
6	<u>Edit User Profile</u>	<u>Edit user profile</u>	9	9	0	0	42.758 s
7	<u>Search Functionality</u>	<u>Search for Product</u>	6	5	1	0	50.313 s
8	<u>Search Functionality</u>	<u>Search for Product</u>	6	6	0	0	49.372 s
9	<u>Add to Cart Functionality</u>	<u>Add Product to Cart</u>	7	7	0	0	52.464 s
10	<u>Add to Cart Functionality</u>	<u>Add Product to Cart</u>	7	7	0	0	57.383 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Find Stores</u>	<u>Find FirstCry Stores</u>	9	5	1	3	45.277 s
12	<u>Find Stores</u>	<u>Find FirstCry Stores</u>	9	9	0	0	45.874 s
13	<u>Find Preschool Locator</u>	<u>Search for a Preschool in city</u>	9	5	1	3	42.453 s
14	<u>Find Preschool Locator</u>	<u>Search for a Preschool in city</u>	9	1	1	7	7.896 s
15	<u>Manage Cart</u>	<u>Manage Cart Functions</u>	8	2	1	5	48.826 s
16	<u>Manage Cart</u>	<u>Manage Cart Functions</u>	8	2	1	5	47.052 s
17	<u>Manage Shortlisted Products</u>	<u>Manage Shortlist Functions</u>	8	1	1	6	5.429 s
18	<u>Manage Shortlisted Products</u>	<u>Manage Shortlist Functions</u>	8	0	0	8	0.015 s

Login with UserId



FAILED	DURATION - 2 m 2.943 s	Scenarios Total - 3 Pass - 1 Fail - 2 Skip - 0		Steps Total - 21 Pass - 17 Fail - 2 Skip - 2	
/ 9:13:38.377 pm // 9:15:41.320 pm /					

Login with UserId

<div>PASSED</div> <div>DURATION - 54.566 s</div>		<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:13:38.383 pm // 9:14:32.949 pm /			
Login with UserId			
@FirstCry			

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	17.140 s
2	When user click on the login button	PASSED	2.106 s
3	Then user should be on login Page	PASSED	0.066 s
4	And User enter "chandumj787013@gmail.com"	PASSED	0.192 s
5	And user click on the continue button	PASSED	1.329 s
6	And user click the submit button	PASSED	33.017 s
7	Then user should be on Home Page	PASSED	0.534 s

Login with UserId

FAILED	DURATION - 34.028 s		<div>Steps</div> <div>Total - 7</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 9:14:32.988 pm // 9:15:07.016 pm /				
Login with UserId				
@FirstCry				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.194 s
2	When user click on the login button	PASSED	0.744 s
3	Then user should be on login Page	PASSED	0.020 s
4	And User enter ""	PASSED	0.093 s
5	And user click on the continue button	PASSED	0.090 s
6	And user click the submit button	FAILED	30.040 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@id='verfiedbtn']"} (Session info: chrome=123.0.6312.59) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [dba98fc9289b09129fa36f440a4b1b28, findElement {using=xpath, value=//div[@id='verfiedbtn']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:42797}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:42797/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dba98fc9289b09129fa36f440a4b1b28</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnSubmit(LoginPage.java:48) at steps.LoginStepDefination.user_click_the_submit_button(LoginStepDefination.java:45) at ?.user click the submit button(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/1.Login.feature:10) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
7	Then user should be on Home Page	SKIPPED	0.000 s



Login with UserId

FAILED DURATION - 34.296 s / 9:15:07.024 pm // 9:15:41.320 pm / Login with UserId @FirstCry	<p>A bar chart with 7 steps on the x-axis and duration in seconds on the y-axis (0 to 30). Step 1 has a duration of approximately 2.5s, Step 2 approximately 1.3s, and Step 6 approximately 30.3s. Steps 3, 4, 5, and 7 have very low durations, near 0s.</p>	Steps Total - 7 Pass - 5 Fail - 1 Skip - 1	<p>A donut chart with a green segment (5), a red segment (1), and a yellow segment (1). The number 7 is in the center.</p>
--	---	--	--



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	2.480 s
2	When user click on the login button	PASSED	1.275 s
3	Then user should be on login Page	PASSED	0.033 s
4	And User enter ""	PASSED	0.080 s
5	And user click on the continue button	PASSED	0.090 s
6	And user click the submit button <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@id='verfiedbtn']"} (Session info: chrome=123.0.6312.59) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [dba98fc9289b09129fa36f440a4b1b28, findElement {using=xpath, value=//div[@id='verfiedbtn']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: </pre>	FAILED	30.035 s

#	Step / Hook Details	Status	Duration
	<p>localhost:42797}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:42797/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dba98fc9289b09129fa36f440a4b1b28</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnSubmit(LoginPage.java:48) at steps.LoginStepDefination.user_click_the_submit_button(LoginStepDefination.java:45) at ?.user click the submit button(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/1.Login.feature:10)</p> <p>* Not displayable characters are replaced by '?'. </p>		
7	Then user should be on Home Page	SKIPPED	0.000 s

Edit User Profile

FAILED	DURATION - 2 m 7.973 s	Scenarios		Steps	
/ 9:15:41.360 pm // 9:17:49.333 pm /		Total - 3		Total - 27	
		Pass - 2		Pass - 19	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	



Edit user profile

<div>FAILED</div> <div>DURATION - 41.235 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
<div>/ 9:15:41.360 pm // 9:16:22.595 pm /</div>				
<div>Edit User Profile</div>				
<div>@FirstCry</div>				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	2.574 s
2	When User log into the application with credentials <pre>org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 5.000 (Session info: chrome=123.0.6312.59) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dba98fc9289b09129fa36f440a4b1b28, clickElement {id=f.472548ACDC710602FADA1D5CE41E925E.d.AA4F2D44CC82CF9B5E31DFD547B79B5D.e.462}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:42797}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:42797/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (dba98fc9289b09129fa36f440a4b1b28)] -> xpath: //div[@id='verfiedbtn']] Session ID: dba98fc9289b09129fa36f440a4b1b28 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</pre>	FAILED	38.188 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pages.LoginPage.clickOnSubmit(LoginPage.java:48) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:122) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/2.MyProfile.feature:6) * Not displayable characters are replaced by '?'.		
3	When User click on My Account	SKIPPED	0.000 s
4	And User select My Profile	SKIPPED	0.001 s
5	Then User should be on profile page	SKIPPED	0.000 s
6	And User perform an Edit operation on My Address Book	SKIPPED	0.001 s
7	And User add/change delivery address of "ValidData"	SKIPPED	0.000 s
8	And click on Save	SKIPPED	0.000 s
9	Then User can view the "ValidData"	SKIPPED	0.000 s



Edit user profile

<div>PASSED</div>	<div>DURATION - 43.954 s</div>	<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:16:22.611 pm // 9:17:06.565 pm /</div>				
<div>Edit User Profile</div>				
<div>@FirstCry</div>				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	2.000 s
2	When User log into the application with credentials	PASSED	36.026 s
3	When User click on My Account	PASSED	0.571 s
4	And User select My Profile	PASSED	2.154 s
5	Then User should be on profile page	PASSED	0.050 s
6	And User perform an Edit operation on My Address Book	PASSED	0.365 s
7	And User add/change delivery address of "ValidData"	PASSED	2.149 s



#	Step / Hook Details	Status	Duration
8	And click on Save	PASSED	0.157 s
9	Then User can view the "ValidData"	PASSED	0.196 s

Edit user profile


<div>PASSED</div>	<div>DURATION - 42.758 s</div>	<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:17:06.575 pm // 9:17:49.333 pm /</div>				
<div>Edit User Profile</div>				
<div>@FirstCry</div>				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.748 s
2	When User log into the application with credentials	PASSED	36.191 s
3	When User click on My Account	PASSED	0.267 s
4	And User select My Profile	PASSED	2.251 s
5	Then User should be on profile page	PASSED	0.016 s
6	And User perform an Edit operation on My Address Book	PASSED	0.323 s
7	And User add/change delivery address of "InvalidData"	PASSED	1.326 s
8	And click on Save	PASSED	0.147 s
9	Then User can view the "InvalidData"	PASSED	0.177 s

Search Functionality



<div>FAILED</div> <div>DURATION - 1 m 39.693 s</div>		<div>Scenarios</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 12</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 9:17:49.350 pm // 9:19:29.043 pm /					

Search for Product





#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	4.417 s
2	When User log into the application with credentials	PASSED	36.487 s
3	When User search for "toys"	PASSED	6.028 s
4	And select product from the search results	PASSED	0.720 s
5	And User switches focus to the new tab	PASSED	0.031 s
6	Then title should be "Buy Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys (3-4 Years) Online in India, Shop at FirstCry.com - 15934333"	FAILED	1.802 s
	java.lang.AssertionError: expected [Anindita Toys Tic Tac Toe Game Set - Multicolor Online India, Buy Board Games for (5-10 Years) at FirstCry.com - 755788] but found [] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at steps.SearchStep.title_should_be(SearchStep.java:61) at ?.title should be "Buy Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys (3-4 Years) Online in India, Shop at FirstCry.com - 15934333"(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/3.SearchOperation.feature:12) * Not displayable characters are replaced by '?'.		

Search for Product



<div>PASSED</div> <div>DURATION - 49.372 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:18:39.671 pm // 9:19:29.043 pm /</div>			
<div>Search Functionality</div>			
<div>@FirstCry</div>			

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	2.149 s
2	When User log into the application with credentials	PASSED	37.787 s
3	When User search for "toys"	PASSED	6.220 s
4	And select product from the search results	PASSED	0.650 s
5	And User switches focus to the new tab	PASSED	0.075 s
6	Then title should be "Buy Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue for Boys (3-4 Years) Online in India, Shop at FirstCry.com - 15934333"	PASSED	2.081 s

Add to Cart Functionality



<div>PASSED</div>	<div>DURATION - 1 m 49.877 s</div>	<div>Scenarios</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 14</div> <div>Pass - 14</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:19:29.057 pm // 9:21:18.934 pm /</div>					

Add Product to Cart

<div>PASSED</div> <div>DURATION - 52.464 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:19:29.058 pm // 9:20:21.522 pm /</div>			
<div>Add to Cart Functionality</div>			
<div>@FirstCry</div>			



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	2.292 s
2	When User log into the application with credentials	PASSED	36.102 s
3	When User search for a "balls"	PASSED	4.092 s
4	And Click on one Product	PASSED	0.438 s
5	And User switches focus to the new tab	PASSED	0.023 s
6	And click on Add to Cart for the selected product	PASSED	2.181 s
7	Then "Pine Kids Cotton Woven Full Sleeves Solid Color Shirt - Orange" should be added to my cart	PASSED	5.453 s

Add Product to Cart



PASSED	DURATION - 57.383 s		<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:20:21.551 pm // 9:21:18.934 pm /				
Add to Cart Functionality				
@FirstCry				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.569 s
2	When User log into the application with credentials	PASSED	37.644 s
3	When User search for a "bat"	PASSED	5.346 s
4	And Click on one Product	PASSED	0.254 s
5	And User switches focus to the new tab	PASSED	0.020 s
6	And click on Add to Cart for the selected product	PASSED	5.431 s
7	Then "Babyhug Cotton Woven Full Sleeves Checked Shirt - Navy Blue" should be added to my cart	PASSED	4.930 s

Find Stores



FAILED	DURATION - 1 m 31.424 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 18 Pass - 14 Fail - 1 Skip - 3	
/ 9:21:18.953 pm // 9:22:50.377 pm /					

Find FirstCry Stores

<div>FAILED</div> <div>DURATION - 45.277 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 9:21:18.953 pm // 9:22:04.230 pm /</div>				
<div>Find Stores</div>				
<div>@FirstCry</div>				



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	3.625 s
2	When User log into the application with credentials	PASSED	36.153 s
3	When User must hover over the stores&preschool	PASSED	0.232 s
4	And User must click on the find stores from drop down	PASSED	0.200 s
5	And User switches focus to the new tab	PASSED	0.018 s
6	Then User should be on storelocator page "FirstCry, BabyOye & BabyHug Store Locator - Find One Near You"	FAILED	2.297 s
	java.lang.AssertionError at steps.StoreLocatorStep.user_should_be_on_storelocator_page(StoreLocatorStep.java:44) at ?.User should be on storelocator page "FirstCry, BabyOye & BabyHug Store Locator - Find One Near You"(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/5.StoreLocator.feature:12) * Not displayable characters are replaced by '?'.		
7	When User select the "FirstCry", "Andhra Pradesh" and "Anakapalle Town"	SKIPPED	0.000 s
8	And User click on the search button	SKIPPED	0.000 s
9	Then User must be able to view the storeresult	SKIPPED	0.000 s

Find FirstCry Stores

<div>PASSED</div>	<div>DURATION - 45.874 s</div>	<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 9:22:04.503 pm // 9:22:50.377 pm /				
Find Stores				
@FirstCry				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	2.728 s
2	When User log into the application with credentials	PASSED	36.890 s
3	When User must hover over the stores&preschool	PASSED	0.238 s
4	And User must click on the find stores from drop down	PASSED	0.225 s
5	And User switches focus to the new tab	PASSED	0.023 s
6	Then User should be on storelocator page "FirstCry, BabyOye & BabyHug Store Locator - Find One Near You"	PASSED	1.997 s
7	When User select the "FirstCry", "Andhra Pradesh" and "Anakapalle Town"	PASSED	0.680 s
8	And User click on the search button	PASSED	0.175 s
9	Then User must be able to view the storeresult	PASSED	2.528 s

Find Preschool Locator

<div>FAILED</div> <div>DURATION - 50.363 s</div>		<div>Scenarios</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 2</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 18</div> <div>Pass - 6</div> <div>Fail - 2</div> <div>Skip - 10</div>	<div></div>
/ 9:22:50.394 pm // 9:23:40.757 pm /					

Search for a Preschool in city

FAILED	DURATION - 42.453 s		Steps Total - 9 Pass - 5 Fail - 1 Skip - 3	
/ 9:22:50.394 pm // 9:23:32.847 pm /				
<i>Find Preschool Locator</i>				
@FirstCry				



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.757 s
2	When User log into the application with credentials	PASSED	35.825 s
3	When user can click on storeandpreschool	PASSED	0.253 s
4	And user can click on findpreschool	PASSED	0.197 s
5	And user switches focus to new tab	PASSED	0.018 s
6	Then user should be on "FirstCry Intellitots Preschool Locator: Find a Preschool Near You" tab java.lang.AssertionError: expected [] but found [FirstCry Intellitots Preschool Locator: Find a Preschool Near You] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at steps.PreSchoolStep.user_should_be_on_tab(PreSchoolStep.java:47) at ?.user should be on "FirstCry Intellitots Preschool Locator: Find a Preschool Near You" tab(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/6.PreSchool.feature:13) * Not displayable characters are replaced by '?'.	FAILED	1.928 s
7	And user search for "Agra"	SKIPPED	0.000 s
8	And click on findmy preschool	SKIPPED	0.000 s
9	Then User should see preschools in "Agra"	SKIPPED	0.000 s

Search for a Preschool in city



FAILED	DURATION - 7.896 s		Steps Total - 9 Pass - 1 Fail - 1 Skip - 7	
/ 9:23:32.861 pm // 9:23:40.757 pm /				
Find Preschool Locator				
@FirstCry				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.897 s
2	When User log into the application with credentials org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on windows (dba98fc9289b09129fa36f440a4b1b28)] -> xpath: //li[@class='logreg']/child::span[1]] (tried for 5 second(s) with 500 milliseconds interval) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:42797}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:42797/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dba98fc9289b09129fa36f440a4b1b28 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at pages.LoginPage.clickOnLogin(LoginPage.java:34) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:116) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/6.PreSchool.feature:6) * Not displayable characters are replaced by '?'.	FAILED	5.527 s
3	When user can click on storeandpreschool	SKIPPED	0.000 s
4	And user can click on findpreschool	SKIPPED	0.000 s
5	And user switches focus to new tab	SKIPPED	0.000 s
6	Then user should be on "FirstCry Intellitots Preschool Locator: Find a Preschool Near You" tab	SKIPPED	0.005 s
7	And user search for "Agra"	SKIPPED	0.000 s
8	And click on findmy preschool	SKIPPED	0.000 s
9	Then User should see preschools in "Agra"	SKIPPED	0.000 s

Manage Cart

FAILED	DURATION - 1 m 35.884 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 16 Pass - 4 Fail - 2 Skip - 10	
/ 9:23:40.780 pm // 9:25:16.664 pm /					

Manage Cart Functions

<div>FAILED</div> <div>DURATION - 48.826 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 9:23:40.780 pm // 9:24:29.606 pm /</div>				
<div>Manage Cart</div>				
<div>@FirstCry</div>				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.717 s
2	When User log into the application with credentials	PASSED	36.452 s
3	When User add a few products to the cart <div> <div>pens</div> <div>books</div> </div> <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on windows (dba98fc9289b09129fa36f440a4b1b28)] -> xpath: (//span[@class='M16_white'])[4]] (tried for 5 second(s) with 500 milliseconds interval) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:42797}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:42797/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dba98fc9289b09129fa36f440a4b1b28 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at pages.ProductsPage.clickOnAddToCart(ProductsPage.java:31) at steps.CartFuncStep.user_add_a_few_products_to_the_cart(CartFuncStep.java:38) at ?.User add a few products to the cart(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/7.CartFunction.feature:9)</pre>	FAILED	10.320 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. And User click on cart		
4	And User click on cart	SKIPPED	0.000 s
5	Then user can see "<allproducts>" in the cart	SKIPPED	0.000 s
6	When User move a product to the shortlist	SKIPPED	0.000 s
7	When User change the quantity of product from the cart	SKIPPED	0.000 s
8	Then the "<quantity>" should be changed	SKIPPED	0.000 s



Manage Cart Functions

<div>FAILED</div> <div>DURATION - 47.052 s</div>		<table><caption>Step Durations (s)</caption><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>~2</td></tr><tr><td>2</td><td>~35</td></tr><tr><td>3</td><td>~8</td></tr><tr><td>4</td><td>0</td></tr><tr><td>5</td><td>0</td></tr><tr><td>6</td><td>0</td></tr><tr><td>7</td><td>0</td></tr><tr><td>8</td><td>0</td></tr></tbody></table>	Step	Duration (s)	1	~2	2	~35	3	~8	4	0	5	0	6	0	7	0	8	0	<div>Steps</div> <div>Total - 8</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 5</div>	
Step	Duration (s)																					
1	~2																					
2	~35																					
3	~8																					
4	0																					
5	0																					
6	0																					
7	0																					
8	0																					
/ 9:24:29.612 pm // 9:25:16.664 pm /																						
Manage Cart																						
@FirstCry																						



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	1.914 s
2	When User log into the application with credentials	PASSED	36.102 s
3	When User add a few products to the cart pens books org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on windows (dba98fc9289b09129fa36f440a4b1b28)] -> xpath: (//span[@class="M16_white"])[4]] (tried for 5 second(s) with 500 milliseconds interval) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:42797}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:42797/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dba98fc9289b09129fa36f440a4b1b28 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at pages.ProductsPage.clickOnAddToCart(ProductsPage.java:31)	FAILED	8.379 s

#	Step / Hook Details	Status	Duration
	at steps.CartFuncStep.user_add_a_few_products_to_the_cart(CartFuncStep.java:38) at ?.User add a few products to the cart(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/7.CartFunction.feature:9) * Not displayable characters are replaced by '?'.		
4	And User click on cart	SKIPPED	0.000 s
5	Then user can see "<allproducts>" in the cart	SKIPPED	0.000 s
6	When User move a product to the shortlist	SKIPPED	0.000 s
7	When User change the quantity of product from the cart	SKIPPED	0.000 s
8	Then the "<quantity>" should be changed	SKIPPED	0.000 s

Manage Shortlisted Products

FAILED	DURATION - 5.459 s	Scenarios		Steps	
/ 9:25:16.681 pm // 9:25:22.140 pm /		Total - 2		Total - 16	
		Pass - 0		Pass - 1	
		Fail - 2		Fail - 1	
		Skip - 0		Skip - 14	

Manage Shortlist Functions

FAILED	DURATION - 5.429 s		Steps	
/ 9:25:16.681 pm // 9:25:22.110 pm /			Total - 8	
Manage Shortlisted Products			Pass - 1	
@FirstCry			Fail - 1	
			Skip - 6	



#	Step / Hook Details	Status	Duration
1	Given User navigate to the FirstCry URL	PASSED	0.060 s
2	When User log into the application with credentials	FAILED	5.079 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.59) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dba98fc9289b09129fa36f440a4b1b28, findElement {using=xpath, value=//li[@class='logreg']/child::span[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir:		

#	Step / Hook Details	Status	Duration
	<p>C:\Users\lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:42797}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:42797/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dba98fc9289b09129fa36f440a4b1b28</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy45.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:295) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:227) at pages.LoginPage.clickOnLogin(LoginPage.java:34) at steps.SharedSteps.user_log_into_the_application_with_credentials(SharedSteps.java:116) at ?.User log into the application with credentials(file:///F:/Mphasis%20Practice%20Eclipse/RLLProject/src/test/java/features/8.ShortlistFunction.feature:6) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - steps.SharedSteps.afterStep(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.59) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dba98fc9289b09129fa36f440a4b1b28, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:</p>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:42797}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:42797/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dba98fc9289b09129fa36f440a4b1b28 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at utilities.ScreenShotUtility.captureScreenshot(ScreenShotUtility.java:15) at steps.SharedSteps.afterStep(SharedSteps.java:67)		
3	When User shortlist few products	SKIPPED	0.001 s
	toys bangles		
4	And User click on the Shortlist button	SKIPPED	0.000 s
5	Then user can see "<allproducts>" in the shortlist	SKIPPED	0.001 s
6	When User add a product to the cart from the shortlist	SKIPPED	0.000 s
7	When User delete a product from the shortlist	SKIPPED	0.001 s
8	Then the "<product>" should be removed from the shortlist	SKIPPED	0.000 s
	AFTER - steps.SharedSteps.teardownScenario(io.cucumber.java.Scenario)	FAILED	0.003 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.59) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dba98fc9289b09129fa36f440a4b1b28, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:42797}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:42797/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true,		

#	Step / Hook Details	Status	Duration
	<p>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dba98fc9289b09129fa36f440a4b1b28</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:455) at steps.SharedSteps.teardownScenario(SharedSteps.java:79)</p>		

Manage Shortlist Functions

<div>FAILED</div> <div>DURATION - 0.015 s</div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	
/ 9:25:22.125 pm // 9:25:22.140 pm /				
Manage Shortlisted Products				
@FirstCry				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - steps.SharedSteps.setupScenario(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.59) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dba98fc9289b09129fa36f440a4b1b28, deleteAllCookies {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:42797}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:42797/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true,</p>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<p>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dba98fc9289b09129fa36f440a4b1b28</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.deleteAllCookies(RemoteWebDriver.java:800) at steps.SharedSteps.setupScenario(SharedSteps.java:57)</p>		
1	Given User navigate to the FirstCry URL	SKIPPED	0.001 s
2	When User log into the application with credentials	SKIPPED	0.000 s
3	When User shortlist few products	SKIPPED	0.000 s
	<div>toys</div> <div>bangles</div>		
4	And User click on the Shortlist button	SKIPPED	0.000 s
5	Then user can see "<allproducts>" in the shortlist	SKIPPED	0.000 s
6	When User add a product to the cart from the shortlist	SKIPPED	0.000 s
7	When User delete a product from the shortlist	SKIPPED	0.000 s
8	Then the "<product>" should be removed from the shortlist	SKIPPED	0.000 s
	AFTER - steps.SharedSteps.teardownScenario(io.cucumber.java.Scenario)	FAILED	0.005 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.59) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dba98fc9289b09129fa36f440a4b1b28, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:42797}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:42797/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,</p>		

#	Step / Hook Details	Status	Duration
	<pre>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dba98fc9289b09129fa36f440a4b1b28 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:455) at steps.SharedSteps.teardownScenario(SharedSteps.java:79)</pre>		