

# The GrGen.NET ToDo-List

## Frontend (Java):

ToDo:

- In replace/modify-part `typeof` does not work when used with retyping of nodes and/or edges.
- For .grg-files, that are empty except for the `actions` statement, GrGen wrongly reports an error.
- In declarations of enumeration types (keyword `enum`) user defined integer values can be assigned to elements. However, on the RHS of such „assignments“ it should be possible to use already defined elements of that enumeration types in expressions (e.g., `... x = 42, y = x + 3...`). However, GrGen does not accept this.
- Warnings should be raised at:
  - In modify parts, if a graph element occurs *inside* as well as *outside* a `delete` statement.
  - If an assignment `x.a = ...` occurs inside an `eval`, but the graph element `x` will be deleted on a rewrite.
  - If one or more attributes of a newly created node are not initialized by the eval part of the respective rule.
- The statements `actions` and `model` should be removed from the specification language of GrGen.NET. However, if such a statement occurs at the beginning of a specification, a deprecated-warning should be raised.

Done:

- In modify-parts the error detection wrongly reports invalid reuse of nodes and edges.  
{seems to work now—Batz 7/17/2007}
- Dangling edge graphlets on the RHS should work, if the edge is a reused one and if all incident pattern nodes of that edge are also reused. However, if such an edge is retyped, GrGen wrongly reports an error.  
{seems to work now—Batz 7/17/2007}
- Annotations of anonymous nodes and edges do not work.  
{implemented—Batz 7/14/2007}

- If the filename of a .grg-file does not conform with the name given along with the **actions** keyword, an error is raised (which is just the right behaviour). However, the output file is generated all the same, which should not happen. {fixed—Batz 7/13/2007}
- Error detection for the **return** statement is erroneous. {seems to work now—Batz 7/13/2007}
- At test case should\_fail/ret\_001.grg: The signature of the rule demands a type **AB**. However, if you return a type **C** (that is no subtype of **AB**) no error is reported, which were the right behaviour. {as the return stuff now works, this works, too—Batz 7/13/2007}

## **C#-Searchplan-Backend (Java):**

ToDo:

- Find out whether the C#-code generated for /should\_pass/basic\_027.grg is correct. Batz does not think, that this is the case. What does Kroll say?

Done:

## **Backend (C#):**

ToDo: Done:

## **Other things like, e.g., bugs of unknown origin**

ToDo: Done: