Introduction to Financial Models Lecture 02: Surprises & Paradoxes II


Coin Rotation Paradox

2 Braess Paradox

3 The Social Cost of Traffic at Equilibrium


Coin Rotation Paradox


The 1982 SAT Question Everyone Got Wrong





The radius of circle A is $\frac{1}{3}$ of the radius of circle B. Circle A rolls around circle B one trip back to its starting point. How many times will circle A revolve in total?


- (a) $\frac{3}{2}$ (b) 3 (c) 6 (d) $\frac{9}{2}$ (e) 9































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































Animation of Coin Rotation Paradox: Python Code I

```
import math
import matplotlib.pyplot as plt
from matplotlib.patches import Circle, Wedge
from matplotlib.transforms import Affine2D
from matplotlib.backends.backend_pdf import PdfPages
import os; os.chdir(os.path.dirname(__file__))
# Set the radii
R = 1.5 # Radius of the outer (stationary) coin
r = 0.5 # Radius of the inner (rolling) coin
def create_logo(ax, x, y, radius, angle):
    # Create a simple smiley face logo
    face = Circle((0, 0), radius * 0.7, fill=True, color="cyan")
    left eye = Circle((-radius * 0.3, radius * 0.2), radius *
    → 0.1, fill=True, color="black")
    right eye = Circle((radius * 0.3, radius * 0.2), radius *
    → 0.1, fill=True, color="black")
```

Animation of Coin Rotation Paradox: Python Code II

```
mouth = Wedge((0, 0), radius * 0.5, 225, 315, width=radius *
    → 0.1, color="black")
    # Create a transformation
   t = Affine2D().rotate(-angle).translate(x, y) + ax.transData
    # Apply the transformation to all elements
   face.set_transform(t)
    left eye.set transform(t)
   right eye.set transform(t)
   mouth.set transform(t)
    ax.add artist(face)
    ax.add artist(left eye)
    ax.add_artist(right_eye)
    ax.add_artist(mouth)
def create_frame(angle):
```

Animation of Coin Rotation Paradox: Python Code III

```
# Create figure and axis
fig, ax = plt.subplots(figsize=(8, 8))
# Set limits and aspect ratio
ax.set xlim(-(R + r + 1), R + r + 1)
ax.set ylim(-(R + r + 1), R + r + 1)
ax.set aspect("equal")
# Remove axis ticks
ax.set xticks([])
ax.set yticks([])
# Calculate position of the rolling coin's center
x = (R + r) * math.cos(angle)
y = (R + r) * math.sin(angle)
# Calculate position of the point on the edge of the moving
```

Animation of Coin Rotation Paradox: Python Code IV

```
point_x = x + r * math.cos((R + r) / r * angle)
point_y = y + r * math.sin((R + r) / r * angle)
# Draw stationary coin
stationary coin = Circle((0, 0), R, fill=False, color="blue")
ax.add artist(stationary coin)
# Draw rotating coin
rotating_coin = Circle((x, y), r, fill=False, color="red")
ax.add artist(rotating coin)
# Add logo to the rotating coin
create_logo(ax, x, y, r, (R + r) / r * angle)
# Draw point on the edge of the moving coin
ax.plot(point_x, point_y, "ro")
# Draw cardioid path
```

Animation of Coin Rotation Paradox: Python Code V

```
theta = [i * 2 * math.pi / 100 for i in range(int(100 * angle
    \rightarrow / (2 * math.pi)) + 1)]
    cardioid_x = [(R + r) * math.cos(t) + r * math.cos((R + r) / r)]

→ r * t) for t in thetal

    cardioid y = [(R + r) * math.sin(t) + r * math.sin((R + r))]
    \rightarrow r * t) for t in thetal
    ax.plot(cardioid x, cardioid y, "g-")
    # Add title
    ax.set title(f"Rotation: {angle/(2*math.pi)*360:.1f}")
    return fig
# Generate 512 frames and save them into a single PDF
num_frames = 512
pdf_filename = 'coin_rotation_paradox.pdf'
tex = \Pi
```

Animation of Coin Rotation Paradox: Python Code VI

```
with PdfPages(pdf filename) as pdf:
    for i in range(num frames + 1):
        angle = i * 2 * math.pi / num frames
        fig = create frame(angle)
        pdf.savefig(fig, bbox inches='tight', pad inches=0.1,
        \rightarrow dpi=300)
        plt.close(fig)
        # Generate LaTeX commands referencing pages (1-based
         \rightarrow indexing)
        tex.append(f'\\only<{i +
         → 1}>{{\\includegraphics[width=.6\\textwidth, page={i}

    + 1}]{{fig/note02/coin_rotation_paradox.pdf}}\\noind_|


    ent}}')


# Write the LaTeX overlayarea content to a .tex file
open('../../coin.tex',
→ 'w').write(f"\\hspace*{{\\dimexpr(\\textwidth - .6\\textwidt}
\rightarrow h)/2\relax}\n\begin{{overlayarea}}{{\\textwidth}}{{0.7\\t_|}}

    extheight}\n{'\n'.join(tex)}\n\\end{{overlayarea}}")


                                                                  11 / 23
```

Braess Paradox







ullet A highway network, with each edge labeled by its travel time (in minutes) when there are x cars using it




- A highway network, with each edge labeled by its travel time (in minutes) when there are x cars using it
- Suppose there are 4000 cars need to get from A to B




- A highway network, with each edge labeled by its travel time (in minutes) when there are x cars using it
- Suppose there are 4000 cars need to get from A to B
- They divide evenly over the two routes at equilibrium; the travel time is 45 + 2000/100 = 65 mins






• Now a very fast edge is added from C to D to the previous highway network




- Now a very fast edge is added from C to D to the previous highway network
- At equilibrium, every user uses the route through C and D




- Now a very fast edge is added from C to D to the previous highway network
- At equilibrium, every user uses the route through C and D
- As a result, the travel time is 4000/10 + 0 + 4000/100 = 80 mins!

Braess' Example




Braess' Example



 \bullet Assume a flow of 6 units (e.g., 6000 vehicles) must travel from 1 to 4

Braess' Example



- Assume a flow of 6 units (e.g., 6000 vehicles) must travel from 1 to 4
- Three paths exist: $B_1 = 124$, $B_2 = 1324$, $B_3 = 134$

• Case 1: All Paths Open. Split the flow equally (2 units each):

• Case 1: All Paths Open. Split the flow equally (2 units each):

$$b_{12} = 2$$
, $b_{24} = 4$, $b_{34} = 2$, $b_{13} = 4$, $b_{32} = 2$
 $d_{12} = 52$, $d_{24} = 40$, $d_{34} = 52$, $d_{13} = 40$, $d_{32} = 12$
 $L(B_1) = L(B_2) = L(B_3) = 92$

• Case 1: All Paths Open. Split the flow equally (2 units each):

$$b_{12} = 2$$
, $b_{24} = 4$, $b_{34} = 2$, $b_{13} = 4$, $b_{32} = 2$
 $d_{12} = 52$, $d_{24} = 40$, $d_{34} = 52$, $d_{13} = 40$, $d_{32} = 12$
 $L(B_1) = L(B_2) = L(B_3) = 92$

All paths are critical (maximal length). This distribution is stable: Switching paths increases load and travel time beyond 92.

• Case 1: All Paths Open. Split the flow equally (2 units each):

$$b_{12} = 2$$
, $b_{24} = 4$, $b_{34} = 2$, $b_{13} = 4$, $b_{32} = 2$
 $d_{12} = 52$, $d_{24} = 40$, $d_{34} = 52$, $d_{13} = 40$, $d_{32} = 12$
 $L(B_1) = L(B_2) = L(B_3) = 92$

All paths are critical (maximal length). This distribution is stable: Switching paths increases load and travel time beyond 92.

• Case 2: Ban Edge k_{32} . Split flow equally between B_1 and B_3 (3 units each):

Case 1: All Paths Open. Split the flow equally (2 units each):

$$b_{12} = 2$$
, $b_{24} = 4$, $b_{34} = 2$, $b_{13} = 4$, $b_{32} = 2$
 $d_{12} = 52$, $d_{24} = 40$, $d_{34} = 52$, $d_{13} = 40$, $d_{32} = 12$
 $L(B_1) = L(B_2) = L(B_3) = 92$

All paths are critical (maximal length). This distribution is stable: Switching paths increases load and travel time beyond 92.

• Case 2: Ban Edge k_{32} . Split flow equally between B_1 and B_3 (3 units each):

$$b_{12} = b_{24} = b_{13} = b_{34} = 3$$

 $d_{12} = 53, \ d_{24} = 30, \ d_{13} = 30, \ d_{34} = 53$
 $L(B_1) = L(B_3) = 83$

Braess' Example: Cont'd

Case 1: All Paths Open. Split the flow equally (2 units each):

$$b_{12} = 2$$
, $b_{24} = 4$, $b_{34} = 2$, $b_{13} = 4$, $b_{32} = 2$
 $d_{12} = 52$, $d_{24} = 40$, $d_{34} = 52$, $d_{13} = 40$, $d_{32} = 12$
 $L(B_1) = L(B_2) = L(B_3) = 92$


All paths are critical (maximal length). This distribution is stable: Switching paths increases load and travel time beyond 92.


• Case 2: Ban Edge k_{32} . Split flow equally between B_1 and B_3 (3 units each):

$$b_{12} = b_{24} = b_{13} = b_{34} = 3$$


 $d_{12} = 53, d_{24} = 30, d_{13} = 30, d_{34} = 53$
 $L(B_1) = L(B_3) = 83$

Despite losing a connection, all paths are shorter!







ullet Recall that $B_1=124$, $B_2=1324$, $B_3=134$




- Recall that $B_1 = 124$, $B_2 = 1324$, $B_3 = 134$
- A single vehicle ignoring the ban on k_{32} (where $d_{32}=10$) takes B_2 with $L(B_2)=70$, gaining an advantage.



- Recall that $B_1 = 124$, $B_2 = 1324$, $B_3 = 134$
- A single vehicle ignoring the ban on k_{32} (where $d_{32} = 10$) takes B_2 with $L(B_2) = 70$, gaining an advantage.
- If the ban is lifted, many use B_2 , reverting to the original state.



- Recall that $B_1 = 124$, $B_2 = 1324$, $B_3 = 134$
- A single vehicle ignoring the ban on k_{32} (where $d_{32} = 10$) takes B_2 with $L(B_2) = 70$, gaining an advantage.
- If the ban is lifted, many use B_2 , reverting to the original state.
- Consider an intermediate step: 5 units on B_1 and B_3 , 1 on B_2 , then $L(B_1) = L(B_3) = 87.5$, $L(B_2) = 82.5$.



- Recall that $B_1 = 124$, $B_2 = 1324$, $B_3 = 134$
- A single vehicle ignoring the ban on k_{32} (where $d_{32} = 10$) takes B_2 with $L(B_2) = 70$, gaining an advantage.
- If the ban is lifted, many use B_2 , reverting to the original state.
- Consider an intermediate step: 5 units on B_1 and B_3 , 1 on B_2 , then $L(B_1) = L(B_3) = 87.5$, $L(B_2) = 82.5$.
- B_2 users clog k_{13} and k_{24} (factor 10 in load-time relation), worsening times for B_1 and B_3 beyond 83; Yet B_2 remains shortest, attracting more traffic and degrading the system for all.

• The mechanical analogy: the spring paradox

- The mechanical analogy: the spring paradox
- Road closure in NY: Times and Herald Squares pedestrian plaza (2009 —)





- The mechanical analogy: the spring paradox
- Road closure in NY: Times and Herald Squares pedestrian plaza (2009 —)





• Cheonggyecheon restoration project (2003 —)

- The mechanical analogy: the spring paradox
- Road closure in NY: Times and Herald Squares pedestrian plaza (2009 —)





- Cheonggyecheon restoration project (2003 —)
 - Replaced a six lane highway with a five mile long park, traffic flow improved

The Social Cost of Traffic at Equilibrium

A traffic network is a directed graph with:

• Nodes: Start and destination points for drivers.

- Nodes: Start and destination points for drivers.
- **Edges**: Roads with travel-time functions $T_e(x) = a_e x + b_e$, where x is the number of drivers.

- Nodes: Start and destination points for drivers.
- **Edges**: Roads with travel-time functions $T_e(x) = a_e x + b_e$, where x is the number of drivers.
- Traffic Pattern: Path choices for all drivers.

- Nodes: Start and destination points for drivers.
- **Edges**: Roads with travel-time functions $T_e(x) = a_e x + b_e$, where x is the number of drivers.
- Traffic Pattern: Path choices for all drivers.
- **Social Cost**: Social-Cost(Z) = \sum_{drivers} (travel time), summed over all drivers in pattern Z.

- Nodes: Start and destination points for drivers.
- **Edges**: Roads with travel-time functions $T_e(x) = a_e x + b_e$, where x is the number of drivers.
- Traffic Pattern: Path choices for all drivers.
- **Social Cost**: Social-Cost(Z) = \sum_{drivers} (travel time), summed over all drivers in pattern Z.
- Social Optimum: Pattern minimizing social cost.

- Nodes: Start and destination points for drivers.
- **Edges**: Roads with travel-time functions $T_e(x) = a_e x + b_e$, where x is the number of drivers.
- Traffic Pattern: Path choices for all drivers.
- Social Cost: Social-Cost(Z) = \sum_{drivers} (travel time), summed over all drivers in pattern Z.
- Social Optimum: Pattern minimizing social cost.
- Nash Equilibrium: No driver can reduce their travel time by switching paths, given others' choices.




Figure: A version of Braess's Paradox: In the socially optimal traffic pattern (on the left), the social cost is 28, while in the unique Nash equilibrium (on the right), the social cost is 32.

To find an equilibrium:

To find an equilibrium:

Start with any traffic pattern.

To find an equilibrium:

- Start with any traffic pattern.
- ② If not an equilibrium, some driver can switch to a path with less travel time.

To find an equilibrium:

- Start with any traffic pattern.
- If not an equilibrium, some driver can switch to a path with less travel time.
- Update the pattern and repeat until no driver wants to switch.

To find an equilibrium:

- Start with any traffic pattern.
- If not an equilibrium, some driver can switch to a path with less travel time.
- Update the pattern and repeat until no driver wants to switch.

Does this best-response dynamics process always converge?

To find an equilibrium:

- Start with any traffic pattern.
- If not an equilibrium, some driver can switch to a path with less travel time.
- Update the pattern and repeat until no driver wants to switch.

Does this best-response dynamics process always converge?

• Define *potential energy* for an edge *e* with *x* drivers:

$$Energy(e) = T_e(1) + T_e(2) + \cdots + T_e(x)$$

To find an equilibrium:

- Start with any traffic pattern.
- If not an equilibrium, some driver can switch to a path with less travel time.
- Update the pattern and repeat until no driver wants to switch.

Does this best-response dynamics process always converge?

• Define *potential energy* for an edge *e* with *x* drivers:

$$\mathsf{Energy}(e) = T_e(1) + T_e(2) + \cdots + T_e(x)$$

ullet Total potential energy of a pattern Z is

$$\mathsf{Energy}(Z) = \sum_{e} \mathsf{Energy}(e)$$

To find an equilibrium:

- Start with any traffic pattern.
- If not an equilibrium, some driver can switch to a path with less travel time.
- Update the pattern and repeat until no driver wants to switch.

Does this best-response dynamics process always converge?

• Define *potential energy* for an edge *e* with *x* drivers:

$$\mathsf{Energy}(e) = \mathit{T}_e(1) + \mathit{T}_e(2) + \cdots + \mathit{T}_e(x)$$

ullet Total potential energy of a pattern Z is

$$Energy(Z) = \sum_{e} Energy(e)$$

• If no drivers use e, Energy(e) = 0

To find an equilibrium:

- Start with any traffic pattern.
- If not an equilibrium, some driver can switch to a path with less travel time.
- Update the pattern and repeat until no driver wants to switch.

Does this best-response dynamics process always converge?

• Define *potential energy* for an edge *e* with *x* drivers:

$$\mathsf{Energy}(e) = T_e(1) + T_e(2) + \cdots + T_e(x)$$

ullet Total potential energy of a pattern Z is

$$Energy(Z) = \sum_{e} Energy(e)$$

- If no drivers use e, Energy(e) = 0
- Social cost can increase or decrease with best-response steps (e.g., from 28 to 32 in the Braess example), but potential energy strictly decreases, serving as a progress measure.

References

- Braess, D., Nagurney, A., and Wakolbinger, T. (2005). On a paradox of traffic planning. *Transportation Science*, 39(4):446–450. Paper.
 - Easley, D. and Kleinberg, J. (2010). *Networks, Crowds, and Markets:* Reasoning about a Highly Connected World. Cambridge University Press, Cambridge. Preprint.
- Roughgarden, T. (2005). Selfish Routing and the Price of Anarchy. The MIT Press, Cambridge, MA. Extension of the PhD thesis.
- Roughgarden, T. and Tardos, E. (2002). How bad is selfish routing? *Journal of the ACM*, 49(2):236–259. Preprint.
- Steinberg, R. and Zangwill, W. I. (1983). The prevalence of Braess' paradox. *Transportation Science*, 17(3):301–318.