Contents

引言	2
二. 聲明與通訊	=
1) 宣布疫情狀況	3
a) 聲明疫病流行狀態	3
b) 應變委員會成員:	3
2) 疫病應變層級	3
3) 通訊:	∠
4) 服務的連續性:	∠
四. 持續性及疫病災害應變:	
1) 疫病應變層級	5
2) 應變計劃	5
四. 準備程度	7
Appendix A: Federal/Provincial/Territorial Public Health Response Plan for Biological Events	8
Appendix B: C&MA Pandemic Influenza Plan 2015	11
Appendix C: 緊急聯絡資料單	12
Appendix D: 高風險族群口袋聯絡卡	13
Appendix E: 教會緊急通信錄	14

引言

此計劃為溫莎華人宣道會根據外部如世衛組織,加拿大衛生局及加拿大宣道會的標準所制定的流行疾病應變計劃。計劃的目的是在流行疫病發生時,教會能有準備能照顧會友,並擔起主耶穌交付我們彼此相愛的大命令。不只在生活需求上,並且在屬靈上能繼續供養羊群的需要。並且能藉此向世人見證福音的大能。我們瞭解萬事都有神的美意,並且神永遠掌權。離了主耶穌基督我們甚麼也做不了。越是困難的時候,越是神的兒女見證在主裏的平安的時候。我們願意順服在聖靈的導引下,為任流行何疫病的情況做好準備。以期在災害發生時,教會可以借實際行動榮神益人。

一,計劃目標

此計劃的目標是提供一份當有流行傳染病疫情發生時可以立即施行前的指導方針。當流行性疾病疫情發生的時候,教會需要準備好提供相關配套措施去服事神放在我們週邊的鄰舍。此計劃必需顧及身體與屬靈的需要。

- 1. 當流行性疫情發生時,教會需準備好以減小疫情對弟兄姊妹及周邊社區的衝擊。
- 2. 教會能夠繼續做且將基督福音帶來的永生的盼望,消除對死亡的懼怕的訊息帶給世人,並且能實際提供弟兄姊妹及鄰舍生活上的保護及幫助。

二.聲明與通訊

在疫情爆發的情況下,根據加拿大公共衛生署的指導方針,溫宣領導層必須與會眾交流並進行溝通,這一點至關重要。 在流行期間,謠言傾向於在社交媒體上傳播,從而引起不必要的恐慌。 溫宣領導應以祈禱和利用多種渠道與會眾進行交流,以保護會眾免受假信息的侵害。

1) 宣布疫情狀況

a) 如果需要聲明疫病流行狀態,由長議會遴選之應變委員會應通過電子郵件商討並同意該狀態。做出決定後,由長議會主席通知各語執行官向會眾宣佈。

b) 應變委員會成員如下:

Roles Personnel		Contact information		
Epidemic commander	Adam Yang	248 946 7530, cyang17@gmail.com		
Mandarin Executor	Pastor Niu	519 562 9931, fatherabe99@gmail.com		
Cantonese Executor	Edwin Zung	734 865 0086, edwinzung@yahoo.com		
English Executor	Pastor Rob	226 346 9206, rmaclean2011@gmail.com		

2) 疫病應變層級

層級	考量條件	加拿大公共衛生署應變等級
<u> </u>	加拿大公共衛生署宣布提高疫病警	第二級- 升高
	覺	
升級	溫莎當地在本教會所接觸的社區中	第三級- 升級
	有確診案例且社區感染的風險增加	
緊急	PHAC 宣佈公共衛生緊急情況,並	第四級-緊急
	建議取消公眾聚會。	

3) 通訊:

如果發生地方性流行疫病,溫莎華人宣道會應該有適當的溝通渠道,例如電子郵件和社交媒體平台,以通報會眾和各事工的當前狀況和行動計劃,以下是一些溝通渠道。

- a) 主日崇拜的家事報告及週報。
- b)每個堂都應建立正式社交媒體管道(Facebook, 微信, WhatsApp...)作為額外的交流渠道。
- c) 建立全教會的的緊急聯繫名單,其中應包括以下內容(見 Appendix C):
 - 1. 姓名
 - 2. 教會聯絡人聯絡(團契聯絡人,小組長,牧師...)
 - 3. 聯絡媒體及方式
 - 4. 健康風險指標(年齡,溫莎有親戚嗎?有交通工具嗎?...)

4) 服務的連續性:

如果公眾聚會的風險太大,則應建立媒體串流服務,讓會眾可以線上聚會.並通過電子轉賬來收奉獻。

四. 持續性及疫病災害應變:

1) 疫病應變層級

層級	考量條件	加拿大公共衛生署應變等級
警告	加拿大公共衛生署宣布提高疫病警覺	第二級- 升高
升級	溫莎當地在本教會所接觸的社區中有	第三級- 升級
	確診案例且社區感染的風險增加	
緊急	PHAC 宣佈公共衛生緊急情況,並建	第四級-緊急
	議取消公眾聚會。	

2) 應變計劃

層級	主日崇拜	社區活動如團契,查經小組
1-警告	• 根據加拿大公共衛生署和溫莎/雅思	• 正常查經及團契活動應照常舉行。
	郡衛生局的公共信息對會眾宣布對流	小組長應拜訪關心缺席組員。
	行病的最新消息。	• 有最近到訪疫區旅遊史的人員應自己
	• 加強基本衛生措施,例如	在家根據疫病潛伏期隔離。
	○ 在教堂入口處設置酒精消毒洗手	
	液。	
	○ 避免身體接觸	
	•教會應提供基本防護給崇拜服事人員	
	如司是穿戴手套及點奉獻人員穿戴口	
	罩及手套。	
2-升級	• 除了上述防護措施,教會非最緊要的	• 除上述措施, 小組或團契非緊要活動
	聚集活動如午餐,中文學校可視情況	如聚餐應暫停。
	取消。	• 如果懷疑自己跟確診人員有接觸,應
	• 年長及有慢性疾病屬於高危險群的會	根據疫病潛伏期自主隔離。
	友可酌情停止到教會聚會。	• 個團契及小組應成立支援團隊為自主
	• 特殊活動如教會野餐,退休會應視情	隔離組員提供生活協助。
	況考慮取消。	
	• 為疫情進一步升溫做好準備:	

	手西昭南 / 日加维日西 <u>左</u> 供田	
	│ ○ 重要服事人員如講員要有備用	
	計劃。	
	o 測試網路串流設備 。	
	準備好可以接受銀行電匯奉	
	鬳 犬。	
3-緊急	• 所以教會活動應考慮暫停	• 所有團契及小組聚會應暫停。
	• 由教會成立由有相關專業如醫學,網	• 團契及小組領袖應定期聯絡所有契
	路等弟兄姊妹組成的緊急應變小組。	友及組員,提供代禱及情緒支持。
	確保能將最新訊息傳達給眾人。	• 如有任何組員得病或需特殊協助,
	• 激活緊急聯絡名單,確定所有弟兄	幫忙聯絡教會緊急應變小組來協助
	姊妹都有暢通管道在需要幫助時可以	處理。
	聯絡到教會協助同工。	• 如果鄰舍有需要幫忙的慕道友,也
	• 緊急應變小組應確定確定所有弟兄姊	可以聯絡教會提供協助。
	妹尤其是弱勢者的基本生活需求都有	
	得到照顧。	

四. 準備程度

為確保溫莎華人宣道會對流行病疫情的發生可以即時反應,下列文件需要事先準備好。

完成	文件
(Y/N)	
	最近更新的疫病應變計劃
	緊急反應小組 (ERT) 成員(每年更新)
	全教會的緊急通信錄
	教會網站
	各種媒體的溝通渠道
	線上串流系統
	銀行線上轉帳資訊
	名片型教會援助緊急聯絡卡讓需要的人隨身攜帶

Appendix A: Federal/Provincial/Territorial Public Health Response Plan for Biological Events

Table 1. F/P/T	Table 1. F/P/T Response Levels						
Level	Considerations	Example scenario(s)	Main Objective for the F/P/T response				
1-Routine	Need for information sharing, regarding a public health event, between affected jurisdiction and other federal, provincial, territorial or international authorities (e.g. WHO)	An outbreak of measles within a single jurisdiction.	Information Sharing	n/a - use routine channels/standing committees			
2-Heightened	Need for a routine public health response (i.e., outbreak response, response to an exposure or risk assessment) involving one or more jurisdictions.	A foodborne outbreak is occurring in multiple jurisdictions.	Outbreak Control	n/a - Potential use of Governance Structure concepts may be applied Implement response structure per regular coordinating instruments (e.g., FIORP OICC)			
3-Escalated	A coordinated F/P/T response is required for a public health event that:	no data	no data	Partial HPOC Event Manager and partial HPOC IMS as			
	a) is occurring in multiple jurisdictions within Canada and is unusual in its progression or severity requiring additional response support to manage either the pace or extended duration of the event.	A foodborne outbreak in Canada is resulting in unusual illness or requires additional response support.	Outbreak Control	required SAC and SAC Secretariat need for full P/T representation will be determined based on event (may only be affected areas), need for a TAC and LAC will also be determined based on response needs and tempo.			

Table 1. F/P/T	Table 1. F/P/T Response Levels					
Level	Considerations	Example scenario(s)	Main Objective for the F/P/T response	Governance Structure Activation		
	b) is occurring outside of Canada and is being caused by an unusual or unknown pathogen and/or has been declared a Public Health Emergency of International Concern	Zika epidemic in the Americas	Outbreak Prevention	Communications Task/subgroups and support teams as needed		
	c) has potential implications for the Canadian health care system	New outbreak due to a highly antibiotic resistant bacterium. Large scale vaccine supply issue with potential significant public health implications.	Risk Mitigation			
	d) will potentially require the provision of aid in the form of human resources (i.e., mobilizations) or medical counter measures held by Canada	Ebola outbreak in Africa	Support / Aid			
4-Emergency	A coordinated F/P/T response is required for:	no data	no data	Full SAC SAC Secretariat		
	a) an event in Canada that is causing significant illness and has the potential for rapid spread	MERS is being transmitted from person	Outbreak Control	TAC, LAC full HPOC IMS Communications		

evel	Considerations	Example scenario(s)	Main Objective for the F/P/T response	Governance Structure Activation
		to person in Canada.		Task/subgroups and support teams as needed
	b) a risk in Canada that has the potential for causing significant illness and/or could spread internationally from Canada	A medical counter measure produced in Canada is contaminated or causing unexpected serious adverse events.	Risk Mitigation / Exposure Control	
	c) a PHEIC declaration outside of Canada that could cause significant illness within Canada.	A novel influenza virus is spreading efficiently between humans.	Outbreak Prev	

Appendix B: C&MA Pandemic Influenza Plan 2015

Link: https://www.cmacan.org/wp-content/uploads/2020/01/pandemic-influenza-plan.pdf



Appendix C: 緊急聯絡資料單

WCAC Emergency Contact information Form

溫莎華人宣道會 個人緊急聯絡資料單

This information is for emergency contact purpose in case of a epidemic or disaster situation and the information will be kept secret

本資料是用於當流行疫病或緊急事件發生時聯絡會友用,其中資訊會保密只做教會用途

Name 姓名: Phone 電話: Home 住家				
Cell 行動				
Address 住址:				
Email 電郵:				
Birth Year 出生年:				
Emergency Contact 緊急聯絡人 Phone 電話:				
Resident status 居住狀態 (Check all that apply 可複選)				
□ Senior Apartment 老人公寓 □ Rental 租屋 □ Living Alone 獨居				
Primary Transportation 主要交通工具				
□ Own a Vehicle 自用車 □ Public Transportation 公交車 □ None 無				
Prefer way to be contacted 最方便連絡您的方式				
□ Phone 電話 □Email 電郵 □WeChat 微信: 微信號				
□ WhatsApp: Phone □ Line: Line ID				
□ Facebook □ Other media 其他				
Church Contact 教會聯絡人:				
Can be filled by small group leader or resident contact (可由小組長或公寓聯絡人填寫)				

Appendix D: 高風險族群口袋聯絡卡

TBD

Appendix E: 教會緊急通信錄

This is an example of columns needed for the Roster. The actual table can be in different format or media.

Name	Address	Phone	Emergency	Emergency	Church	Church	Best way to	Additional
			Contact	Contact Phone	Contact	Contact Role	Contact	Note
							(email,	
							WeChat,	
							Facebook,	
							WhatsApp)	