

ETL - Excel to MySQL

- 1) Analyze and clean the spreadsheet.
- 2) Identify and define the different entities, relationships, attributes, keys and domains.
- 3) Based on the above task, add new tab sheets on the excel, split columns' data, and define Transactional, Master Data, Reference Data, Metadata tables.
- 4) Normalize to 3NF the above tables, define PK and FK, and create additional tab sheets if necessary.
- 5) For each normalize table created generate the corresponding text file (.csv format) and save each text file on an ad' hoc folder
- 6) Create the Data Flow Diagram
- 7) Create the corresponding ERD.
- 8) Open the MySQL workbench.
- 9) Create a new database schema.
 - a. go to "Create a new schema on the connected server" ->
 - b. named superstore_2024.
 - c. Click apply.
 - d. Click apply.
 - e. Refresh the schema/tables panel on the left, the new schema will appear.
- 10) Create the corresponding tables.
 - a. Right-click on the new schema superstore_2024
 - b. From the pop-up menu select "Table Data Import the Wizard"
 - c. Browse and select the .csv file to import
 - d. Create new table.
 - e. Click next, next, next, finish
 - f. Refresh the schema/tables panel on the left, the new table(s) will appear.
 - g. Right-click on the table to check that "Select Rows – Limit 50000" is set otherwise, select "Select Rows – Limit 50000" and change the limit on the right panel.
 - h. Verify each table is complete
 - i. Repeat a) thru h) for each .csv data file you need to import.
- 11) Once all the database has been created and populated, proceed to reverse engineer the database and verify the imported model.
- 12) Define the PK and FK as needed (use SQL statements)
- 13) On the main menu go to "Database" and select "Reverse Engineer"
- 14) Next, next, select the database, next, next, execute, next, finish.
- 15) Organize the print schema diagram.
- 16) Use crow's foot notation to create the ERD (optional)

