



OVP Guide to Using Processor Models

Model Specific Information for variant MIPS32_1074Kc

Imperas Software Limited

Imperas Buildings, North Weston
Thame, Oxfordshire, OX9 2HA, UK
docs@imperas.com



Author	Imperas Software Limited
Version	0.4
Filename	OVP_Model_Specific_Information_mips32_1074Kc.pdf
Created	25 August 2015

Copyright Notice

Copyright © 2015 Imperas Software Limited. All rights reserved. This software and documentation contain information that is the property of Imperas Software Limited. The software and documentation are furnished under a license agreement and may be used or copied only in accordance with the terms of the license agreement. No part of the software and documentation may be reproduced, transmitted, or translated, in any form or by any means, electronic, mechanical, manual, optical, or otherwise, without prior written permission of Imperas Software Limited, or as expressly provided by the license agreement.

Right to Copy Documentation

The license agreement with Imperas permits licensee to make copies of the documentation for its internal use only. Each copy shall include all copyrights, trademarks, service marks, and proprietary rights notices, if any.

Destination Control Statement

All technical data contained in this publication is subject to the export control laws of the United States of America. Disclosure to nationals of other countries contrary to United States law is prohibited. It is the reader's responsibility to determine the applicable regulations and to comply with them.

Disclaimer

IMPERAS SOFTWARE LIMITED., AND ITS LICENSORS MAKE NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO THIS MATERIAL, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Table of Contents

1.0 Overview.....	4
1.1 Description.....	4
1.2 Licensing.....	4
1.3 Limitations.....	4
1.4 Verification.....	4
1.5 Features.....	4
2.0 Configuration.....	4
2.1 Location.....	4
2.2 GDB Path.....	4
2.3 Semi-Host Library.....	4
2.4 Processor Endian-ness.....	4
2.5 QuantumLeap Support.....	4
2.6 Processor ELF Code.....	4
3.0 Other Variants in this Model.....	5
4.0 Bus Ports.....	5
5.0 Net Ports.....	6
6.0 FIFO Ports.....	7
7.0 Parameters.....	7
8.0 Execution Modes.....	12
9.0 Exceptions.....	12
10.0 Hierarchy of the model.....	14
10.1 Level 1: CMP.....	14
10.2 Level 2: CPU.....	14
11.0 Model Commands.....	15
11.1 Level 1: CMP.....	15
11.2 Level 2: CPU.....	15
12.0 Registers.....	15
12.1 Level 1: CMP.....	15
12.2 Level 2: CPU.....	15
12.2.1 Core.....	15
12.2.2 DSP.....	16
12.2.3 Shadow.....	17
12.2.4 COP0.....	19
12.2.5 CMP_GCR.....	20
12.2.6 CMP_CPC.....	21
12.2.7 CMP_GIC.....	21
12.2.8 Integration_support.....	36

1.0 Overview

This document provides the details of an OVP Fast Processor Model variant. OVP Fast Processor Models are written in C and provide a C API for use in C based platforms. The models also provide a native interface for use in SystemC TLM2 platforms. The models are written using the OVP VMI API that provides a Virtual Machine Interface that defines the behavior of the processor. The VMI API makes a clear line between model and simulator allowing very good optimization and world class high speed performance. Most models are provided as a binary shared object and also as source. This allows the download and use of the model binary or the use of the source to explore and modify the model.

The models are run through an extensive QA and regression testing process and most model families are validated using technology provided by the processor IP owners.

There is a companion document (OVP Guide to Using Processor Models) which explains the general concepts of OVP Fast Processor Models and their use. It is downloadable from the OVPworld website documentation pages.

1.1 Description

MIPS32 Configurable Processor Model

1.2 Licensing

Usage of binary model under license governing simulator usage. Source of model available under Imperas Software License Agreement.

1.3 Limitations

If this model is not part of your installation, then it is available for download from www.OVPworld.org/MIPSEuser.

Cache model does not implement coherency

1.4 Verification

Models have been validated correct as part of the MIPS Verified program and run through the MIPS AVP test programs

1.5 Features

MIPS32 Instruction set implemented

MMU Type: Standard TLB

L1 I and D cache model in either full or tag-only mode implemented (disabled by default)

Vectored interrupts implemented

MIPS16e ASE implemented

DSP ASE Rev 2 implemented

2.0 Configuration

2.1 Location

The model source and object file is found in the VLNV tree at:

mips.ovpworld.org/processor/mips32/1.0

2.2 GDB Path

The default GDB for this model is found at:

`$IMPERAS_HOME/lib/$IMPERAS_ARCH/gdb/mips-sde-elf-gdb`

2.3 Semi-Host Library

The default semi-host library file is found in the VLNV tree at :

mips.ovpworld.org/semihosting/mips32SDE/1.0

2.4 Processor Endian-ness

This model can be set to either endian-ness (normally by a pin, or the ELF code).

2.5 QuantumLeap Support

This processor is qualified to run in a QuantumLeap enabled simulator.

2.6 Processor ELF Code

The ELF code supported by this model is: 0x8

3.0 Other Variants in this Model

Table 1.

Variant
ISA
M14K
M14KcTLB
M14KcFMM
4KEc
4KEm
4KEp
M4K
4Kc
4Km
4Kp
24Kc
24Kf
24KEc
24KEf
34Kc
34Kf
34Kn
74Kc
74Kf
1004Kc
1004Kf
1074Kc
1074Kf
microAptivC
microAptivP
microAptivCF
interAptiv
interAptivUP
proAptiv

4.0 Bus Ports

Table 2.

Type	Name	Bits
master (initiator)	INSTRUCTION	32
master (initiator)	DATA	32

5.0 Net Ports

Table 3.

Name	Type	Description
reset	input	CMP reset
dint	input	Debug external interrupt
int0	input	GIC external interrupt
int1	input	GIC external interrupt
int2	input	GIC external interrupt
int3	input	GIC external interrupt
int4	input	GIC external interrupt
int5	input	GIC external interrupt
int6	input	GIC external interrupt
int7	input	GIC external interrupt
int8	input	GIC external interrupt
int9	input	GIC external interrupt
int10	input	GIC external interrupt
int11	input	GIC external interrupt
int12	input	GIC external interrupt
int13	input	GIC external interrupt
int14	input	GIC external interrupt
int15	input	GIC external interrupt
int16	input	GIC external interrupt
int17	input	GIC external interrupt
int18	input	GIC external interrupt
int19	input	GIC external interrupt
int20	input	GIC external interrupt
int21	input	GIC external interrupt
int22	input	GIC external interrupt
int23	input	GIC external interrupt
int24	input	GIC external interrupt
int25	input	GIC external interrupt
int26	input	GIC external interrupt
int27	input	GIC external interrupt
int28	input	GIC external interrupt
int29	input	GIC external interrupt
int30	input	GIC external interrupt
int31	input	GIC external interrupt
int32	input	GIC external interrupt
int33	input	GIC external interrupt
int34	input	GIC external interrupt
int35	input	GIC external interrupt

int36	input	GIC external interrupt
int37	input	GIC external interrupt
int38	input	GIC external interrupt
int39	input	GIC external interrupt
reset_CPU0	input	Core reset
hwint0_CPU0	input	External interrupt
hwint1_CPU0	input	External interrupt
hwint2_CPU0	input	External interrupt
hwint3_CPU0	input	External interrupt
hwint4_CPU0	input	External interrupt
hwint5_CPU0	input	External interrupt
nmi_CPU0	input	Non-maskable external interrupt
hwint0	input	External interrupt for compatibility
reset_CPU1	input	Core reset
hwint0_CPU1	input	External interrupt
hwint1_CPU1	input	External interrupt
hwint2_CPU1	input	External interrupt
hwint3_CPU1	input	External interrupt
hwint4_CPU1	input	External interrupt
hwint5_CPU1	input	External interrupt
nmi_CPU1	input	Non-maskable external interrupt
reset_CPU2	input	Core reset
hwint0_CPU2	input	External interrupt
hwint1_CPU2	input	External interrupt
hwint2_CPU2	input	External interrupt
hwint3_CPU2	input	External interrupt
hwint4_CPU2	input	External interrupt
hwint5_CPU2	input	External interrupt
nmi_CPU2	input	Non-maskable external interrupt
reset_CPU3	input	Core reset
hwint0_CPU3	input	External interrupt
hwint1_CPU3	input	External interrupt
hwint2_CPU3	input	External interrupt
hwint3_CPU3	input	External interrupt
hwint4_CPU3	input	External interrupt
hwint5_CPU3	input	External interrupt
nmi_CPU3	input	Non-maskable external interrupt

6.0 FIFO Ports

No FIFO Ports in this model.

7.0 Parameters

Table 4.

Name	Type	Description
cacheenable	Enumeration	Select cache model mode default=0 tag=1 full=2
cachedebug	Uns32	Cache debug flags
cacheextbiuinfo	Pointer	Pointer to platform-provided BIU cache info structure
mipsHexFile	String	Load a MIPS hex file (test-mode)
IMPERAS_MIPS_AVP_OPCODES	Boolean	Enable MIPS-specific magic Pass/Fail opcodes (specific for AVP test termination)
cacheIndexBypassTLB	Boolean	When set, cache index ops do not generate TLB exceptions
MIPS_TRACE	Boolean	Enable MIPS-format trace output
supervisorMode	Boolean	Override whether processor implements supervisor mode
busErrors	Boolean	Override bus error exception behavior. When true, accesses of memory not defined by platform will cause bus error exceptions
fixedMMU	Boolean	Override the MMU type to fixed mapping when true (sets Config.MT=3, Config.KU/K23=2 and Config1.MMUSizeM1=0)
removeDSP	Boolean	Override the DSP-present configuration when true (sets Config3.DSPP/DSP2P=0)
removeCMP	Boolean	Override the CMP-Present configuration when true (sets Config3.CMGCR and GCR_BASE to 0)
removeFP	Boolean	Override the FP-Present configuration when true (sets Config1.FP to 0)
isISA	Boolean	Enable to specify ISA model (reset address from ELF, all coprocessors enabled)
hiddenTLBentries	Boolean	Deprecated - Instead set config1MMUSizeM1 to maximum value to improve performance
ITCNumEntries	Uns32	Specify number of ITC cells present (MT cores only)
ITCNumFIFO	Uns32	Specify number of ITC FIFO cells in reference ITC implementation (MT cores only)
MTFPU	Uns32	Enable multi-threaded FPU (1:old mttc1 behavior, 2:new mttc1 behavior)
supportDenormals	Boolean	Enable to specify that the FPU supports denormal operands and results
VPE0MaxTC	Uns32	Specifies the maximum TCs initially on VPE0
mpuRegions	Uns32	Number of regions for memory protection unit
mvpcnf0vpe	Uns32	Override MVPConf0.PVPE
mvpcnf0otc	Uns32	Override MVPConf0.PTC
mvpcnf0pcp	Boolean	Override MVPConf0.PCP
mvpcnf0tcp	Boolean	Override MVPConf0.TCP

configDSP	Boolean	Override Config.DSP (data scratchpad RAM present)
configISP	Boolean	Override Config.ISP (instruction scratchpad RAM present)
configK0	Uns32	Override power on value of Config.K0 (set Kseg0 cacheability)
configKU	Uns32	Override power on value of Config.KU (set Useg cacheability)
configK23	Uns32	Override power on value of Config.K23 (set Kseg23 cacheability)
configMDU	Boolean	Override Config.MDU (iterative multiply/divide unit)
configMM	Boolean	Override Config.MM (merging mode for write)
configMT	Uns32	Override Config.MT
configSB	Boolean	Override Config.SB (simple bus transfers only)
MIPS16eASE	Boolean	Override Config1.CA (enables the MIPS16e ASE)
config1DA	Uns32	Override Config1.DA (Dcache associativity)
config1DL	Uns32	Override Config1.DL (Dcache line size)
config1DS	Uns32	Override Config1.DS (Dcache sets per way)
config1EP	Boolean	Override Config1.EP (EJTag present)
config1IA	Uns32	Override Config1.IA (Icache associativity)
config1IL	Uns32	Override Config1.IL (Icache line size)
config1IS	Uns32	Override Config1.IS (Icache sets per way)
config1MMUSizeM1	Uns32	Override Config1.MMUSizeM1 (number of MMU entries-1)
config1WR	Boolean	Override Config1.WR (watchpoint registers present)
config1FP	Boolean	Override Config1.FP (FPU present)
config3BI	Boolean	Override Config3.BI
config3BP	Boolean	Override Config3.BP
config3CDMM	Boolean	Override Config3.CDMM
config3CTXTC	Boolean	Override Config3.CTXTC
config3DSPP	Boolean	Override Config3.DSPP
config3DSP2P	Boolean	Override Config3.DSP2P
config3IPLW	Uns32	Override Config3.IPLW
config3ISA	Uns32	Override Config3.ISA
config3ISAOnExc	Boolean	Override Config3.ISAOnExc
config3ITL	Boolean	Override Config3.ITL
config3MCU	Boolean	Override Config3.MCU
config3MMAR	Uns32	Override Config3.MMAR
config3RXI	Boolean	Override Config3.RXI
config3SC	Boolean	Override Config3.SC

config3ULRI	Boolean	Override Config3.ULRI
externalinterrupt	Boolean	Override Config3.VEIC (enables the use of an external interrupt controller)
vectoredinterrupt	Boolean	Override Config3.VInt (enables vectored interrupts)
config3VZ	Boolean	Override Config3.VZ
config4AE	Boolean	Override Config4.AE
config4IE	Uns32	Override Config4.IE
config4MMUConfig	Uns32	Override Config4.MMUConfig field (interpretation depends on MMUExtDef value)
config4MMUExtDef	Uns32	Override Config4.MMUExtDef
config4VTLBSizeExt	Uns32	Override Config4.VTLBSizeExt
config5EVA	Boolean	Override Config5.EVA
config5NFExists	Boolean	Override Config5.NFExists
config5MSAEn	Boolean	Override Config5.MSAEn
config6FTLBEEn	Boolean	Override power on value of Config6.FTLBEEn
config7AR	Boolean	Override Config7.AR (Alias removed Data cache)
config7DCIDX_MODE	Uns32	Override Config7.DCIDX_MODE
config7HCI	Boolean	Override Config7.HCI (Hardware Cache Initialization)
config7IAR	Boolean	Override Config7.IAR (Alias removed Instruction cache)
config7WII	Boolean	Override Config7.WII (wait IE/IXMT ignore)
fcsrABS2008	Boolean	Override FCSR.ABS2008 (ABS/NEG compliant with IEEE 754-2008)
fcsrNaN2008	Boolean	Override FCSR.NaN2008 (QNaN/SNaN encodings match IEEE 754-2008 recommendation)
firPS	Boolean	Override FIR.PS (PS floating point type implemented)
firHas2008	Boolean	Override FIR.Has2008 (one or more IEEE 754-2008 features present)
intctlIPFDC	Uns32	Override IntCtl.IPFDC
intctlIPTI	Uns32	Override IntCtl.IPTI
pridRevision	Uns32	Override PRId.Revision
srsctlHSS	Uns32	Override SRSCtl.HSS (number of shadow register sets)
ExceptionBase	Uns32	Specify the BEV Exception Base address. (use GCR_Cx_RESET_BASE on CMP processors)
UseExceptionBase	Boolean	Set to one to use ExceptionBase[29:12] as the corresponding BEV address bits
firstBEVExceptionBaseMaskBit	Uns32	Specify LSB position of GCR_Cx_RESET_EXT_BASE.BEVExceptionBaseMask field. Only used when SegCtl present

EVAReset	Boolean	Set to one to reset into non-legacy address map and BEV location. Only used when non-CMP and SegCtl present
ExceptionBaseMask	Uns32	Specify the ExceptionBaseMask value used for bits [27:firstBEVExceptionBaseMaskBit]. Only used when non-CMP and SegCtl present
ExceptionBasePA	Uns32	Bits [35:29] of the physical address for the BEV overlays. Only used when non-CMP and SegCtl present
GIC_EX	Boolean	CMP system only: GIC unit present
CPC_EX	Boolean	CMP system only: CPC unit present
TIMER_ROUTABLE	Boolean	CMP system only: cpu timer interrupt routable within cluster
SWINT_ROUTABLE	Boolean	CMP system only: software interrupt routable within cluster
GCR_PCORES	Uns32	CMP system only: override GCR_CONFIG.PCORES (number of cores-1)
GCR_BASE	Uns32	CMP system only: override GCR_BASE.GCR_BASE (default GCR register address)
GCR_MINOR_REV	Uns32	CMP system only: override GCR_REV.MINOR_REV
GCR_MAJOR_REV	Uns32	CMP system only: override GCR_REV.MAJOR_REV
GCR_CACHE_MINOR_REV	Uns32	CMP system only: override GCR_CACHE_REV.MINOR_REV
GCR_CACHE_MAJOR_REV	Uns32	CMP system only: override GCR_CACHE_REV.MAJOR_REV
GCR_IOCU1_MINOR_REV	Uns32	CMP system only: override GCR_IOCU1_REV.MINOR_REV
GCR_IOCU1_MAJOR_REV	Uns32	CMP system only: override GCR_IOCU1_REV.MAJOR_REV
GIC_NUMINTERRUPTS	Uns32	CMP system only: override GIC_SH_CONFIG.NUMINTERRUPTS
GIC_COUNTBITS	Uns32	CMP system only: override GIC_SH_CONFIG.COUNTBITS
GIC_MINOR_REV	Uns32	CMP system only: override GIC_SH_REVISION.MINOR_REV
GIC_MAJOR_REV	Uns32	CMP system only: override GIC_SH_REVISION.MAJOR_REV
GIC_PVPES	Uns32	CMP system only: override GIC_SH_CONFIG.PVPE
CPC_MICROSTEP	Uns32	CMP system only: override CPC_SEQDEL.MICROSTEP
CPC_RAILDELAY	Uns32	CMP system only: override CPC_RAIL.RAILDELAY

CPC_RESETLEN	Uns32	CMP system only: override CPC_RESETLEN.RESETLEN
CPC_MINOR_REV	Uns32	CMP system only: override CPC_REVISION.MINOR_REV
CPC_MAJOR_REV	Uns32	CMP system only: override CPC_REVISION.MAJOR_REV
GCR_C0_RESET_BASE	Uns32	CMP system only: GCR_CL_RESET_BASE for core 0
GCR_C1_RESET_BASE	Uns32	CMP system only: GCR_CL_RESET_BASE for core 1
GCR_C2_RESET_BASE	Uns32	CMP system only: GCR_CL_RESET_BASE for core 2
GCR_C3_RESET_BASE	Uns32	CMP system only: GCR_CL_RESET_BASE for core 3
GCR_C0_RESET_EXT_BASE	Uns32	CMP system only: GCR_CL_RESET_EXT_BASE for core 0. Only used when SegCtl present
GCR_C1_RESET_EXT_BASE	Uns32	CMP system only: GCR_CL_RESET_EXT_BASE for core 1. Only used when SegCtl present
GCR_C2_RESET_EXT_BASE	Uns32	CMP system only: GCR_CL_RESET_EXT_BASE for core 2. Only used when SegCtl present
GCR_C3_RESET_EXT_BASE	Uns32	CMP system only: GCR_CL_RESET_EXT_BASE for core 3. Only used when SegCtl present
EIC_OPTION	Uns32	Override the external interrupt controller EIC_OPTION

8.0 Execution Modes

Table 5.

Name	Code
KERNEL	0
DEBUG	1
SUPERVISOR	2
USER	3

9.0 Exceptions

Table 6.

Name	Code
Int	0
Mod	1

TLBL	2
TLBS	3
AdEL	4
AdES	5
IBE	6
DBE	7
Sys	8
Bp	9
RI	10
CpU	11
Ov	12
Tr	13
FPE	15
Impl1	16
Impl2	17
C2E	18
TLBRI	19
TLBXI	20
MDMX	22
WATCH	23
MCheck	24
Thread	25
DSPDis	26
Prot	29
CacheErr	30

10.0 Hierarchy of the model

A CPU core may allow the user to configure it to instance many processors of a Symmetrical Multi Processor (SMP). A CPU core may also have sub elements within a processor, for example hardware threading blocks.

OVP processor models can be written to include SMP blocks and to have many levels of hierarchy.

Some OVP CPU models may have a fixed hierarchy, and some may be configured by settings in a configuration register. Please see the register definitions of this model.

This model documentation shows the settings and hierarchy of the default settings for this model variant.

10.1 Level 1: CMP

This level in the model hierarchy has 2 commands.

This level in the model hierarchy has no register groups.

This level in the model hierarchy has 4 children:

PU0, PU1, PU2 and PU3

10.2 Level 2: CPU

This level in the model hierarchy has 16 commands.

This level in the model hierarchy has 8 register groups:

Table 7.

Group name	Registers
Core	33
DSP	9
Shadow	96
COP0	47
CMP_GCR	27
CMP_CPC	11
CMP_GIC	618
Integration_support	1

This level in the model hierarchy has no children.

11.0 Model Commands

11.1 Level 1: CMP

Table 8.

Name	Arguments
isync	specify instruction address range for synchronous execution
itrace	enable or disable instruction tracing

11.2 Level 2: CPU

Table 9.

Name	Arguments
isync	specify instruction address range for synchronous execution
itrace	enable or disable instruction tracing
mipsCOP0	<register> <select>
mipsCacheDisable	
mipsCacheEnable	-tag -full
mipsCacheRatio	-icache -dcache
mipsCacheReport	
mipsCacheReset	
mipsCacheTrace	-on -off [-nocached -nouncached] [-noicache -nodcache] [-noartifact -notrue]
mipsDebugFlags	<value>
mipsReadRegister	<resource> <offset>
mipsReadTLBEntry	<index>
mipsTLBDump	
mipsTLBGetPhys	<virtual address> <ASID>
mipsWriteRegister	<resource> <offset> <value>
mipsWriteTLBEntry	<index> <lo0> <lo1> <hi0> <mask>

12.0 Registers

12.1 Level 1: CMP

No registers.

12.2 Level 2: CPU

12.2.1 Core

Table 10.

Name	Bits	Initial value (Hex)		Description
zero	32	0	r-	constant zero
at	32	0	rw	
v0	32	0	rw	
v1	32	0	rw	
a0	32	0	rw	
a1	32	0	rw	

a2	32	0	rw	
a3	32	0	rw	
t0	32	0	rw	
t1	32	0	rw	
t2	32	0	rw	
t3	32	0	rw	
t4	32	0	rw	
t5	32	0	rw	
t6	32	0	rw	
t7	32	0	rw	
s0	32	0	rw	
s1	32	0	rw	
s2	32	0	rw	
s3	32	0	rw	
s4	32	0	rw	
s5	32	0	rw	
s6	32	0	rw	
s7	32	0	rw	
t8	32	0	rw	
t9	32	0	rw	
k0	32	0	rw	
k1	32	0	rw	
gp	32	0	rw	
sp	32	0	rw	stack pointer
s8	32	0	rw	frame pointer
ra	32	0	rw	
pc	32	bfc00000	rw	program counter

12.2.2 DSP

Table 11.

Name	Bits	Initial value (Hex)		Description
lo	32	0	rw	
hi	32	0	rw	
lo1	32	0	rw	
hi1	32	0	rw	
lo2	32	0	rw	
hi2	32	0	rw	
lo3	32	0	rw	
hi3	32	0	rw	
dspctl	32	0	rw	DSP control

12.2.3 Shadow

Table 12.

Name	Bits	Initial value (Hex)		Description
zero[1]	32	0	r-	constant zero
at[1]	32	0	rw	
v0[1]	32	0	rw	
v1[1]	32	0	rw	
a0[1]	32	0	rw	
a1[1]	32	0	rw	
a2[1]	32	0	rw	
a3[1]	32	0	rw	
t0[1]	32	0	rw	
t1[1]	32	0	rw	
t2[1]	32	0	rw	
t3[1]	32	0	rw	
t4[1]	32	0	rw	
t5[1]	32	0	rw	
t6[1]	32	0	rw	
t7[1]	32	0	rw	
s0[1]	32	0	rw	
s1[1]	32	0	rw	
s2[1]	32	0	rw	
s3[1]	32	0	rw	
s4[1]	32	0	rw	
s5[1]	32	0	rw	
s6[1]	32	0	rw	
s7[1]	32	0	rw	
t8[1]	32	0	rw	
t9[1]	32	0	rw	
k0[1]	32	0	rw	
k1[1]	32	0	rw	
gp[1]	32	0	rw	
sp[1]	32	0	rw	stack pointer
s8[1]	32	0	rw	frame pointer
ra[1]	32	0	rw	
zero[2]	32	0	r-	constant zero
at[2]	32	0	rw	
v0[2]	32	0	rw	
v1[2]	32	0	rw	
a0[2]	32	0	rw	
a1[2]	32	0	rw	

a2[2]	32	0	rw	
a3[2]	32	0	rw	
t0[2]	32	0	rw	
t1[2]	32	0	rw	
t2[2]	32	0	rw	
t3[2]	32	0	rw	
t4[2]	32	0	rw	
t5[2]	32	0	rw	
t6[2]	32	0	rw	
t7[2]	32	0	rw	
s0[2]	32	0	rw	
s1[2]	32	0	rw	
s2[2]	32	0	rw	
s3[2]	32	0	rw	
s4[2]	32	0	rw	
s5[2]	32	0	rw	
s6[2]	32	0	rw	
s7[2]	32	0	rw	
t8[2]	32	0	rw	
t9[2]	32	0	rw	
k0[2]	32	0	rw	
k1[2]	32	0	rw	
gp[2]	32	0	rw	
sp[2]	32	0	rw	stack pointer
s8[2]	32	0	rw	frame pointer
ra[2]	32	0	rw	
zero[3]	32	0	r-	constant zero
at[3]	32	0	rw	
v0[3]	32	0	rw	
v1[3]	32	0	rw	
a0[3]	32	0	rw	
a1[3]	32	0	rw	
a2[3]	32	0	rw	
a3[3]	32	0	rw	
t0[3]	32	0	rw	
t1[3]	32	0	rw	
t2[3]	32	0	rw	
t3[3]	32	0	rw	
t4[3]	32	0	rw	
t5[3]	32	0	rw	
t6[3]	32	0	rw	
t7[3]	32	0	rw	

s0[3]	32	0	rw	
s1[3]	32	0	rw	
s2[3]	32	0	rw	
s3[3]	32	0	rw	
s4[3]	32	0	rw	
s5[3]	32	0	rw	
s6[3]	32	0	rw	
s7[3]	32	0	rw	
t8[3]	32	0	rw	
t9[3]	32	0	rw	
k0[3]	32	0	rw	
k1[3]	32	0	rw	
gp[3]	32	0	rw	
sp[3]	32	0	rw	stack pointer
s8[3]	32	0	rw	frame pointer
ra[3]	32	0	rw	

12.2.4 COP0

Table 13.

Name	Bits	Initial value (Hex)		Description
sr	32	400004	rw	CP0 register 12/0
bad	32	0	rw	CP0 register 8/0
cause	32	0	rw	CP0 register 13/0
index	32	0	rw	CP0 register 0/0
random	32	0	rw	CP0 register 1/0
entrylo0	32	0	rw	CP0 register 2/0
entrylo1	32	0	rw	CP0 register 3/0
context	32	0	rw	CP0 register 4/0
contextconfig	32	7ffff0	rw	CP0 register 4/1
userlocal	32	0	rw	CP0 register 4/2
pagemask	32	0	rw	CP0 register 5/0
wired	32	0	rw	CP0 register 6/0
hwrena	32	0	rw	CP0 register 7/0
badvaddr	32	0	rw	CP0 register 8/0
count	32	0	rw	CP0 register 9/0
entryhi	32	0	rw	CP0 register 10/0
compare	32	0	rw	CP0 register 11/0
status	32	400004	rw	CP0 register 12/0
intctl	32	e0000000	rw	CP0 register 12/1
srsctl	32	c0000000	rw	CP0 register 12/2
srsmap	32	0	rw	CP0 register 12/3

epc	32	0	rw	CP0 register 14/0
prid	32	19a00	rw	CP0 register 15/0
ebase	32	80000000	rw	CP0 register 15/1
cmgcrbase	32	1fbf800	rw	CP0 register 15/3
config	32	80048482	rw	CP0 register 16/0
config1	32	9e231186	rw	CP0 register 16/1
config2	32	80000000	rw	CP0 register 16/2
config3	32	20002e20	rw	CP0 register 16/3
config6	32	202	rw	CP0 register 16/6
config7	32	80000000	rw	CP0 register 16/7
lladdr	32	0	rw	CP0 register 17/0
debug	32	2018000	rw	CP0 register 23/0
depc	32	0	rw	CP0 register 24/0
errctl	32	0	rw	CP0 register 26/0
itaglo	32	0	rw	CP0 register 28/0
idatalo	32	0	rw	CP0 register 28/1
dtaglo	32	0	rw	CP0 register 28/2
ddatalo	32	0	rw	CP0 register 28/3
l23taglo	32	0	rw	CP0 register 28/4
l23datalo	32	0	rw	CP0 register 28/5
itaghi	32	0	rw	CP0 register 29/0
idatahi	32	0	rw	CP0 register 29/1
dtaghi	32	0	rw	CP0 register 29/2
l23datahi	32	0	rw	CP0 register 29/5
errorepc	32	0	rw	CP0 register 30/0
desave	32	0	rw	CP0 register 31/0

12.2.5 CMP_GCR

Table 14.

Name	Bits	Initial value (Hex)		Description
GCR_CONFIG	32	3	r-	
GCR_BASE	32	1fbf8000	rw	
GCR_CONTROL	32	10001	rw	
GCR_ACCESS	32	ff	rw	
GCR_REV	32	0	r-	
GCR_ERROR_MASK	32	0	rw	
GCR_ERROR_CAUSE	32	0	rw	
GCR_ERROR_ADDR	32	0	rw	
GCR_ERROR_MULT	32	0	rw	
GCR_GIC_BASE	32	0	rw	
GCR_CPC_BASE	32	0	rw	

GCR_GIC_STATUS	32	1	r-	
GCR_CACHE_REV	32	0	r-	
GCR_CPC_STATUS	32	1	r-	
GCR_IOC1_REV	32	0	r-	
GCR_CL_RESET_RELEASE_L	32	0	-w	
GCR_CL_COHERENCE_L	32	0	rw	
GCR_CL_CONFIG_L	32	0	r-	
GCR_CL_OTHER_L	32	0	rw	
GCR_CL_RESET_BASE_L	32	bfc00000	rw	
GCR_CL_ID_L	32	0	r-	
GCR_CL_RESET_RELEASE_O	32	0	-w	
GCR_CL_COHERENCE_O	32	0	rw	
GCR_CL_CONFIG_O	32	0	r-	
GCR_CL_OTHER_O	32	0	rw	
GCR_CL_RESET_BASE_O	32	bfc00000	rw	
GCR_CL_ID_O	32	0	r-	

12.2.6 CMP_CPC

Table 15.

Name	Bits	Initial value (Hex)		Description
CPC_ACCESS	32	ff	rw	
CPC_SEQDEL	32	0	rw	
CPC_RAIL	32	0	rw	
CPC_RESETLEN	32	0	rw	
CPC_REVISION	32	0	r-	
CPC_CMD_L	32	0	rw	
CPC_STAT_CONF_L	32	300200	rw	
CPC_OTHER_L	32	0	rw	
CPC_CMD_O	32	0	rw	
CPC_STAT_CONF_O	32	300200	rw	
CPC_OTHER_O	32	0	rw	

12.2.7 CMP_GIC

Table 16.

Name	Bits	Initial value (Hex)		Description
GIC_SH_CONFIG	32	8040003	rw	
GIC_CounterLo	32	0	rw	
GIC_CounterHi	32	0	rw	
GIC_SH_REVISION	32	0	r-	
GIC_SH_POL31_0	32	0	rw	

GIC_SH_POL63_32	32	0	rw	
GIC_SH_POL95_64	32	0	rw	
GIC_SH_POL127_96	32	0	rw	
GIC_SH_POL159_128	32	0	rw	
GIC_SH_POL191_160	32	0	rw	
GIC_SH_POL223_192	32	0	rw	
GIC_SH_POL255_224	32	0	rw	
GIC_SH_TRIG31_0	32	0	rw	
GIC_SH_TRIG63_32	32	0	rw	
GIC_SH_TRIG95_64	32	0	rw	
GIC_SH_TRIG127_96	32	0	rw	
GIC_SH_TRIG159_128	32	0	rw	
GIC_SH_TRIG191_160	32	0	rw	
GIC_SH_TRIG223_192	32	0	rw	
GIC_SH_TRIG255_224	32	0	rw	
GIC_SH_DUAL31_0	32	0	rw	
GIC_SH_DUAL63_32	32	0	rw	
GIC_SH_DUAL95_64	32	0	rw	
GIC_SH_DUAL127_96	32	0	rw	
GIC_SH_DUAL159_128	32	0	rw	
GIC_SH_DUAL191_160	32	0	rw	
GIC_SH_DUAL223_192	32	0	rw	
GIC_SH_DUAL255_224	32	0	rw	
GIC_SH_WEDGE	32	0	-w	
GIC_SH_RMASK31_0	32	0	-w	
GIC_SH_RMASK63_32	32	0	-w	
GIC_SH_RMASK95_64	32	0	-w	
GIC_SH_RMASK127_96	32	0	-w	
GIC_SH_RMASK159_128	32	0	-w	
GIC_SH_RMASK191_160	32	0	-w	
GIC_SH_RMASK223_192	32	0	-w	
GIC_SH_RMASK255_224	32	0	-w	
GIC_SH_SMASK31_0	32	0	-w	
GIC_SH_SMASK63_32	32	0	-w	
GIC_SH_SMASK95_64	32	0	-w	
GIC_SH_SMASK127_96	32	0	-w	
GIC_SH_SMASK159_128	32	0	-w	
GIC_SH_SMASK191_160	32	0	-w	
GIC_SH_SMASK223_192	32	0	-w	
GIC_SH_SMASK255_224	32	0	-w	
GIC_SH_MASK31_0	32	0	r-	
GIC_SH_MASK63_32	32	0	r-	

GIC_SH_MASK95_64	32	0	r-	
GIC_SH_MASK127_96	32	0	r-	
GIC_SH_MASK159_128	32	0	r-	
GIC_SH_MASK191_160	32	0	r-	
GIC_SH_MASK223_192	32	0	r-	
GIC_SH_MASK255_224	32	0	r-	
GIC_SH_PEND31_0	32	0	r-	
GIC_SH_PEND63_32	32	0	r-	
GIC_SH_PEND95_64	32	0	r-	
GIC_SH_PEND127_96	32	0	r-	
GIC_SH_PEND159_128	32	0	r-	
GIC_SH_PEND191_160	32	0	r-	
GIC_SH_PEND223_192	32	0	r-	
GIC_SH_PEND255_224	32	0	r-	
GIC_SH_MAP000_PIN	32	80000000	rw	
GIC_SH_MAP001_PIN	32	80000000	rw	
GIC_SH_MAP002_PIN	32	80000000	rw	
GIC_SH_MAP003_PIN	32	80000000	rw	
GIC_SH_MAP004_PIN	32	80000000	rw	
GIC_SH_MAP005_PIN	32	80000000	rw	
GIC_SH_MAP006_PIN	32	80000000	rw	
GIC_SH_MAP007_PIN	32	80000000	rw	
GIC_SH_MAP008_PIN	32	80000000	rw	
GIC_SH_MAP009_PIN	32	80000000	rw	
GIC_SH_MAP010_PIN	32	80000000	rw	
GIC_SH_MAP011_PIN	32	80000000	rw	
GIC_SH_MAP012_PIN	32	80000000	rw	
GIC_SH_MAP013_PIN	32	80000000	rw	
GIC_SH_MAP014_PIN	32	80000000	rw	
GIC_SH_MAP015_PIN	32	80000000	rw	
GIC_SH_MAP016_PIN	32	80000000	rw	
GIC_SH_MAP017_PIN	32	80000000	rw	
GIC_SH_MAP018_PIN	32	80000000	rw	
GIC_SH_MAP019_PIN	32	80000000	rw	
GIC_SH_MAP020_PIN	32	80000000	rw	
GIC_SH_MAP021_PIN	32	80000000	rw	
GIC_SH_MAP022_PIN	32	80000000	rw	
GIC_SH_MAP023_PIN	32	80000000	rw	
GIC_SH_MAP024_PIN	32	80000000	rw	
GIC_SH_MAP025_PIN	32	80000000	rw	
GIC_SH_MAP026_PIN	32	80000000	rw	
GIC_SH_MAP027_PIN	32	80000000	rw	

GIC_SH_MAP028_PIN	32	80000000	rw	
GIC_SH_MAP029_PIN	32	80000000	rw	
GIC_SH_MAP030_PIN	32	80000000	rw	
GIC_SH_MAP031_PIN	32	80000000	rw	
GIC_SH_MAP032_PIN	32	80000000	rw	
GIC_SH_MAP033_PIN	32	80000000	rw	
GIC_SH_MAP034_PIN	32	80000000	rw	
GIC_SH_MAP035_PIN	32	80000000	rw	
GIC_SH_MAP036_PIN	32	80000000	rw	
GIC_SH_MAP037_PIN	32	80000000	rw	
GIC_SH_MAP038_PIN	32	80000000	rw	
GIC_SH_MAP039_PIN	32	80000000	rw	
GIC_SH_MAP040_PIN	32	80000000	rw	
GIC_SH_MAP041_PIN	32	80000000	rw	
GIC_SH_MAP042_PIN	32	80000000	rw	
GIC_SH_MAP043_PIN	32	80000000	rw	
GIC_SH_MAP044_PIN	32	80000000	rw	
GIC_SH_MAP045_PIN	32	80000000	rw	
GIC_SH_MAP046_PIN	32	80000000	rw	
GIC_SH_MAP047_PIN	32	80000000	rw	
GIC_SH_MAP048_PIN	32	80000000	rw	
GIC_SH_MAP049_PIN	32	80000000	rw	
GIC_SH_MAP050_PIN	32	80000000	rw	
GIC_SH_MAP051_PIN	32	80000000	rw	
GIC_SH_MAP052_PIN	32	80000000	rw	
GIC_SH_MAP053_PIN	32	80000000	rw	
GIC_SH_MAP054_PIN	32	80000000	rw	
GIC_SH_MAP055_PIN	32	80000000	rw	
GIC_SH_MAP056_PIN	32	80000000	rw	
GIC_SH_MAP057_PIN	32	80000000	rw	
GIC_SH_MAP058_PIN	32	80000000	rw	
GIC_SH_MAP059_PIN	32	80000000	rw	
GIC_SH_MAP060_PIN	32	80000000	rw	
GIC_SH_MAP061_PIN	32	80000000	rw	
GIC_SH_MAP062_PIN	32	80000000	rw	
GIC_SH_MAP063_PIN	32	80000000	rw	
GIC_SH_MAP064_PIN	32	80000000	rw	
GIC_SH_MAP065_PIN	32	80000000	rw	
GIC_SH_MAP066_PIN	32	80000000	rw	
GIC_SH_MAP067_PIN	32	80000000	rw	
GIC_SH_MAP068_PIN	32	80000000	rw	
GIC_SH_MAP069_PIN	32	80000000	rw	

GIC_SH_MAP070_PIN	32	80000000	rw	
GIC_SH_MAP071_PIN	32	80000000	rw	
GIC_SH_MAP072_PIN	32	80000000	rw	
GIC_SH_MAP073_PIN	32	80000000	rw	
GIC_SH_MAP074_PIN	32	80000000	rw	
GIC_SH_MAP075_PIN	32	80000000	rw	
GIC_SH_MAP076_PIN	32	80000000	rw	
GIC_SH_MAP077_PIN	32	80000000	rw	
GIC_SH_MAP078_PIN	32	80000000	rw	
GIC_SH_MAP079_PIN	32	80000000	rw	
GIC_SH_MAP080_PIN	32	80000000	rw	
GIC_SH_MAP081_PIN	32	80000000	rw	
GIC_SH_MAP082_PIN	32	80000000	rw	
GIC_SH_MAP083_PIN	32	80000000	rw	
GIC_SH_MAP084_PIN	32	80000000	rw	
GIC_SH_MAP085_PIN	32	80000000	rw	
GIC_SH_MAP086_PIN	32	80000000	rw	
GIC_SH_MAP087_PIN	32	80000000	rw	
GIC_SH_MAP088_PIN	32	80000000	rw	
GIC_SH_MAP089_PIN	32	80000000	rw	
GIC_SH_MAP090_PIN	32	80000000	rw	
GIC_SH_MAP091_PIN	32	80000000	rw	
GIC_SH_MAP092_PIN	32	80000000	rw	
GIC_SH_MAP093_PIN	32	80000000	rw	
GIC_SH_MAP094_PIN	32	80000000	rw	
GIC_SH_MAP095_PIN	32	80000000	rw	
GIC_SH_MAP096_PIN	32	80000000	rw	
GIC_SH_MAP097_PIN	32	80000000	rw	
GIC_SH_MAP098_PIN	32	80000000	rw	
GIC_SH_MAP099_PIN	32	80000000	rw	
GIC_SH_MAP100_PIN	32	80000000	rw	
GIC_SH_MAP101_PIN	32	80000000	rw	
GIC_SH_MAP102_PIN	32	80000000	rw	
GIC_SH_MAP103_PIN	32	80000000	rw	
GIC_SH_MAP104_PIN	32	80000000	rw	
GIC_SH_MAP105_PIN	32	80000000	rw	
GIC_SH_MAP106_PIN	32	80000000	rw	
GIC_SH_MAP107_PIN	32	80000000	rw	
GIC_SH_MAP108_PIN	32	80000000	rw	
GIC_SH_MAP109_PIN	32	80000000	rw	
GIC_SH_MAP110_PIN	32	80000000	rw	
GIC_SH_MAP111_PIN	32	80000000	rw	

GIC_SH_MAP112_PIN	32	80000000	rw	
GIC_SH_MAP113_PIN	32	80000000	rw	
GIC_SH_MAP114_PIN	32	80000000	rw	
GIC_SH_MAP115_PIN	32	80000000	rw	
GIC_SH_MAP116_PIN	32	80000000	rw	
GIC_SH_MAP117_PIN	32	80000000	rw	
GIC_SH_MAP118_PIN	32	80000000	rw	
GIC_SH_MAP119_PIN	32	80000000	rw	
GIC_SH_MAP120_PIN	32	80000000	rw	
GIC_SH_MAP121_PIN	32	80000000	rw	
GIC_SH_MAP122_PIN	32	80000000	rw	
GIC_SH_MAP123_PIN	32	80000000	rw	
GIC_SH_MAP124_PIN	32	80000000	rw	
GIC_SH_MAP125_PIN	32	80000000	rw	
GIC_SH_MAP126_PIN	32	80000000	rw	
GIC_SH_MAP127_PIN	32	80000000	rw	
GIC_SH_MAP128_PIN	32	80000000	rw	
GIC_SH_MAP129_PIN	32	80000000	rw	
GIC_SH_MAP130_PIN	32	80000000	rw	
GIC_SH_MAP131_PIN	32	80000000	rw	
GIC_SH_MAP132_PIN	32	80000000	rw	
GIC_SH_MAP133_PIN	32	80000000	rw	
GIC_SH_MAP134_PIN	32	80000000	rw	
GIC_SH_MAP135_PIN	32	80000000	rw	
GIC_SH_MAP136_PIN	32	80000000	rw	
GIC_SH_MAP137_PIN	32	80000000	rw	
GIC_SH_MAP138_PIN	32	80000000	rw	
GIC_SH_MAP139_PIN	32	80000000	rw	
GIC_SH_MAP140_PIN	32	80000000	rw	
GIC_SH_MAP141_PIN	32	80000000	rw	
GIC_SH_MAP142_PIN	32	80000000	rw	
GIC_SH_MAP143_PIN	32	80000000	rw	
GIC_SH_MAP144_PIN	32	80000000	rw	
GIC_SH_MAP145_PIN	32	80000000	rw	
GIC_SH_MAP146_PIN	32	80000000	rw	
GIC_SH_MAP147_PIN	32	80000000	rw	
GIC_SH_MAP148_PIN	32	80000000	rw	
GIC_SH_MAP149_PIN	32	80000000	rw	
GIC_SH_MAP150_PIN	32	80000000	rw	
GIC_SH_MAP151_PIN	32	80000000	rw	
GIC_SH_MAP152_PIN	32	80000000	rw	
GIC_SH_MAP153_PIN	32	80000000	rw	

GIC_SH_MAP154_PIN	32	80000000	rw	
GIC_SH_MAP155_PIN	32	80000000	rw	
GIC_SH_MAP156_PIN	32	80000000	rw	
GIC_SH_MAP157_PIN	32	80000000	rw	
GIC_SH_MAP158_PIN	32	80000000	rw	
GIC_SH_MAP159_PIN	32	80000000	rw	
GIC_SH_MAP160_PIN	32	80000000	rw	
GIC_SH_MAP161_PIN	32	80000000	rw	
GIC_SH_MAP162_PIN	32	80000000	rw	
GIC_SH_MAP163_PIN	32	80000000	rw	
GIC_SH_MAP164_PIN	32	80000000	rw	
GIC_SH_MAP165_PIN	32	80000000	rw	
GIC_SH_MAP166_PIN	32	80000000	rw	
GIC_SH_MAP167_PIN	32	80000000	rw	
GIC_SH_MAP168_PIN	32	80000000	rw	
GIC_SH_MAP169_PIN	32	80000000	rw	
GIC_SH_MAP170_PIN	32	80000000	rw	
GIC_SH_MAP171_PIN	32	80000000	rw	
GIC_SH_MAP172_PIN	32	80000000	rw	
GIC_SH_MAP173_PIN	32	80000000	rw	
GIC_SH_MAP174_PIN	32	80000000	rw	
GIC_SH_MAP175_PIN	32	80000000	rw	
GIC_SH_MAP176_PIN	32	80000000	rw	
GIC_SH_MAP177_PIN	32	80000000	rw	
GIC_SH_MAP178_PIN	32	80000000	rw	
GIC_SH_MAP179_PIN	32	80000000	rw	
GIC_SH_MAP180_PIN	32	80000000	rw	
GIC_SH_MAP181_PIN	32	80000000	rw	
GIC_SH_MAP182_PIN	32	80000000	rw	
GIC_SH_MAP183_PIN	32	80000000	rw	
GIC_SH_MAP184_PIN	32	80000000	rw	
GIC_SH_MAP185_PIN	32	80000000	rw	
GIC_SH_MAP186_PIN	32	80000000	rw	
GIC_SH_MAP187_PIN	32	80000000	rw	
GIC_SH_MAP188_PIN	32	80000000	rw	
GIC_SH_MAP189_PIN	32	80000000	rw	
GIC_SH_MAP190_PIN	32	80000000	rw	
GIC_SH_MAP191_PIN	32	80000000	rw	
GIC_SH_MAP192_PIN	32	80000000	rw	
GIC_SH_MAP193_PIN	32	80000000	rw	
GIC_SH_MAP194_PIN	32	80000000	rw	
GIC_SH_MAP195_PIN	32	80000000	rw	

GIC_SH_MAP196_PIN	32	80000000	rw	
GIC_SH_MAP197_PIN	32	80000000	rw	
GIC_SH_MAP198_PIN	32	80000000	rw	
GIC_SH_MAP199_PIN	32	80000000	rw	
GIC_SH_MAP200_PIN	32	80000000	rw	
GIC_SH_MAP201_PIN	32	80000000	rw	
GIC_SH_MAP202_PIN	32	80000000	rw	
GIC_SH_MAP203_PIN	32	80000000	rw	
GIC_SH_MAP204_PIN	32	80000000	rw	
GIC_SH_MAP205_PIN	32	80000000	rw	
GIC_SH_MAP206_PIN	32	80000000	rw	
GIC_SH_MAP207_PIN	32	80000000	rw	
GIC_SH_MAP208_PIN	32	80000000	rw	
GIC_SH_MAP209_PIN	32	80000000	rw	
GIC_SH_MAP210_PIN	32	80000000	rw	
GIC_SH_MAP211_PIN	32	80000000	rw	
GIC_SH_MAP212_PIN	32	80000000	rw	
GIC_SH_MAP213_PIN	32	80000000	rw	
GIC_SH_MAP214_PIN	32	80000000	rw	
GIC_SH_MAP215_PIN	32	80000000	rw	
GIC_SH_MAP216_PIN	32	80000000	rw	
GIC_SH_MAP217_PIN	32	80000000	rw	
GIC_SH_MAP218_PIN	32	80000000	rw	
GIC_SH_MAP219_PIN	32	80000000	rw	
GIC_SH_MAP220_PIN	32	80000000	rw	
GIC_SH_MAP221_PIN	32	80000000	rw	
GIC_SH_MAP222_PIN	32	80000000	rw	
GIC_SH_MAP223_PIN	32	80000000	rw	
GIC_SH_MAP224_PIN	32	80000000	rw	
GIC_SH_MAP225_PIN	32	80000000	rw	
GIC_SH_MAP226_PIN	32	80000000	rw	
GIC_SH_MAP227_PIN	32	80000000	rw	
GIC_SH_MAP228_PIN	32	80000000	rw	
GIC_SH_MAP229_PIN	32	80000000	rw	
GIC_SH_MAP230_PIN	32	80000000	rw	
GIC_SH_MAP231_PIN	32	80000000	rw	
GIC_SH_MAP232_PIN	32	80000000	rw	
GIC_SH_MAP233_PIN	32	80000000	rw	
GIC_SH_MAP234_PIN	32	80000000	rw	
GIC_SH_MAP235_PIN	32	80000000	rw	
GIC_SH_MAP236_PIN	32	80000000	rw	
GIC_SH_MAP237_PIN	32	80000000	rw	

GIC_SH_MAP238_PIN	32	80000000	rw	
GIC_SH_MAP239_PIN	32	80000000	rw	
GIC_SH_MAP240_PIN	32	80000000	rw	
GIC_SH_MAP241_PIN	32	80000000	rw	
GIC_SH_MAP242_PIN	32	80000000	rw	
GIC_SH_MAP243_PIN	32	80000000	rw	
GIC_SH_MAP244_PIN	32	80000000	rw	
GIC_SH_MAP245_PIN	32	80000000	rw	
GIC_SH_MAP246_PIN	32	80000000	rw	
GIC_SH_MAP247_PIN	32	80000000	rw	
GIC_SH_MAP248_PIN	32	80000000	rw	
GIC_SH_MAP249_PIN	32	80000000	rw	
GIC_SH_MAP250_PIN	32	80000000	rw	
GIC_SH_MAP251_PIN	32	80000000	rw	
GIC_SH_MAP252_PIN	32	80000000	rw	
GIC_SH_MAP253_PIN	32	80000000	rw	
GIC_SH_MAP254_PIN	32	80000000	rw	
GIC_SH_MAP255_PIN	32	80000000	rw	
GIC_SH_MAP000_VPE31_0	32	0	rw	
GIC_SH_MAP001_VPE31_0	32	0	rw	
GIC_SH_MAP002_VPE31_0	32	0	rw	
GIC_SH_MAP003_VPE31_0	32	0	rw	
GIC_SH_MAP004_VPE31_0	32	0	rw	
GIC_SH_MAP005_VPE31_0	32	0	rw	
GIC_SH_MAP006_VPE31_0	32	0	rw	
GIC_SH_MAP007_VPE31_0	32	0	rw	
GIC_SH_MAP008_VPE31_0	32	0	rw	
GIC_SH_MAP009_VPE31_0	32	0	rw	
GIC_SH_MAP010_VPE31_0	32	0	rw	
GIC_SH_MAP011_VPE31_0	32	0	rw	
GIC_SH_MAP012_VPE31_0	32	0	rw	
GIC_SH_MAP013_VPE31_0	32	0	rw	
GIC_SH_MAP014_VPE31_0	32	0	rw	
GIC_SH_MAP015_VPE31_0	32	0	rw	
GIC_SH_MAP016_VPE31_0	32	0	rw	
GIC_SH_MAP017_VPE31_0	32	0	rw	
GIC_SH_MAP018_VPE31_0	32	0	rw	
GIC_SH_MAP019_VPE31_0	32	0	rw	
GIC_SH_MAP020_VPE31_0	32	0	rw	
GIC_SH_MAP021_VPE31_0	32	0	rw	
GIC_SH_MAP022_VPE31_0	32	0	rw	
GIC_SH_MAP023_VPE31_0	32	0	rw	

GIC_SH_MAP024_VPE31_0	32	0	rw	
GIC_SH_MAP025_VPE31_0	32	0	rw	
GIC_SH_MAP026_VPE31_0	32	0	rw	
GIC_SH_MAP027_VPE31_0	32	0	rw	
GIC_SH_MAP028_VPE31_0	32	0	rw	
GIC_SH_MAP029_VPE31_0	32	0	rw	
GIC_SH_MAP030_VPE31_0	32	0	rw	
GIC_SH_MAP031_VPE31_0	32	0	rw	
GIC_SH_MAP032_VPE31_0	32	0	rw	
GIC_SH_MAP033_VPE31_0	32	0	rw	
GIC_SH_MAP034_VPE31_0	32	0	rw	
GIC_SH_MAP035_VPE31_0	32	0	rw	
GIC_SH_MAP036_VPE31_0	32	0	rw	
GIC_SH_MAP037_VPE31_0	32	0	rw	
GIC_SH_MAP038_VPE31_0	32	0	rw	
GIC_SH_MAP039_VPE31_0	32	0	rw	
GIC_SH_MAP040_VPE31_0	32	0	rw	
GIC_SH_MAP041_VPE31_0	32	0	rw	
GIC_SH_MAP042_VPE31_0	32	0	rw	
GIC_SH_MAP043_VPE31_0	32	0	rw	
GIC_SH_MAP044_VPE31_0	32	0	rw	
GIC_SH_MAP045_VPE31_0	32	0	rw	
GIC_SH_MAP046_VPE31_0	32	0	rw	
GIC_SH_MAP047_VPE31_0	32	0	rw	
GIC_SH_MAP048_VPE31_0	32	0	rw	
GIC_SH_MAP049_VPE31_0	32	0	rw	
GIC_SH_MAP050_VPE31_0	32	0	rw	
GIC_SH_MAP051_VPE31_0	32	0	rw	
GIC_SH_MAP052_VPE31_0	32	0	rw	
GIC_SH_MAP053_VPE31_0	32	0	rw	
GIC_SH_MAP054_VPE31_0	32	0	rw	
GIC_SH_MAP055_VPE31_0	32	0	rw	
GIC_SH_MAP056_VPE31_0	32	0	rw	
GIC_SH_MAP057_VPE31_0	32	0	rw	
GIC_SH_MAP058_VPE31_0	32	0	rw	
GIC_SH_MAP059_VPE31_0	32	0	rw	
GIC_SH_MAP060_VPE31_0	32	0	rw	
GIC_SH_MAP061_VPE31_0	32	0	rw	
GIC_SH_MAP062_VPE31_0	32	0	rw	
GIC_SH_MAP063_VPE31_0	32	0	rw	
GIC_SH_MAP064_VPE31_0	32	0	rw	
GIC_SH_MAP065_VPE31_0	32	0	rw	

GIC_SH_MAP066_VPE31_0	32	0	rw	
GIC_SH_MAP067_VPE31_0	32	0	rw	
GIC_SH_MAP068_VPE31_0	32	0	rw	
GIC_SH_MAP069_VPE31_0	32	0	rw	
GIC_SH_MAP070_VPE31_0	32	0	rw	
GIC_SH_MAP071_VPE31_0	32	0	rw	
GIC_SH_MAP072_VPE31_0	32	0	rw	
GIC_SH_MAP073_VPE31_0	32	0	rw	
GIC_SH_MAP074_VPE31_0	32	0	rw	
GIC_SH_MAP075_VPE31_0	32	0	rw	
GIC_SH_MAP076_VPE31_0	32	0	rw	
GIC_SH_MAP077_VPE31_0	32	0	rw	
GIC_SH_MAP078_VPE31_0	32	0	rw	
GIC_SH_MAP079_VPE31_0	32	0	rw	
GIC_SH_MAP080_VPE31_0	32	0	rw	
GIC_SH_MAP081_VPE31_0	32	0	rw	
GIC_SH_MAP082_VPE31_0	32	0	rw	
GIC_SH_MAP083_VPE31_0	32	0	rw	
GIC_SH_MAP084_VPE31_0	32	0	rw	
GIC_SH_MAP085_VPE31_0	32	0	rw	
GIC_SH_MAP086_VPE31_0	32	0	rw	
GIC_SH_MAP087_VPE31_0	32	0	rw	
GIC_SH_MAP088_VPE31_0	32	0	rw	
GIC_SH_MAP089_VPE31_0	32	0	rw	
GIC_SH_MAP090_VPE31_0	32	0	rw	
GIC_SH_MAP091_VPE31_0	32	0	rw	
GIC_SH_MAP092_VPE31_0	32	0	rw	
GIC_SH_MAP093_VPE31_0	32	0	rw	
GIC_SH_MAP094_VPE31_0	32	0	rw	
GIC_SH_MAP095_VPE31_0	32	0	rw	
GIC_SH_MAP096_VPE31_0	32	0	rw	
GIC_SH_MAP097_VPE31_0	32	0	rw	
GIC_SH_MAP098_VPE31_0	32	0	rw	
GIC_SH_MAP099_VPE31_0	32	0	rw	
GIC_SH_MAP100_VPE31_0	32	0	rw	
GIC_SH_MAP101_VPE31_0	32	0	rw	
GIC_SH_MAP102_VPE31_0	32	0	rw	
GIC_SH_MAP103_VPE31_0	32	0	rw	
GIC_SH_MAP104_VPE31_0	32	0	rw	
GIC_SH_MAP105_VPE31_0	32	0	rw	
GIC_SH_MAP106_VPE31_0	32	0	rw	
GIC_SH_MAP107_VPE31_0	32	0	rw	

GIC_SH_MAP108_VPE31_0	32	0	rw	
GIC_SH_MAP109_VPE31_0	32	0	rw	
GIC_SH_MAP110_VPE31_0	32	0	rw	
GIC_SH_MAP111_VPE31_0	32	0	rw	
GIC_SH_MAP112_VPE31_0	32	0	rw	
GIC_SH_MAP113_VPE31_0	32	0	rw	
GIC_SH_MAP114_VPE31_0	32	0	rw	
GIC_SH_MAP115_VPE31_0	32	0	rw	
GIC_SH_MAP116_VPE31_0	32	0	rw	
GIC_SH_MAP117_VPE31_0	32	0	rw	
GIC_SH_MAP118_VPE31_0	32	0	rw	
GIC_SH_MAP119_VPE31_0	32	0	rw	
GIC_SH_MAP120_VPE31_0	32	0	rw	
GIC_SH_MAP121_VPE31_0	32	0	rw	
GIC_SH_MAP122_VPE31_0	32	0	rw	
GIC_SH_MAP123_VPE31_0	32	0	rw	
GIC_SH_MAP124_VPE31_0	32	0	rw	
GIC_SH_MAP125_VPE31_0	32	0	rw	
GIC_SH_MAP126_VPE31_0	32	0	rw	
GIC_SH_MAP127_VPE31_0	32	0	rw	
GIC_SH_MAP128_VPE31_0	32	0	rw	
GIC_SH_MAP129_VPE31_0	32	0	rw	
GIC_SH_MAP130_VPE31_0	32	0	rw	
GIC_SH_MAP131_VPE31_0	32	0	rw	
GIC_SH_MAP132_VPE31_0	32	0	rw	
GIC_SH_MAP133_VPE31_0	32	0	rw	
GIC_SH_MAP134_VPE31_0	32	0	rw	
GIC_SH_MAP135_VPE31_0	32	0	rw	
GIC_SH_MAP136_VPE31_0	32	0	rw	
GIC_SH_MAP137_VPE31_0	32	0	rw	
GIC_SH_MAP138_VPE31_0	32	0	rw	
GIC_SH_MAP139_VPE31_0	32	0	rw	
GIC_SH_MAP140_VPE31_0	32	0	rw	
GIC_SH_MAP141_VPE31_0	32	0	rw	
GIC_SH_MAP142_VPE31_0	32	0	rw	
GIC_SH_MAP143_VPE31_0	32	0	rw	
GIC_SH_MAP144_VPE31_0	32	0	rw	
GIC_SH_MAP145_VPE31_0	32	0	rw	
GIC_SH_MAP146_VPE31_0	32	0	rw	
GIC_SH_MAP147_VPE31_0	32	0	rw	
GIC_SH_MAP148_VPE31_0	32	0	rw	
GIC_SH_MAP149_VPE31_0	32	0	rw	

GIC_SH_MAP150_VPE31_0	32	0	rw	
GIC_SH_MAP151_VPE31_0	32	0	rw	
GIC_SH_MAP152_VPE31_0	32	0	rw	
GIC_SH_MAP153_VPE31_0	32	0	rw	
GIC_SH_MAP154_VPE31_0	32	0	rw	
GIC_SH_MAP155_VPE31_0	32	0	rw	
GIC_SH_MAP156_VPE31_0	32	0	rw	
GIC_SH_MAP157_VPE31_0	32	0	rw	
GIC_SH_MAP158_VPE31_0	32	0	rw	
GIC_SH_MAP159_VPE31_0	32	0	rw	
GIC_SH_MAP160_VPE31_0	32	0	rw	
GIC_SH_MAP161_VPE31_0	32	0	rw	
GIC_SH_MAP162_VPE31_0	32	0	rw	
GIC_SH_MAP163_VPE31_0	32	0	rw	
GIC_SH_MAP164_VPE31_0	32	0	rw	
GIC_SH_MAP165_VPE31_0	32	0	rw	
GIC_SH_MAP166_VPE31_0	32	0	rw	
GIC_SH_MAP167_VPE31_0	32	0	rw	
GIC_SH_MAP168_VPE31_0	32	0	rw	
GIC_SH_MAP169_VPE31_0	32	0	rw	
GIC_SH_MAP170_VPE31_0	32	0	rw	
GIC_SH_MAP171_VPE31_0	32	0	rw	
GIC_SH_MAP172_VPE31_0	32	0	rw	
GIC_SH_MAP173_VPE31_0	32	0	rw	
GIC_SH_MAP174_VPE31_0	32	0	rw	
GIC_SH_MAP175_VPE31_0	32	0	rw	
GIC_SH_MAP176_VPE31_0	32	0	rw	
GIC_SH_MAP177_VPE31_0	32	0	rw	
GIC_SH_MAP178_VPE31_0	32	0	rw	
GIC_SH_MAP179_VPE31_0	32	0	rw	
GIC_SH_MAP180_VPE31_0	32	0	rw	
GIC_SH_MAP181_VPE31_0	32	0	rw	
GIC_SH_MAP182_VPE31_0	32	0	rw	
GIC_SH_MAP183_VPE31_0	32	0	rw	
GIC_SH_MAP184_VPE31_0	32	0	rw	
GIC_SH_MAP185_VPE31_0	32	0	rw	
GIC_SH_MAP186_VPE31_0	32	0	rw	
GIC_SH_MAP187_VPE31_0	32	0	rw	
GIC_SH_MAP188_VPE31_0	32	0	rw	
GIC_SH_MAP189_VPE31_0	32	0	rw	
GIC_SH_MAP190_VPE31_0	32	0	rw	
GIC_SH_MAP191_VPE31_0	32	0	rw	

GIC_SH_MAP192_VPE31_0	32	0	rw	
GIC_SH_MAP193_VPE31_0	32	0	rw	
GIC_SH_MAP194_VPE31_0	32	0	rw	
GIC_SH_MAP195_VPE31_0	32	0	rw	
GIC_SH_MAP196_VPE31_0	32	0	rw	
GIC_SH_MAP197_VPE31_0	32	0	rw	
GIC_SH_MAP198_VPE31_0	32	0	rw	
GIC_SH_MAP199_VPE31_0	32	0	rw	
GIC_SH_MAP200_VPE31_0	32	0	rw	
GIC_SH_MAP201_VPE31_0	32	0	rw	
GIC_SH_MAP202_VPE31_0	32	0	rw	
GIC_SH_MAP203_VPE31_0	32	0	rw	
GIC_SH_MAP204_VPE31_0	32	0	rw	
GIC_SH_MAP205_VPE31_0	32	0	rw	
GIC_SH_MAP206_VPE31_0	32	0	rw	
GIC_SH_MAP207_VPE31_0	32	0	rw	
GIC_SH_MAP208_VPE31_0	32	0	rw	
GIC_SH_MAP209_VPE31_0	32	0	rw	
GIC_SH_MAP210_VPE31_0	32	0	rw	
GIC_SH_MAP211_VPE31_0	32	0	rw	
GIC_SH_MAP212_VPE31_0	32	0	rw	
GIC_SH_MAP213_VPE31_0	32	0	rw	
GIC_SH_MAP214_VPE31_0	32	0	rw	
GIC_SH_MAP215_VPE31_0	32	0	rw	
GIC_SH_MAP216_VPE31_0	32	0	rw	
GIC_SH_MAP217_VPE31_0	32	0	rw	
GIC_SH_MAP218_VPE31_0	32	0	rw	
GIC_SH_MAP219_VPE31_0	32	0	rw	
GIC_SH_MAP220_VPE31_0	32	0	rw	
GIC_SH_MAP221_VPE31_0	32	0	rw	
GIC_SH_MAP222_VPE31_0	32	0	rw	
GIC_SH_MAP223_VPE31_0	32	0	rw	
GIC_SH_MAP224_VPE31_0	32	0	rw	
GIC_SH_MAP225_VPE31_0	32	0	rw	
GIC_SH_MAP226_VPE31_0	32	0	rw	
GIC_SH_MAP227_VPE31_0	32	0	rw	
GIC_SH_MAP228_VPE31_0	32	0	rw	
GIC_SH_MAP229_VPE31_0	32	0	rw	
GIC_SH_MAP230_VPE31_0	32	0	rw	
GIC_SH_MAP231_VPE31_0	32	0	rw	
GIC_SH_MAP232_VPE31_0	32	0	rw	
GIC_SH_MAP233_VPE31_0	32	0	rw	

GIC_SH_MAP234_VPE31_0	32	0	rw	
GIC_SH_MAP235_VPE31_0	32	0	rw	
GIC_SH_MAP236_VPE31_0	32	0	rw	
GIC_SH_MAP237_VPE31_0	32	0	rw	
GIC_SH_MAP238_VPE31_0	32	0	rw	
GIC_SH_MAP239_VPE31_0	32	0	rw	
GIC_SH_MAP240_VPE31_0	32	0	rw	
GIC_SH_MAP241_VPE31_0	32	0	rw	
GIC_SH_MAP242_VPE31_0	32	0	rw	
GIC_SH_MAP243_VPE31_0	32	0	rw	
GIC_SH_MAP244_VPE31_0	32	0	rw	
GIC_SH_MAP245_VPE31_0	32	0	rw	
GIC_SH_MAP246_VPE31_0	32	0	rw	
GIC_SH_MAP247_VPE31_0	32	0	rw	
GIC_SH_MAP248_VPE31_0	32	0	rw	
GIC_SH_MAP249_VPE31_0	32	0	rw	
GIC_SH_MAP250_VPE31_0	32	0	rw	
GIC_SH_MAP251_VPE31_0	32	0	rw	
GIC_SH_MAP252_VPE31_0	32	0	rw	
GIC_SH_MAP253_VPE31_0	32	0	rw	
GIC_SH_MAP254_VPE31_0	32	0	rw	
GIC_SH_MAP255_VPE31_0	32	0	rw	
GIC_VB_DINT_SEND	32	0	-w	
GIC_VPE_CTL_L	32	a	rw	
GIC_VPE_PEND_L	32	0	r-	
GIC_VPE_MASK_L	32	7f	r-	
GIC_VPE_RMASK_L	32	0	-w	
GIC_VPE_SMASK_L	32	0	-w	
GIC_VPE_WD_MAP_L	32	40000000	rw	
GIC_VPE_COMPARE_MAP_L	32	0	rw	
GIC_VPE_TIMER_MAP_L	32	80000005	rw	
GIC_VPE_FDC_MAP_L	32	80000005	rw	
GIC_VPE_PERFCTR_MAP_L	32	80000005	rw	
GIC_VPE_SWInt0_MAP_L	32	80000000	rw	
GIC_VPE_SWInt1_MAP_L	32	80000000	rw	
GIC_VPE_OTHER_ADDRESS_L	32	0	rw	
GIC_VPE_IDENT_L	32	0	r-	
GIC_VPE_WD_CONFIG_L	32	0	rw	
GIC_VPE_WD_COUNT_L	32	0	r-	
GIC_VPE_WD_INITIAL_L	32	0	rw	
GIC_VPE_CompareLo_L	32	ffffff	rw	
GIC_VPE_CompareHi_L	32	ffffff	rw	

GIC_Vx_DINT_PART_L	32	1	rw	
GIC_Cx_BRK_GROUP_L	32	0	rw	
GIC_VPE_CTL_O	32	a	rw	
GIC_VPE_PEND_O	32	0	r-	
GIC_VPE_MASK_O	32	7f	r-	
GIC_VPE_RMASK_O	32	0	-w	
GIC_VPE_SMASK_O	32	0	-w	
GIC_VPE_WD_MAP_O	32	40000000	rw	
GIC_VPE_COMPARE_MAP_O	32	0	rw	
GIC_VPE_TIMER_MAP_O	32	80000005	rw	
GIC_VPE_FDC_MAP_O	32	80000005	rw	
GIC_VPE_PERFCTR_MAP_O	32	80000005	rw	
GIC_VPE_SWInt0_MAP_O	32	80000000	rw	
GIC_VPE_SWInt1_MAP_O	32	80000000	rw	
GIC_VPE_OTHER_ADDRESS_O	32	0	rw	
GIC_VPE_IDENT_O	32	0	r-	
GIC_VPE_WD_CONFIG_O	32	0	rw	
GIC_VPE_WD_COUNT_O	32	0	r-	
GIC_VPE_WD_INITIAL_O	32	0	rw	
GIC_VPE_CompareLo_O	32	ffffff	rw	
GIC_VPE_CompareHi_O	32	ffffff	rw	
GIC_Vx_DINT_PART_O	32	1	rw	
GIC_Cx_BRK_GROUP_O	32	0	rw	
GIC_CounterLoUser	32	0	r-	
GIC_CounterHiUser	32	0	r-	

12.2.8 Integration_support

Table 17.

Name	Bits	Initial value (Hex)		Description
stop	32	0	rw	write with non-zero to stop processor

#