



LAB 06-CONFIGURING EAS OWA SERVICES



JUNE 9, 2026

NET46
CHANG LIU

Table of Contents

Exercise 1 – Setting up EAS Services	2
Part 1 – Using Exchange Admin Center (EAC)	2
Part 2 – Using Exchange Management Shell (EMS)	3
Exercise 2 – Configuring OWA Services	6
Part 1 – Using Exchange Admin Center (EAC)	6
Part 2 – Using Exchange Management Shell (EMS)	10
Part 3 – Testing the OWA Policy	12

Exercise 1 – Setting up EAS Services


Objective:

Configure **Exchange ActiveSync Services (EAS)**

Tasks:



Part 1 – Using Exchange Admin Center (EAC)

1. Log in to **Exchange Admin Center**.
2. Set the external URL to: <https://mail.domainXX.ca/Microsoft-Server-ActiveSync>




3. In the Authentication section, select **Basic Authentication**.
4. In the **Mobile** section, choose **Quarantine mobile devices not managed by an access rule**.
5. In the **Mobile Device Mailbox Policies** tab:
 - Create a new policy:
 - Name: **Sellers on the road**
 - **Allow sync of non-compliant devices**.
 - **Require encryption**.
 - Set minimum password length: **12**

- Password expiration: **90 days**



Part 2 – Using Exchange Management Shell (EMS)

1. Identify the **ActiveSync** virtual directory.



2. View the **ActiveSync** virtual directory configuration settings.

```

C:\Windows\system32>Get-ActiveSyncVirtualDirectory -Identity "ad15\Microsoft-Server-ActiveSync (Default Web Site)" |Format-List

CompareId                : 496A2D21-4189-4624-871b-51a0266488ab
AuthClientFlags          : RadIntReportingEnabled, SendStatusReport
AuthClientCertificateProvisioningEnabled : False
RadIntReportingEnabled   : True
SendStatusReport        : True
AuthClientCertificateAuthorityId :
AuthClientCertificateThumbprint :
ActiveSyncServer         : https://mail.domain15.ca/Microsoft-Server-ActiveSync
RemoteDocumentsActionForIntranetServers : Allow
RemoteDocumentsAllowedServers : ( )
RemoteDocumentsBlockedServers : ( )
RemoteDocumentsInternalDomainSuffixList : ( )
AuthBasePath            : https://ad15.domain15.local/MSExchange/1/ROOT/Microsoft-Server-ActiveSync
BasicAuthEnabled        : True
WindowsAuthEnabled      : False
CompressionEnabled      : False
ClientCertificateAuth    : Ignore
AuthSiteName            : Default Web Site
AuthSiteSSLEnabled      : True
VirtualDirectoryPath     : Microsoft-Server-ActiveSync
Path                    : ( )
ExtendedProtectionTokenLocking : Allow
ExtendedProtectionFlags : ( )
ExtendedProtectionPkiList : ( )
AdminDisplayVersion      : Version 15.2 (Build 1708.10)
Server                  : AD15
InternalUrl              : https://ad15.domain15.local/Microsoft-Server-ActiveSync
InternalAuthenticatioMethods : ( )
ExternalAuthenticatioMethods : https://mail.domain15.ca/Microsoft-Server-ActiveSync
AdminDisplayPage        : ( )
ExchangeVersion         : 9.10 (14.8.100.0)
Name                    : Microsoft-Server-ActiveSync (Default Web Site)
DistinguishedName       : CN=Microsoft-Server-ActiveSync (Default Web Site),CN=HTTP,CN=Protocols,CN=AD15,CN=Servers,CN=Exchange Administrative Group (FYDIBOHF23SPKH)
                        ,Groups,CN=AD15-Exchange,CN=Microsoft-Exchange,CN=Services,CN=Configuration,CN=domain15,CN=local
Identity                : AD15\Microsoft-Server-ActiveSync (Default Web Site)
Id                      : c21a031-4eb4-41ab-b8b0-53a9501321
ObjectCategory           : domain15.local/Configuration/Schemas/m-Exchange/Virtual-Directory
ObjectClass              : (Top, msExchVirtualDirectory, msExchAuthVirtualDirectory)
LastChanged              : 4/8/2025 4:18:18 PM
  
```

- Set the external URL to: <https://mail.domainXX.ca/Microsoft-Server-ActiveSync>

```

C:\Windows\system32>Set-ActiveSyncVirtualDirectory -Identity "ad15\Microsoft-Server-ActiveSync (Default Web Site)" -ExternalURL https://mail.domain15.ca/Microsoft-Server-ActiveSync
[PS] C:\Windows\system32>Get-ActiveSyncVirtualDirectory -Identity "ad15\Microsoft-Server-ActiveSync (Default Web Site)" |Format-List ExternalURL

ExternalURL : https://mail.domain15.ca/Microsoft-Server-ActiveSync
  
```

- Disable **Basic Authentication**.

```

C:\Windows\system32>Set-ActiveSyncVirtualDirectory -Identity "ad15\Microsoft-Server-ActiveSync (Default Web Site)" -BasicAuthEnabled $false
[PS] C:\Windows\system32>Get-ActiveSyncVirtualDirectory -Identity "ad15\Microsoft-Server-ActiveSync (Default Web Site)" |Format-List BasicAuthEnabled

BasicAuthEnabled : False
  
```

- List mobile device mailbox policies.

```

C:\Windows\system32>Get-MobileDeviceMailboxPolicy |fl Identity

Identity : Default
Identity : Sellers on the road
  
```

- View properties of **Sellers on the road** policy.

```

ad15 x Ex-Client15 x
Machine: ad15.domain15.local
[PS] C:\Windows\system32>Get-MobileDeviceMailboxPolicy -Identity "Sellers on the road"

RunspaceId           : d9b9292c-d399-4624-971b-b3a02b6408ab
AllowNonProvisionableDevices : True
AlphanumericPasswordRequired : False
AttachmentsEnabled    : True
DeviceEncryptionEnabled : False
RequireStorageCardEncryption : False
PasswordEnabled       : True
PasswordRecoveryEnabled : False
DevicePolicyRefreshInterval : Unlimited
AllowSimplePassword   : False
MaxAttachmentSize     : Unlimited
WSSAccessEnabled      : True
UNCAccessEnabled      : True
MinPasswordLength     : 12
MaxInactivityTimeLock : Unlimited
MaxPasswordFailedAttempts : Unlimited
PasswordExpiration     : 90.00:00:00
PasswordHistory        : 0
IsDefault              : False
AllowApplePushNotifications : True
AllowMicrosoftPushNotifications : True
AllowGooglePushNotifications : True
AllowStorageCard      : True
AllowCamera           : True
RequireDeviceEncryption : True
AllowUnsignedApplications : True
AllowUnsignedInstallationPackages : True
AllowWiFi             : True
AllowTextMessaging    : True
AllowPOPIMAPEmail     : True
AllowIrDA             : True
RequireManualSyncWhenRoaming : False
AllowDesktopSync      : True
AllowHTMLEmail        : True
RequireSignedSMIMEessages : False
RequireEncryptedSMIMEessages : False
AllowSMIMESoftCerts   : True
AllowBrowser          : True
AllowConsumerEmail    : True
WhenChangedUTC        : 6/9/2026 10:07:34 PM
  
```

7. Display Bluetooth settings of **Sellers on the road** policy.

```

ad15 x Ex-Client15 x
Machine: ad15.domain15.local
[PS] C:\Windows\system32>Get-MobileDeviceMailboxPolicy -Identity "Sellers on the road" | Format-List Name,*Bluetooth*

Name           : Sellers on the road
AllowBluetooth : Allow
  
```

8. Modify Bluetooth setting to **allow only hands-free** in the **Sellers on the road** policy.

9. Verify Bluetooth Setting After Modification

```

ad15 x Ex-Client15 x
Machine: ad15.domain15.local
[PS] C:\Windows\system32>Set-MobileDeviceMailboxPolicy -Identity "Sellers on the road" -AllowBluetooth HandsFreeOnly
[PS] C:\Windows\system32>Get-MobileDeviceMailboxPolicy -Identity "Sellers on the road" | fl AllowBluetooth

AllowBluetooth : HandsfreeOnly
  
```

10. Create a new policy called "**Basic Policy**" that **allows the camera** and **disables Bluetooth**

```
ad15 x Ex-Client15 x
Select Machine: ad15.domain15.local
[PS] C:\Windows\system32>New-MobileDeviceMailboxPolicy -Name "Basic Policy" -AllowCamera:$true -AllowBluetooth Disable

RunspaceId                : d9b9292c-d399-4624-971b-b3a02b6408ab
AllowNonProvisionableDevices : False
AlphanumericPasswordRequired : False
AttachmentsEnabled         : True
DeviceEncryptionEnabled     : False
RequireStorageCardEncryption : False
PasswordEnabled             : False
PasswordRecoveryEnabled     : False
DevicePolicyRefreshInterval : Unlimited
AllowSimplePassword         : True
MaxAttachmentSize           : Unlimited
WSSAccessEnabled            : True
UNCAccessEnabled            : True
MinPasswordLength           : 
MaxInactivityTimeLock       : Unlimited
MaxPasswordFailedAttempts   : Unlimited
PasswordExpiration          : Unlimited
PasswordHistory              : 0
IsDefault                   : False
AllowApplePushNotifications : True
AllowMicrosoftPushNotifications : True
AllowGooglePushNotifications : True
AllowStorageCard            : True
AllowCamera                  : True
RequireDeviceEncryption     : False
AllowUnsignedApplications   : True
AllowUnsignedInstallationPackages : True
AllowWiFi                   : True
AllowTextMessaging          : True
AllowPOPIMAPEmail           : True
AllowIrDA                   : True
RequireManualSyncWhenRoaming : False
AllowDesktopSync            : True
AllowHTMLEmail              : True
RequireSignedSMIMEMessages  : False
RequireEncryptedSMIMEMessages : False
AllowSMIMESoftCerts         : True
AllowBrowser                 : True
AllowConsumerEmail          : True
WhenChangedUTC               : 6/9/2026 10:28:07 PM
```

11. Confirm the new policy has been created.

```
ad15 x Ex-Client15 x
Machine: ad15.domain15.local
[PS] C:\Windows\system32>Get-MobileDeviceMailboxPolicy -Identity "Basic Policy" | Format-List Name,AllowCamera,AllowBluetooth

Name       : Basic Policy
AllowCamera : True
AllowBluetooth : Disable
```

Exercise 2 – Configuring OWA Services


Objective:

- Configure **OWA**


Tasks:

Part 1 – Using Exchange Admin Center (EAC)


1. Set external URL to: <https://mail.domainXX.ca/owa>




2. In **Authentication** section, ensure **Domain\Username** is selected.



3. In the **Features** section, enable **Time management** → **Calendar**.




4. In **File Access** section, disable **Direct file access** for both Public and Private computers.




5. Create a new **Outlook Web App Policy** and set the following:


- Name: **Sellers on the road**
- Enable only these features:
 - Exchange ActiveSync
 - Contacts
 - Mobile contact sync
 - Calendar
 - Tasks
 - Direct file access (public & private)




6. Enable **Offline Mode** from private computers only.



7. Apply the **Sellers on the road** policy to the user **Elon Musk**.



- 
- ```

PS C:\Windows\system32>Get-OwaVirtualDirectory -Server ad15

Name Server OwaVersion

owa (Default Web Site) AD15 Exchange2013

```

- [illegible]

- ```
Machine: ad15.domain15.local
[PS] C:\Windows\system32>Get-OwaVirtualDirectory -Identity "ad15\owa (Default Web Site)" | fl ExternalURL
ExternalUrl : https://mail.domain15.ca/owa
```

- ```

PS C:\Windows\system32>Set-OwaVirtualDirectory -Identity "ad15\owa (Default Web Site)" -CalendarEnabled $false
PS C:\Windows\system32>Get-OwaVirtualDirectory -Identity "ad15\owa (Default Web Site)" |fl CalendarEnabled

CalendarEnabled : False

```

- 10 | P a g e

```
Machine: ad15.domain15.local
[PS] C:\Windows\system32>Get-OwaMailboxPolicy |fl Identity

Identity : Default
Identity : Sellers on the road
```

7. Create a new policy named "**Basic Policy**".

```
Machine: ad15.domain15.local
[PS] C:\Windows\system32>New-OwaMailboxPolicy -name "Basic Policy"

NameSpaceId : c743884d-a14b-44db-bdbb-dc4f80ce1555
IsEditingEnabled : True
DropboxAttachmentsEnabled : True
ReadAttachmentsEnabled : True
SelfReplyAttachmentsEnabled : True
GoogleDriveAttachmentsEnabled : True
ThirdPartyAttachmentsEnabled : True
ClassicAttachmentsEnabled : True
ReferenceAttachmentsEnabled : True
CrossAttachmentsToAccessEnabled : True
InternalSyncSupported :
ExternalSyncSupported :
DirectFileAccessOnPublicComputersEnabled : True
DirectFileAccessOnPrivateComputersEnabled : True
WebReadyDocumentViewingOnPublicComputersEnabled : True
WebReadyDocumentViewingOnPrivateComputersEnabled : True
ForceWebReadyDocumentViewingFirstOnPublicComputers : False
ForceWebReadyDocumentViewingFirstOnPrivateComputers : False
WebViewingOnPublicComputersEnabled : True
WebViewingOnPrivateComputersEnabled : True
ForceWebViewingFirstOnPublicComputers : False
ForceWebViewingFirstOnPrivateComputers : False
ActionOnUnknownFileTypes : Allow
WebReadyFileTypes : {}
WebReadyFileTypes : {}
WebReadyDocumentViewingForAllSupportedTypes : True
WebReadyDocumentViewingSupportedFileTypes : {application/msword, application/vnd.ms-excel, application/x-excel, application/vnd.ms-powerpoint, application/x-mppowerpoint, application/vnd.openxmlformats-officedocument.wordprocessingml.document, application/vnd.openxmlformats-officedocument.spreadsheetml.presentation}
WebReadyDocumentViewingSupportedFileTypes : {doc, .dot, .rtf, .als, .ppt, .pps, .pdf, .docx, .xlsx, .pptx}
AllowDownloadTypes : {}
AllowDownloadTypes : {}
ForceSaveFileTypes : {}
ForceSaveFileTypes : {}
BlockDownloadTypes : {}
BlockDownloadTypes : {}
PhoneticSupportEnabled : False
DefaultTheme :
IsDefault : False
Created : 6/18/2016 2:34:20 PM
```

8. Confirm the creation of the policy.

```
Machine: ad15.domain15.local
[PS] C:\Windows\system32>Get-OwaMailboxPolicy |fl Identity

Identity : Default
Identity : Sellers on the road
Identity : Basic Policy
```


9. Disable **junk emails filtering** in the "**Basic Policy**".

10. Verify that **junk email filtering** is now disabled.

```
Machine: ad15.domain15.local
[PS] C:\Windows\system32>Set-OwaMailboxPolicy -Identity "Basic Policy" -JunkEmailEnabled $false
[PS] C:\Windows\system32>Get-OwaMailboxPolicy -Identity "Basic Policy" |fl JunkEmailEnabled

JunkEmailEnabled : False
```

11. Assign the "**Basic Policy**" to Elon Musk.




```
ad15 | Ex-Client15
Machine: ad15.domain15.local
[PS] C:\Windows\system32>Set-CASMailbox -Identity "Elon Musk" -OwaMailboxPolicy "Basic Policy"
[PS] C:\Windows\system32>Get-CASMailbox -Identity "Elon Musk" | fl OwaMailboxPolicy

OwaMailboxPolicy : Basic Policy
```

12. Reassign "Sellers on the road " to Elon Musk for testing the next part.

13. Verify OWA Mailbox Policy Assignment



```
ad15 | Ex-Client15
Machine: ad15.domain15.local
[PS] C:\Windows\system32>Set-CASMailbox -Identity "Elon Musk" -OwaMailboxPolicy "Sellers on the road"
[PS] C:\Windows\system32>Get-CASMailbox -Identity "Elon Musk" | fl OwaMailboxPolicy


OwaMailboxPolicy : Sellers on the road
```


Note: In Exchange, a mailbox can have only **one OWA mailbox policy assigned** at a time. The most recent policy applied using **'Set-CASMailbox'** replaces any previously assigned policy. In this case, **"Sellers on the road"** is the effective policy for Elon Musk, as expected for the final validation step in Part 3.

## Part 3 – Testing the OWA Policy

### Tasks:


1. Open **OWA URL**: <https://adXX.domainXX.local/owa>
2. Log in using **Elon Musk's** credentials.
3. Once logged in, verify policy features configured in the **"Sellers on the road"** OWA policy:
  - **Calendar, Contacts, and Tasks** are accessible






- **Direct file access works** (Try uploading/downloading attachments in a test email).


## Uploading



## Downloading



- Restricted features like **Journal, Themes, and file previews** are hidden.



#### 4. Log out of OWA