



LAB 07-CONFIGURING ACCEPTED DOMAINS AND MAILING ADDRESS



Table of Contents

Exercise 1 – Configuring Accepted Domains.....	2
Exercise 2 – Configuring Email Address Policies	4


Exercise 1 – Configuring Accepted Domains

Objective: Configure the **accepted domains**.


Tasks:

1. Using Exchange Admin Center:

a) Check the names of existing **accepted domains**.



b) Create a new authoritative accepted domain **ITMT** for the domain **itmt.local**



2. Using PowerShell Exchange Management Shell:

a) Add to your domain an additional **UPN suffix domainXX.ca**

Lab 07 – Configuring Accepted Domains - Email Address Policies

```

Machine: ad15.domain15.local
[PS] C:\Windows\system32>Set-ADForest -Identity "domain15.local" -UPNSuffixes @{Add="domain15.ca"}
[PS] C:\Windows\system32>Get-ADForest | Format-List UPNSuffixes

UPNSuffixes : {domain15.ca}
  
```

- b) List the existing **accepted domains** in your Exchange organization.

```

Machine: ad15.domain15.local
[PS] C:\Windows\system32>Get-AcceptedDomain

Name      DomainName      DomainType      Default
-----
domain15.local      domain15.local      Authoritative      True
ITMT              itmt.local          Authoritative      False
  
```

- c) Create a new accepted domain type **internal relay** named: **domainXX.ca**

```

Machine: ad15.domain15.local
[PS] C:\Windows\system32>New-AcceptedDomain -Name "Domain 15 Canada" -DomainName domain15.ca -DomainType InternalRelay

Name      DomainName      DomainType      Default
-----
Domain 15 Canada      domain15.ca      InternalRelay      False
  
```

- d) List the accepted domains of the Exchange organization to verify that the new domain has been created.

```

Machine: ad15.domain15.local
[PS] C:\Windows\system32>Get-AcceptedDomain

Name      DomainName      DomainType      Default
-----
domain15.local      domain15.local      Authoritative      True
ITMT              itmt.local          Authoritative      False
Domain 15 Canada      domain15.ca      InternalRelay      False
  
```

- e) Add a new User "**Justin Trudeau**" with a mailbox using the new **UPN** suffix **domainXX.ca**

```

Machine: ad15.domain15.local
[PS] C:\Windows\system32>New-Mailbox -Name "Justin Trudeau" `
>> -UserPrincipalName jtrudeau@domain15.ca `
>> -SamAccountName jtrudeau `
>> -Password (ConvertTo-SecureString "Passw0rd$" -AsPlainText -Force) `
>> -FirstName Justin `
>> -LastName Trudeau `
>> -DisplayName "Justin Trudeau" `
>> -PrimarySmtpAddress jtrudeau@domain15.ca `
>> -OrganizationalUnit "CN=Users,DC=domain15,DC=local"

Name      Alias      ServerName      ProhibitSendQuota
-----
Justin Trudeau      jtrudeau      ad15      Unlimited
  
```

- f) Create a new accepted domain type **external relay** named: **domainXX.com**.

```

Machine: ad15.domain15.local
[PS] C:\Windows\system32>New-AcceptedDomain -Name "Domain 200 International" -DomainName domain15.com -DomainType ExternalRelay

Name      DomainName      DomainType      Default
-----
Domain 200 International      domain15.com      ExternalRelay      False
  
```

- g) List the **accepted domains** of the Exchange organization to verify that the new domain has been created.

```
ad15 x Ex-Client15
Machine: ad15.domain15.local
[PS] C:\Windows\system32>Get-AcceptedDomain

Name                DomainName          DomainType          Default
-----                -
domain15.local       domain15.local       Authoritative       True
ITMT                 itmt.local           Authoritative       False
Domain 15 Canada     domain15.ca          InternalRelay       False
Domain 200 International domain15.com         ExternalRelay       False
```

h) Remove the accepted domain **itmt.ca**.


```
ad15 x Ex-Client15
Machine: ad15.domain15.local
[PS] C:\Windows\system32>Remove-AcceptedDomain -Identity "ITMT"

Confirm
Are you sure you want to perform this action?
Removing Accepted Domain "ITMT".
[Y] Yes [A] Yes to All [N] No [L] No to All [?] Help (default is "Y"): A
[PS] C:\Windows\system32>Get-AcceptedDomain

Name                DomainName          DomainType          Default
-----                -
domain15.local       domain15.local       Authoritative       True
Domain 15 Canada     domain15.ca          InternalRelay       False
Domain 200 International domain15.com         ExternalRelay       False
```

3. Using Exchange Admin Center:

a) Check the names of the existing accepted domains, to confirm that all the accepted domains created in the previous steps exist.



Exercise 2 – Configuring Email Address Policies


Objective:

- Configure the email address policies.

Tasks:


1. Using Exchange Admin Center:

a) Check the names of existing email address policies.



b) Create a new **email address policy** with the following settings:

- Name: **DomainXX Canada**
- Accepted domain: **domainXX.ca**
- Email address format: **lastname_firstname@domainXX.ca**
- Priority: **1**



ad15 x Ex-Client15 x

Email Address Policy - Profile 1 - Microsoft Edge

https://ad15.domain15.local/ecp/EmailAddressPolicy/NewEmailAddressPolicy.aspx?pwmcid=2&ReturnObjectType=1&priority=1

new email address policy

Email address policies generate the primary and secondary email addresses for your recipients (which include users, contacts, and groups) so they can receive email.

*Policy name:

Domain15 Canada

*Email address format:

+ -

TYPE	ADDRESS FORMAT
SMTP	%s_%g@domain15.ca

*Run this policy in this sequence with other policies:

1

*Email address policies are applied to recipients in the order they are listed in this list.

c) Apply this new policy to **Users with Exchange mailboxes**.

ad15 x Ex-Client15 x

Email Address Policy - Profile 1 - Microsoft Edge

https://ad15.domain15.local/ecp/EmailAddressPolicy/EditEmailAddressPolicy.aspx?pwmcid=6&ReturnObjectType=1&priority=1

Domain15 Canada

general

email address format

► apply to

*Specify the types of recipients this email address policy will apply to.

☐ All recipient types

☒ Only the following recipient types:

☒ Users with Exchange mailboxes

☐ Mail users with external email addresses

☐ Resource mailboxes

☐ Mail contacts with external email addresses

☐ Mail-enabled groups

Create rules to further define the recipients that this email address policy applies to.

add a rule


Preview recipients the policy applies to

d) Preview recipients the policy applies to.

Lab 07 – Configuring Accepted Domains - Email Address Policies




e) Apply the new email address policy.




2. Using PowerShell Exchange Management Shell:

a) List the names of existing **email address policies** in your Exchange organization.



f) **Delete** the new policy **DomainXX Canada** and confirm.

Lab 07 – Configuring Accepted Domains - Email Address Policies




```
ad15 - Ex-Client15
Machine: ad15.domain15.local
[PS] C:\Windows\system32>Remove-MailboxPolicy -Identity "Domain15 Canada"

Confirm
Are you sure you want to perform this action?
Removing the email address policy "Domain15 Canada" and updating all recipients that fall under its recipient filter. This action may take a long time to complete.
[Y] Yes [A] Yes to All [N] No [L] No to All [?] Help (default is "Y"): A
[PS] C:\Windows\system32>Get-MailboxPolicy

Name                Priority RecipientFilter
-----
Default Policy      Lowest Alias -ne $null
```

g) Create a new **mail address policy** with the following settings:

- Name: **Domain_Public**
- Accepted domain: **domainXX.ca**
- Email address format: **firstname_lastname@domainXX.ca**
- Priority: **1**
- Apply this new policy to: **MailboxUsers**
- Apply the new email address policy.




```
ad15 - Ex-Client15
Machine: ad15.domain15.local
[PS] C:\Windows\system32>New-MailboxPolicy -Name "Domain_Public" -IncludedRecipients MailboxUsers -EnabledMailAddressTemplates "SMTP_Eg_1@domain15.ca" -Priority 1

Name                Priority RecipientFilter
-----
Domain_Public 1      RecipientType -eq 'UserMailbox'

[PS] C:\Windows\system32>Get-MailboxPolicy -Identity "Domain_Public" | Update-MailboxPolicy
[PS] C:\Windows\system32>
```

b) List the **all the email address policies** of the Exchange organization to verify that the new policy has been created.




```
ad15 - Ex-Client15
Machine: ad15.domain15.local
[PS] C:\Windows\system32>Get-MailboxPolicy


Name                Priority RecipientFilter
-----
Default Policy      Lowest Alias -ne $null
Domain_Public 1      RecipientType -eq 'UserMailbox'
```

3. Using the Exchange Admin Center:

a) Check the email address policies to view the **new email address policy** created in the previous steps.



b) Open the new email address policy and **Preview recipients the policy applies to**.



- c) Verify that the new email address policy has been applied by verifying in the user **mailboxes** their **Email address format**.

