REDCV FUNCTIONS DOCUMENTATION

Most of functions are calling Red/System routines implemented in /libs/core/rcvRoutines.red for faster image rendering. All redCV routines can be directly called from a red program (not for newbies). For a more convenient access, Red/System routines are "exported" to red functions. Only red functions are documented. Doc string summarizes the function and calling function from red code sample is in *italic*.

All includes to redCV libraries are declared in a single file (/libs/redcv.red).

```
#include %core/rcvRoutines.red ; All Red/System routines
#include %core/rcvImage.red ; image creating routines
#include %core/rcvCore.red ; basic image processing routines
#include %imgproc/rcvColorSpace.red ; Color space conversions
#include %imgproc/rcvImgProc.red ; Convolution and other
#include %math/rcvRandom.red ; random laws for generating random images
```

#include %math/rcvStats.red ; statistical functions for images

i statistical functions for images

Just deactivate the #include if you don't need functions, but rcvRoutines.red, rcvImage.red and rcvCore are obligatory.

More documentation to come.

Library: redCV/libs/core/rcvImage.red

Functions: 12

Function	Doc String
Basic Image I/O	
rcvCreateImage: function [size [pair!] return: [image!]	Create empty (black) image
img: rcvCreateImage 640x480	
rcvReleaseImage: routine [src [image!]]	Delete image from memory
rcvRelease img	
rcvLoadImage: function [fileName [file!] return:	Load image from file
[image!]	
img: rcvLoadImage %test.jpg	
rcvLoadImageB: function [fileName [file!] return:	Load image from file and return
[binary!] /alpha	image as binary
bin: rcvLoadImageB %test.png (bin=rgb)	
bin: rcvLoadImageB/apha %test.png (bin=argb)	
rcvSaveImage: function [src [image!] fileName [file!]	Save image to file
rcvSaveImage img %test.jpg	
rcvCloneImage: function [src [image!] return: [image!]	Return a copy of source image
dst: rcvCloneImage src	
rcvCopyImage : function [src [image!] dst [image!]	Copy source image to
rcvCopyImage src dst	destination image
rcvRandomImage: function [size [pair!] value [tuple!]	Create a random uniform or
/uniform /alea return: [image!]]	pixel random image
dst: rcvRandomImage/uniform 640x480 red	
rcvZeroImage: function [src [image!]	All pixels to 0
rcvZeroImage src	
rcvDecodelmage	TBD
rcvDecodelmageM	TBD
cvEncodeImage	TBD

Library: redCV/libs/core/rcvcore.red

Functions: 42

Function	Doc String
Image Conversion	9
rcv2Gray: function [src [image!] dst [image!] /average	Convert RGB image to Grayscale
/luminosity /lightness return: [image!]	according to refinement
rcv2Gray/average src dst	
rcv2BGRA: function [src [image!] dst [image!]	Convert RGBA => BGRA
rcv2BGRA src dst	
rcv2RGBA: function [src [image!] dst [image!]	Convert BGRA => RGBA"
rcv2RGBA src dst	
rcv2BW: function [src [image!] dst [image!]	Convert RGB image => Black and
rcv2BW src dst	White
rcv2BWFilter: function [src [image!] dst [image!] thresh	Convert RGB image => Black and
[integer!]	White according to threshold
rcv2BWFilter src dst 64	
rcvSplit: function [src [image!] dst [image!]/red /green	Split source image in RGB
/blue	separate channels
rcvSplit/blue src dst (->blue channel)	a: ::
rcvInvert: function [source [image!] dst [image!]	Similar to NOT image
rcvInvert src dst	
Math Operators on image	
rcvAdd: function [src1 [image!] src2 [image!] dst	dst: src1 + src2
[image!]	
rcvAdd image1 image2 destImage	
rcvSub: function [src1 [image!] src2 [image!] dst	dst: src1 - src2
[image!]	
rcvSub image1 image2 destImage	
rcvMul: function [src1 [image!] src2 [image!] dst	dst: src1 * src2
[image!]	
rcvMul image1 image2 destImage	
rcvDiv: function [src1 [image!] src2 [image!] dst	dst: src1 / src2
[image!]	
rcvDiv image1 image2 destImage	
rcvMod: function [src1 [image!] src2 [image!] dst	dst: src1 // src2 (modulo)
[image!]	
rcvMod image1 image2 destImage	
rcvRem: function [src1 [image!] src2 [image!] dst	dst: src1 % src2 (remainder)
[image!]	
rcvRem image1 image2 destImage	La alcala dise
rcvAbsDiff: function [src1 [image!] src2 [image!] dst	dst: absolute difference src1
[image!]	src2
rcvAbsDiff image1 image2 destImage	

Math anaratars with scalar (integer I)	
Math operators with scalar (integer !)	
rcvAddS: function [src [image!] dst [image!] val [integer!]	dst: src + integer! value
rcvAddS source destination 128	
rcvSubS: function [src [image!] dst [image!] val [integer!]	dst: src - integer! value
rcvSubS source destination 128	
rcvMulS: function [src [image!] dst [image!] val [integer!]	dst: src * integer! value
rcvMubS source destination 2	
rcvDivS: function [src [image!] dst [image!] val [integer!] rcvDivS source destination 2	dst: src / integer! value
rcvModS: function [src [image!] dst [image!] val	dst: src // integer! value
[integer!] rcvModS source destination 4	(modulo)
rcvRemS: function [src [image!] dst [image!] val	dst: src % integer! value
[integer!] rcvRemS source destination 2	(remainder)
rcvPow: function [src [image!] dst [image!] val	dst: src ^integer! value
[integer!] rcvPow source destination 2	ust. sic miteger: value
	Loft shift image by value
rcvLSH: function [src [image!] dst [image!]val [integer!] rcvLSH source destination 2	Left shift image by value
rcvRSH: function [src [image!] dst [image!] val [integer!] rcvRSH source destination 2	Right Shift image by value
rcvSQR: function [src [image!] dst [image!] val [integer!] rcvSQR source destination 2	Image square root
Math operators with scalar (tuple!)	
rcvAddT: function [src [image!] dst [image!] val [tuple!] rcvAddT source destination 128.128.128	dst: src + tuple! value
rcvSubT: function [src [image!] dst [image!] val [tuple!] rcvSubT source destination 32.32.32	dst: src - tuple! value
rcvMulT: function [src [image!] dst [image!] val [tuple!] rcvMulT source destination 2.2.2	dst: src * tuple! value
rcvDivT: function [src [image!] dst [image!] val [tuple!] rcvDivT source destination 2.2.2	dst: src / tuple! value
rcvModT: function [src [image!] dst [image!] val [tuple!] rcvModT source destination 2.2.2	dst: src // tuple! value (modulo)
rcvRemT: function [src [image!] dst [image!] val [tuple!] rcvRemT source destination 2.2.2	dst: src % tuple! value (remainder)
Logical operators on Image	V. 2.2.13.113.2.1
rcvAND: function [src1 [image!] src2 [image!] dst	dst: src1 AND src2
[image!]	

	_
rcvAND source1 source2 destination	
rcvOR: function [src1 [image!] src2 [image!] dst	dst: src1 OR src2
[image!]	
rcvOR source1 source2 destination	
rcvXOR: function [src1 [image!] src2 [image!] dst	dst: src1 XOR src2
[image!]	
rcvXOR source1 source2 destination	
rcvNAND: function [src1 [image!] src2 [image!] dst	dst: src1 NAND src2
[image!]	
rcvNAND source1 source2 destination	
rcvNOR: function [src1 [image!] src2 [image!] dst	dst: src1 NOR src2
[image!]	
rcvNOR source1 source2 destination	
rcvNXOR: function [src1 [image!] src2 [image!] dst	dst: src1 NXOR rc2
[image!]	
rcvNXOR source1 source2 destination	
rcvMIN: function [src1 [image!] src2 [image!] dst	dst: minimum src1 src2
[image!]	
rcvMIN source1 source2 destination	
rcvMAX: function [src1 [image!] src2 [image!] dst	dst: maximum src1 src2
[image!]	
rcvMAX source1 source2 destination	
rcvNot: function [src [image!] dst [image!]	dst: NOT src
rcvNOT source destination	
logical operators and scalar (tuple!) on image	
rcvANDS: function [src [image!] dst [image!] value	dst: src AND tuple! as image
[tuple!] return: [image!]	
rcvANDS source red	
rcvORS: function [src [image!] dst [image!] value	dst: src OR tuple! as image
[tuple!] return: [image!]	
rcvANDS source green	
rcvXORS: function [src [image!] dst [image!] value	dst: src XOR tuple! as image
[tuple!] return: [image!]	
rcvANDS source blue	
· · · · · · · · · · · · · · · · · · ·	

Library: redCV/libs/imgproc/cvImgProc.red

Functions: 2

Function	Doc String
Space Color Conversion	
rcvRGB2XYZ: function [src [image!] dst [image!]	BGR to CIE XYZ color conversion
rcvRGB2XYZ src dst	
rcvXYZ2RGB: function [src [image!] dst [image!]	CIE XYZ to RBG color conversion
rcvXYZ2RGB src dst	