

```

        writer.nullValue();
    }
    writer.endArray();
}

public String removeNullChar(String charString) {
    if ( charString == null )
        return "";
    StringBuffer sb = new StringBuffer();
    for (int i = 0 ; i<charString.length(); i++) {
        if (charString.charAt(i) == (char)0) {
            sb.append(" ");
        } else {
            sb.append(charString.charAt(i));
        }
    }
    return sb.toString();
}

@Override
public void marshal(DataObject arg0, Node arg1) throws MarshalException {
}

public NH_NIS_ERR_DTO unmarshal(byte[] bytes, int i) throws UnmarshalException {
    NH_NIS_ERR_DTO _NH_NIS_ERR_DTO = new NH_NIS_ERR_DTO();
    ByteArrayInputStream in = null;
    InputStreamReader isr = null;
    BufferedReader reader = null;
    JsonReader jr = null;
    if (bytes.length <= 0)
        return new NH_NIS_ERR_DTO();
    try {
        in = new ByteArrayInputStream(bytes);
        isr = new InputStreamReader(in, this.encoding);
        reader = new BufferedReader(isr);
        jr = new JsonReader(reader);
        jr.beginObject();
        _NH_NIS_ERR_DTO = (NH_NIS_ERR_DTO)unmarshal(jr, _NH_NIS_ERR_DTO);
        jr.endObject();
        jr.close();
    } catch (Exception e) {
        throw new UnmarshalException(e);
    } finally {
        try {
            if ( jr != null )
                jr.close();
        } catch (IOException e) {
            throw new UnmarshalException(e);
        }
    }
}

```

```

        }
        public DataObject unmarshal(byte[] bytes, NH_NIS_ERR_DTO dto) throws UnmarshalException
        {
            NH_NIS_ERR_DTO _NH_NIS_ERR_DTO = (NH_NIS_ERR_DTO) dto;
            ByteArrayInputStream in = null;
            InputStreamReader isr = null;
            BufferedReader reader = null;
            JsonReader jr = null;
            if (bytes.length <= 0)
                return new NH_NIS_ERR_DTO();
            try{
                in = new ByteArrayInputStream(bytes);
                isr = new InputStreamReader(in, this.encoding);
                reader = new BufferedReader(isr);
                jr = new JsonReader(reader);
                jr.beginObject();
                _NH_NIS_ERR_DTO = (NH_NIS_ERR_DTO)unmarshal(jr, _NH_NIS_ERR_DTO);
                jr.endObject();
                jr.close();
            } catch(Exception e) {
                throw new UnmarshalException(e);
            } finally {
                if (in != null)
                    try {
                        jr.close();
                    }
            }
        }
    }
}

```

```

        try {
            in.close();
        } catch (IOException e) {
            throw new UmarsshalException(e);
        }
        finally {
            try {
                if (isr != null)
                    try {
                        finally {
                            try {
                                if (jr != null)
                                    try {
                                        jr.close();
                                    } catch (IOException e) {
                                        throw new UmarsshalException(e);
                                    }
                                finally {
                                    if (reader != null)
                                        try {
                                            reader.close();
                                        } catch (IOException e) {
                                            throw new UmarsshalException(e);
                                        }
                                }
                            }
                        }
                    }
                return _NH_NIS_ERR_DTO;
            }
        }
    }

    public DataObject umarsshal(JsonReader reader, DataObject dto) throws IOException {
        while (reader.hasNext()) {
            String name = reader.nextName();
            setField((NH_NIS_ERR_DTO)dto, reader, name);
        }
        validate((NH_NIS_ERR_DTO)dto);
        return dto;
    }

    protected void validate(NH_NIS_ERR_DTO dto) throws IOException {
        int compareSize8 = 15;
        int dtoArraySize8 = Integer.valueOf(15);
        if (compareSize8 < dtoArraySize8) {
            throw new IOException("UmarsshalException");
        }
    }
}
protected void setField(NH_NIS_ERR_DTO dto, JsonReader reader, String name) throws

```

IOException {

```
    switch(name) {
        case "stderrCode" :
            {
                if(reader.peek() != JsonToken.NULL) {
                    dto.setStderrCode( reader.nextString());
                } else {
                    reader.nextNull();
                }
                break;
            }
        case "stderrMsgCntn" :
            {
                if(reader.peek() != JsonToken.NULL) {
                    dto.setStderrMsgCntn( reader.nextString());
                } else {
                    reader.nextNull();
                }
                break;
            }
        case "addMsgContents" :
            {
                if(reader.peek() != JsonToken.NULL) {
                    dto.setAddMsgContents( reader.nextString());
                } else {
                    reader.nextNull();
                }
                break;
            }
        case "errClassName" :
            {
                if(reader.peek() != JsonToken.NULL) {
                    dto.setErrClassName( reader.nextString());
                } else {
                    reader.nextNull();
                }
                break;
            }
        case "errFileName" :
            {
                if(reader.peek() != JsonToken.NULL) {
                    dto.setErrFileName( reader.nextString());
                } else {
                    reader.nextNull();
                }
                break;
            }
        case "errMethodName" :
            {
                if(reader.peek() != JsonToken.NULL) {
                    dto.setErrMethodName( reader.nextString());
                } else {
                    reader.nextNull();
                }
                break;
            }
        case "errLineNo" :
            {
                break;
            }
    }
```

```

import com.tmax.superspring.dto.DataObject;

package nhnis.fw.common.dto;

}

}

@Override
public int unmarshal(byte[] arg0, int arg1, DataObject arg2) throws Exception {
    return 0;
}

@Override
public DataObject unmarshal(Node arg0) throws UnmarshalException {
    return null;
}

}

}

        break;
        reader.skipValue();
        default :
        }
        break;
    }
    reader.endArray();
    } else {
        reader.nextNull();
    }
}

        }
        reader.nextNull();
        dto.addStackTrace((String)null);
    } else {
        dto.addStackTrace(reader.nextString());
        if(reader.peek() != JsonToken.NULL) {
            while (reader.hasNext()) {
                reader.beginArray();
                if(reader.peek() != JsonToken.NULL) {
                    case "stackTrace" :
                }
                break;
            }
            reader.nextNull();
        } else {
            dto.setErrType(reader.nextString());
            if(reader.peek() != JsonToken.NULL) {
                case "errType" :
            }
            break;
        }
        reader.nextNull();
    } else {
        dto.setErrLineNo(reader.nextInt());
        if(reader.peek() != JsonToken.NULL) {
    }
}

```