

检测声明

Test report statement

- 1、本机构保证检测工作的公正性、独立性和诚实性,对检测的数据负责。
We ensure the testing data impartiality, independence and integrity, and responsible for the testing data.
- 2、本报告不得涂改、增删。
The report shall not be altered, added and deleted.
- 3、本报告无公司检验检测专用章无效。
The report is invalid without “The Special Stamp for Inspection & Test Report”.
- 4、本报告无审核人、批准人签名无效。
The report is invalid without the verifier and the approver.
- 5、本报告只对采样/送检样品检测结果负责。
The results relate only to the items tested.
- 6、对本报告有疑议,请在收到报告 15 天内与本公司联系。
Please contacts with us within 15 days after you received this report if you have any questions with it .
- 7、未经本公司书面允许,对本检测报告局部复印无效,本单位不承担任何法律责任。
The local copy of the report is invalid without prior written permission of our unit, our company will not bear any legal responsibility.
- 8、本报告未经同意不得作为商业广告使用。
The reports shall not be published as advertisement without the approval of us.
- 9、委托方要求对检测结果进行符合性判定时,如无特殊说明,本公司根据委托方提供的标准限值,采用实测值进行符合性判定,不考虑不确定度所带来的风险,据此判定方式引发的风险由委托方自行承担,本公司不承担连带责任。
When the client requests the conformity judgment of the test results,if there is no special instructions,the company will use the actual measured value to make the conformity judgment according to the evaluation standards provided by the client, and the risk arised by the uncertainty is not considered. The risks caused are borne by the entrusting party, and the company does not bear joint liability.

检测说明

Test Description

样品类别 Sample type	噪声	检测类别 Type	委托检测
采样日期 Sampling date	2023-08-21~2023-08-22	检测日期 Testing date	2023-08-21~2023-08-22
采样地址 Sampling address	平潭综合实验区		
检测地点 Testing address	采样现场		
采样方法 Sampling Standard	声环境质量标准 GB 3096-2008		
备注 Note	检测点位、检测项目、检测频次、检测依据由委托单位指定。		

项目类别 Item category	检测项目 Tested Item	检测依据 Testing Standard	主要检测仪器 Main Instruments	方法检出限 Methods Detection limit
噪声	环境噪声	声环境质量标准 GB 3096-2008	多功能声级计 FZYQ21029、声校准器 FZYQ19072	——

检测结果

Test Conclusion

表 1、环境噪声检测结果

检测日期	检测点位	点位坐标	检测结果 $L_{eq}dB$ (A)		标准限值 $L_{eq}dB$ (A)
			昼间	夜间	
2023.8.21	青峰村与环白青乡生态廊道交叉口△Z1	119°47'15.83"E 25°39'31.83"N	57.5	48.3	昼间：≤60 夜间：≤50
	最近居民房△Z2	119°47'18.26"E 25°39'32.67"N	57.5	48.9	
	大坪村△Z3	119°46'22.87"E 25°33'49.12"N	47.9	43.4	
	芦洋头△Z4	119°46'16.50"E 25°33'40.62"N	55.7	45.6	
	中楼村△Z5	119°46'30.52"E 25°33'37.26"N	51.9	44.8	
2023.8.22	青峰村与环白青乡生态廊道交叉口△Z1	119°47'15.83"E 25°39'31.83"N	56.9	48.4	昼间：≤60 夜间：≤50
	最近居民房△Z2	119°47'18.26"E 25°39'32.67"N	57.5	47.6	
	大坪村△Z3	119°46'22.87"E 25°33'49.12"N	48.4	43.8	
	芦洋头△Z4	119°46'16.50"E 25°33'40.62"N	55.6	45.7	
	中楼村△Z5	119°46'30.52"E 25°33'37.26"N	52.8	45.8	
备注	1、环境噪声标准限值参照《声环境质量标准》(GB 3096-2008)中 2 类标准； 2、2023.8.21 检测期间天气为晴，最大风速为 2.6m/s； 3、2023.8.22 检测期间天气为多云，最大风速为 2.5m/s。				

点位示意图



△—环境噪声监测点位

现场照片



报告结束

环北青乡生态廊道项目-青峰桥项目环境影响报告表

专家评审意见

2023年9月4日，平潭综合实验区自然资源与生态环境局邀请三名专家(名单附后)对福建省华夏能源设计研究院有限公司(环评单位)编制的《环北青乡生态廊道项目-青峰桥项目海域使用论证报告表》（以下简称“报告表”）进行函审，经综合各专家个人意见后，形成如下评审意见：

一、项目概况

环白青乡生态廊道项目-青峰桥项目位于平潭苏平片区青峰村，为环白青乡生态廊道项目的延伸，西侧连接青峰村村道，东侧连接平潭综合实验区白青青峰二级渔港已建的进港道路。工程主要建设内容包括：道路交通工程、桥梁工程、交通工程等。工程设计长度 190m，道路等级为公园主路兼乡村干路，其中跨海桥梁长度 79.56m，道路宽度 6.5/7.5m，设计速度 20km/h，双向两车道，工程总投资 848.35 万元。项目已取得平潭综合实验区关于项目规划选址及用地阶段的意见函（岚综实项目函[2022]413 号），涉及用海部分已取得用海批复（岚综实项目审批[2023]143 号）。

二、工程环境可行性及报告书编制质量

1. 工程环境可行性

本项目建设符合国家产业政策和相关规划要求。在认真落实各项环境保护措施，严格执行环保“三同时”制度的前提下，从环境影响角度分析，项目建设可行。

2. 报告书编制质量

报告书编制基本符合《建设项目环境影响报告表编制技术指南（生态影响类）（试行）》要求，提出的环境保护措施基本可行，评价结论总体可行。

三、报告书修改意见

（1）补充完善项目建设与最新的“三区三线”成果、《福建省“十四五”海洋生态环境保护规划》等规划、区划的符合性分析。

（2）补充环北青乡生态廊道项目的整体工程内容，补充完善施工围堰的结构

尺度、断面布置、施工及拆除方案等。


(3) 完善海洋生态现状资料，梳理海洋环境现状评价内容。

(4) 核实悬沙入海源强及包络线范围，补充完善海洋生物资源损失和生态补偿金额估算。

(5) 进一步完善本项目初期雨水收集处理措施及其可行性，补充海洋生态补偿的相关要求。

(6) 与会代表及专家的其他意见和建议。

专家组组长（签字）：

专家组成员（签字）：




2023 年 9 月 5 日

环北青乡生态廊道项目-青峰桥项目环境影响报告表（修改版）

复审意见

专家评审会后，编制单位对《环北青乡生态廊道项目-青峰桥项目环境影响报告表（送审版）》进行了修改完善，形成了《环北青乡生态廊道项目-青峰桥项目环境影响报告表（修改版）》。经审议，形成以下复审意见：

1. 报告表（修改版）补充了项目建设与最新的“三区三线”成果、《福建省“十四五”海洋生态环境保护规划》分析内容。
2. 报告表（修改版）补充了环北青乡生态廊道项目的整体工程内容，补充完善施工围堰的结构尺度、断面布置、施工及拆除方案等。
3. 报告表（修改版）对专家意见采纳较好，修改内容基本完善，评价结论总体可信。



2023 年 9 月 14 日