

# %USE WHATEVER DOES NOT NEED A SPECIAL %PACKAGE TO BE LOADED

```
\documentclass{article}
```

```
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
```

```
%no packages
```

```
%no newly defined commands
```

```
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
```

```
\begin{document}
```

```
\title{my manuscript}
```

```
\date{}
```

```
\author{me\thanks{corresponding author} \thanks{my address}\and my best friend and co-  
author\thanks{address of best friend and co-author}\and the lazy guy who didn't do anything at  
all\footnotemark[3]\and my boss, because that is how one should do it\footnotemark[1] \footnotemark[2]}
```

```
\maketitle
```

```
\section{Abstract}
```

My manuscript is about interesting research, and this is what we found.

```
\section{Introduction}
```

This and that is known already \cite{lita, litb, litc, lita}. Herein, we present some other new results.

```
\section{Results and Discussion}
```

Measuring this we got that. See Figure \ref{fig1} and Table \ref{tab1}. With equation \ref{eq1} we calculate  $\{bf{x}\}$  and put it into equation \ref{eq2}.

```
\begin{equation}
```

```
{\bf{x}}=a+\Delta G_{free}
```

```
\label{eq1}
```

```
\end{equation}
```

%%

%if your equations are more complicated, such as:

```
\begin{equation}
\left[\begin{array}{c}
\psi^L\backslash
\psi^S
\end{array}\right]=\left[\begin{array}{cc}
I_2 & 0_2\backslash
0_2 & \frac{1}{2mc}\left(\sigma\cdot\mathbf{x}\right)
\end{array}\right]\left[\begin{array}{c}
\psi^L\backslash
\phi^L
\end{array}\right]
\label{eq2}
\end{equation}
```

%then send every equation in a separate (numbered according to the equation number) .pdf file and we treat  
%them as graphic files, set by the typesetter.

%%

\section{Conclusions}

Our results show that we were right and our ideas can be applied here and there.

\section{Experimental Section}

We did our experiments under these conditions using machines w and x, and chemicals y and z. For calculations we used the calculates-whatever-you-want program \cite{lite}.

\section{Acknowledgment}

We thank our research fund for the money.

\section{Keywords}

Keyword 1, keyword 2, keyword 3, keyword 4, keyword 5

\section{TOC}

This and that is shown (see picture \ref{TOCfig}) and can be used here and there.

\begin{thebibliography}{99}

\bibitem{lita} M. Mouse, D. Duck, {\em ChemPhysChem} {\bf 2005}, {\em 38}, 1764.

\bibitem{litb} S. Cooper, L. Hofstadter, {\em Whatever you wanted to know.} (Eds.:C. Lorre, B. Prady), Wiley-VCH, Weinheim, {\bf 2003}, pp. 1658-2014.

\bibitem{litc} C. Brown (Peanuts Co.), patent number: US-A 549623, {\bf 2010}.

\bibitem{litd} C. Kent, {\em Chem. Eur. J.} {\bf 2012}, unpublished results.

\bibitem{lite} S. Brain, {\bf 2008}, <http://www.calculates-whatever-you-want.com/maybe>.

\end{thebibliography}

%%

%alternatively you may use

```
%\bibliographystyle{unsrt}
%\bibliography{mymanuscript.bib}
```

%and send the .bib file along with your manuscript

%%

`\newpage`

```
\begin{figure}
%\includegraphics{1}
\caption{This figure shows this and that.}
\label{fig1}
\end{figure}
```

```
\begin{figure}
%\includegraphics{TOC}
\caption{TOC figure.}
\label{TOCfig}
\end{figure}
```

```
\begin{table}
\begin{center}
\begin{tabular}{|l|l|l|l|l|}
\hline
\multicolumn{6}{c}{My data collection.}\\
\hline
entry & bla & blabla & blabli & blablu & blah\\
\hline
this & is & the & first$^{[a]}$ & row & data \\
this & is & the & second & row & data \\
\hline
\end{tabular}
\end{center}
\caption{In this table my data is listed. [a] There is no zeroth row.}
\label{tab1}
\end{table}
```

```
\end{document}
```

**%EASY, ISN'T IT? 😊**