

Class 2

指定變數類型

```
val isAgree: Boolean = true           //布林值
val age: Int = 18                     //整數
val name: String = "Android"         //字符串值
val length: Double = 4.5             //雙精度浮點數
val points: Float = 3.2f              //浮點數
```

根據 id 找到界面中元素

```
val nameTextView: TextView = findViewById(R.id.nameTextView)
val isAgreeCheckBox: CheckBox = findViewById(R.id.isAgreeCheckBox)
val button: Button = findViewById(R.id.button)
```

更改元素屬性

```
nameTextView.text = "Android"
isAgreeCheckBox.isChecked = true
```

按鈕點擊事件

```
button.setOnClickListener {
    nameTextView.text = "Android"
    isAgreeCheckBox.isChecked = true
}
```

var 和 val

```
val count = 1  
count = 2
```

// 錯誤， val 不能重新賦值

```
var count = 1  
count = 2
```

// var 可以重新賦值

```
var count = 1  
count = count + 1  
count += 1  
count++
```

// 值加 1

// 值加 1

// 值加 1

字符串連接

```
var name = "Hello, "  
name = name + "Android"           // Hello,  Android
```

字符串插值

```
var name = "Android"  
nameTextView.text = "Hello, ${name}"
```

變更 ImageView 顯示的圖片

```
val imageView: ImageView = findViewById(R.id.imageView)  
imageView.setImageResource(R.drawable.image5)
```

判斷 checkbox 是否被點擊

```
if (checkBox.isChecked) {  
    Toast.makeText(this, "用戶選了同意", Toast.LENGTH_LONG).show()  
} else {  
    Toast.makeText(this, "用戶沒有選同意", Toast.LENGTH_LONG).show()  
}
```

獲取 radioButton 所選內容

```
val radioGroup: RadioGroup = findViewById(R.id.radioGroup)  
val checkRadioId = radioGroup.checkedRadioButtonId  
  
val radioButton: RadioButton = findViewById(checkRadioId)  
Toast.makeText(this, radioButton.text, Toast.LENGTH_LONG).show()
```

獲取 Spinner 選中的內容

```
val selectedOption = spinner.selectedItem.toString()
```

if 多條件

```
if (count == 0) {  
    Toast.makeText(this, "按鈕沒有被點擊", Toast.LENGTH_SHORT).show()  
} else if (count <= 5) {  
    Toast.makeText(this, "按鈕點擊了 5 次或以下", Toast.LENGTH_SHORT).show()  
} else if (count <= 10) {  
    Toast.makeText(this, "按鈕點擊了 10 次或以下", Toast.LENGTH_SHORT).show()  
} else {  
    Toast.makeText(this, "按鈕點擊了 10 次以上", Toast.LENGTH_SHORT).show()  
}
```