

Class 9

讀取網絡上圖片

1.在 app gradle 中加入

```
implementation("io.coil-kt:coil:2.4.0")
```

2.在 imageView 中加入

```
imageView.load("https://picsum.photos/400") {  
    crossfade(true)  
    transformations(CircleCropTransformation())  
  
    placeholder(R.drawable.default_image)  
}
```

// load 方法中是圖片的路徑

向指定網址發送數據

```
val requestBody = FormBody.Builder()  
    .add("name", "milktea")  
    .add("quantity", "4")  
    .build()  
  
val req = Request.Builder()  
    .url("https://www.example.mo/data.php")  
    .post(requestBody)  
    .build()  
  
OkHttpClient().newCall(req).enqueue(object: Callback {  
    override fun onFailure(call: Call, e: IOException) {  
    }  
  
    override fun onResponse(call: Call, response: Response) {  
    }  
})
```

打開新 Activity , 要求返回結果

```
val intent = Intent(this, MainActivity2::class.java)
startForResult.launch(intent)
```

返回結果的 Activity

```
val resultIntent = Intent()
resultIntent.putExtra("key", "value")
setResult(RESULT_OK, resultIntent)
finish()
```

```
// finish() 關閉當前 activity
```

取回返回的結果

```
private val startForResult =
registerForActivityResult(ActivityResultContracts.StartActivit
yForResult()) {
    result ->

    if(result.resultCode == RESULT_OK) {
        val intent = result.data!!
        val value = intent.getIntExtra("key")
    }
}
```

發送系統提示



1. 在 Android Manifest 加入權限

```
<uses-permission  
android:name="android.permission.POST_NOTIFICATIONS" />
```

2. 建立 Channel

```
val manager: NotificationManager =  
getSystemService(NOTIFICATION_SERVICE) as NotificationManager  
  
val important = NotificationManager.IMPORTANCE_HIGH  
val channel = NotificationChannel("channel_id", "Channel  
Name", important)  
manager.createNotificationChannel(channel)
```

3. 請求運行時的權限

```
if (ActivityCompat.checkSelfPermission(this,
    android.Manifest.permission.POST_NOTIFICATIONS)
    != PackageManager.PERMISSION_GRANTED) {

    ActivityCompat.requestPermissions(this,
    arrayOf(android.Manifest.permission.POST_NOTIFICATIONS), 0)
}

else {

    val notification = NotificationCompat.Builder(this,
    "channer_id")
        .setContentTitle("Notification Title")
        .setContentText("Notification Text")
        .setSmallIcon(R.drawable.outline_book_24)
        .setAutoCancel(true)
        .build()

    manager.notify(1, notification)

}
```

4. 用戶選擇允許權限或不允許權限後運行

```
override fun onRequestPermissionsResult(
    requestCode: Int,
    permissions: Array<out String>,
    grantResults: IntArray
) {
    super.onRequestPermissionsResult(requestCode, permissions,
    grantResults)
    if (requestCode == 0 && grantResults.isNotEmpty() &&
    grantResults[0] == PackageManager.PERMISSION_GRANTED) {
        // 用戶允許權限
    } else {
        // 用戶沒有允許權限
    }
}
```