

The screenshot shows the RubyGems.org page for the 'devise' gem, version 4.5.0. The page has a red header with navigation links: NEWS, GEMS, GUÍAS, CONTRIBUYE, INGRESAR, and REGISTRO. The main content area features the gem name 'devise' in a large font with '4.5.0' in red. Below it, a subtitle reads 'Flexible authentication solution for Rails with Warden'. The page is divided into two columns. The left column lists versions from 4.5.0 down to 4.4.0, each with its release date and size. The right column lists runtime dependencies: bcrypt, orm_adapter, railties, responders, and warden. On the far right, a sidebar shows the gem's popularity with a 'Star' button (19,156 stars), total downloads (40,143,696), and downloads for this version (288,075). It also includes a 'GEMFILE:' section with a button to copy the command 'gem 'devise', '~> 4.5.0' and an 'INSTALAR:' section with a button to copy 'gem install devise'.

Correo: adriana.barrera - Outlook X devise | RubyGems.org | alojami X +

https://rubygems.org/gems/devise

Buscar gemas...

NEWS GEMS GUÍAS CONTRIBUYE INGRESAR REGISTRO

devise 4.5.0

Flexible authentication solution for Rails with Warden

VERSIONES:

- 4.5.0 - August 15, 2018 (200 KB)
- 4.4.3 - March 18, 2018 (200 KB)
- 4.4.2 - March 15, 2018 (200 KB)
- 4.4.1 - January 23, 2018 (200 KB)
- 4.4.0 - December 29, 2017 (200 KB)

Muestra todas las versiones (160 total) →

DEPENDENCIAS DE RUNTIME (5):

- bcrypt ~> 3.0
- orm_adapter ~> 0.1
- railties < 6.0, >= 4.1.0
- responders >= 0
- warden ~> 1.2.3

AUTORES:

Star 19,156

TOTAL DOWNLOADS
40.143.696

PARA ESTA VERSIÓN
288.075

GEMFILE:

gem 'devise', '~> 4.5.0'

INSTALAR:

gem install devise

LICENCIA:


Recorte de pantalla realizado: 6/10/2018 9:41 a.m.

GEMFILE:

```
gem 'devise', '~> 4.5.0' 
```

INSTALAR:

Recorte de pantalla realizado: 6/10/2018 9:41 a.m.



The screenshot shows a Visual Studio Code window with a file named 'Gemfile' open. The left sidebar shows the 'EXPLORER' view with a tree structure of files and folders. The main editor area displays the content of the 'Gemfile', which includes source information, Ruby version, and a list of gems with their versions. The gems listed are devise, rails, sqlite3, puma, and sass-rails.

Gemfile - bookstore - Visual Studio Code

File Edit Selection View Go Debug Terminal Help


EXPLORER

- OPEN EDITORS
 - Gemfile U
- BOOKSTORE
 - app
 - assets
 - channels
 - controllers
 - helpers
 - jobs
 - mailers
 - models

Gemfile

```
1 source 'https://rubygems.org'
2 git_source(:github) { |repo| "https://github.com/#{repo}.git" }
3
4 ruby '2.4.4'
5 gem 'devise', '~> 4.5.0'
6 # Bundle edge Rails instead: gem 'rails', github: 'rails/rails'
7 gem 'rails', '~> 5.2.1'
8 # Use sqlite3 as the database for Active Record
9 gem 'sqlite3'
10 # Use Puma as the app server
11 gem 'puma', '~> 3.11'
12 # Use SCSS for stylesheets
13 gem 'sass-rails', '~> 5.0'
```

Recorte de pantalla realizado: 6/10/2018 9:41 a.m.



The screenshot shows a terminal window with the output of the 'bundle install' command. The output shows the resolution of dependencies for the gems listed in the Gemfile. It indicates that rails (~> 5.2.1) was resolved to 5.2.1, which depends on devise (~> 0.0.1) and rails (~> 4.2.5.1). It also shows the resolution of other dependencies like rake, concurrent-ruby, i18n, minitest, and thread_safe.

```
13 gem 'sass-rails', '~> 5.0'
14
In Gemfile:
rails (~> 5.2.1) x64-mingw32

devise (~> 0.0.1) x64-mingw32 was resolved to 0.0.1, which depends on
rails (~> 4.2.5.1) x64-mingw32

Running 'bundle update' will rebuild your snapshot from scratch, using only
the gems in your Gemfile, which may resolve the conflict.
PS D:\ADRIANA\cursos los sabados\04-10-18\bookstore\bookstore> bundle install
Fetching gem metadata from https://rubygems.org/.....
Fetching gem metadata from https://rubygems.org/.
Resolving dependencies....
Using rake 12.3.1
Using concurrent-ruby 1.0.5
Using i18n 1.1.0
Using minitest 5.11.3
Using thread_safe 0.3.6
```

Recorte de pantalla realizado: 6/10/2018 9:41 a.m.

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL 1: p

Using uglifier 4.1.19
Using web-console 3.7.0
Bundle complete! 17 Gemfile dependencies, 81 gems now installed.
Use 'bundle info [gemname]' to see where a bundled gem is installed.
PS D:\ADRIANA\cursos los sabados\04-10-18\bookstore\bookstore> bundle list
Gems included by the bundle:
* actionable (5.2.1)
* actionmailer (5.2.1)
* actionpack (5.2.1)
```

Recorte de pantalla realizado: 6/10/2018 9:42 a.m.

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

* childprocess (0.9.0)
* chromedriver-helper (2.1.0)
* coffee-rails (4.2.2)
* coffee-script (2.4.1)
* coffee-script-source (1.12.2)
* concurrent-ruby (1.0.5)
* crass (1.0.4)
* devise (4.5.0)
* duktape (2.0.1.0)
* erubi (1.7.1)
```

Recorte de pantalla realizado: 6/10/2018 9:42 a.m.

<https://github.com/plataformatec/devise#getting-started>

Correo: adriana barrero - Outlook x plataformatec/devise: Flexible au x +

← → ↻ 🔒 GitHub, Inc. [US] | <https://github.com/plataformatec/devise#getting-started>

Getting started

Devise 4.0 works with Rails 4.1 onwards. Add the following line to your Gemfile:

```
gem 'devise'
```

Then run `bundle install`

Next, you need to run the generator:

```
$ rails generate devise:install
```

At this point, a number of instructions will appear in the console. Among these instructions, you'll URL options for the Devise mailer in each environment. Here is a possible configuration for `config/environments/development.rb`:

Recorte de pantalla realizado: 6/10/2018 9:43 a.m.

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL 1: powershell

* tilt (2.0.8)
* turbolinks (5.2.0)
* turbolinks-source (5.2.0)
* tzinfo (1.2.5)
* tzinfo-data (1.2018.5)
* uglifier (4.1.19)
* warden (1.2.7)
* web-console (3.7.0)
* websocket-driver (0.7.0)
* websocket-extensions (0.1.3)
* xpath (3.1.0)
PS D:\ADRIANA\cursos los sabados\04-10-18\bookstore\bookstore> rails generate devise:install
create config/initializers/devise.rb
create config/locales/devise.en.yml
=====

Some setup you must do manually if you haven't yet:

1. Ensure you have defined default url options in your environments files. Here
is an example of default_url_options appropriate for a development environment
in config/environments/development.rb:

  config.action_mailer.default_url_options = { host: 'localhost', port: 3000 }

In production, :host should be set to the actual host of your application.

2. Ensure you have defined root_url to *something* in your config/routes.rb.
For example:

  root to: "home#index"
```

Recorte de pantalla realizado: 6/10/2018 9:43 a.m.

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL 1: powershell

config.action_mailer.default_url_options = { host: 'localhost', port: 3000 }

In production, :host should be set to the actual host of your application.

2. Ensure you have defined root_url to *something* in your config/routes.rb.
For example:

  root to: "home#index"

3. Ensure you have flash messages in app/views/layouts/application.html.erb.
For example:

<p class="notice"><%= notice %></p>
<p class="alert"><%= alert %></p>

4. You can copy Devise views (for customization) to your app by running:

rails g devise:views

=====
PS D:\ADRIANA\cursos los sabados\04-10-18\bookstore\bookstore> rails generate devise User
invoke  active_record
create  db/migrate/20181006144425_devise_create_users.rb
create  app/models/user.rb
```

Recorte de pantalla realizado: 6/10/2018 9:44 a.m.

```
user.rb - bookstore - Visual Studio Code
File Edit Selection View Go Debug Terminal Help

EXPLORER
  OPEN EDITORS
  Gemfile
  user.rb app/models
  BOOKSTORE
    app
    assets
    channels
    controllers
    helpers
    jobs
    mailers
    models
    concerns
    application_record.rb
    author.rb
    book.rb
    user.rb
    views
    bin
    config
    db
    lib
    log
    public
    storage
    test
    tmp

GEMFILE
class User < ApplicationRecord
  # Include default devise modules. Others available are:
  # :confirmable, :lockable, :timeoutable, :trackable and :omniauthable
  devise :database_authenticatable, :registerable,
         :recoverable, :rememberable, :validatable
end
```

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL 1: powershell


<p class="notice"><%= notice %></p>
<p class="alert"><%= alert %></p>

4. You can copy Devise views (for customization) to your app by running:

rails g devise:views

=====
PS D:\ADRIANA\cursos los sabados\04-10-18\bookstore\bookstore> rails generate devise User
invoke  active_record
create  db/migrate/20181006144425_devise_create_users.rb
create  app/models/user.rb
invoke  test_unit
create  test/models/user_test.rb
create  test/fixtures/users.yml
insert  app/models/user.rb
```


Recorte de pantalla realizado: 6/10/2018 9:44 a.m.



Recorte de pantalla realizado: 6/10/2018 9:45 a.m.

Para ver las rutas que estan disponibles

rake routes



Recorte de pantalla realizado: 6/10/2018 9:46 a.m.

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL 1: powershell

rails_blob_representation GET /rails/active_storage/representations/:signed_blob_id/:variation_key/*filename
presentations#show
rails_disk_service GET /rails/active_storage/disk/:encoded_key/*filename(.:format)
sk#show
update_rails_disk_service PUT /rails/active_storage/disk/:encoded_token(.:format)
sk#update
rails_direct_uploads POST /rails/active_storage/direct_uploads(.:format)
rect_uploads#create
PS D:\ADRIANA\cursos los sabados\04-10-18\bookstore\bookstore> rails db:migrate
== 20181006144425 DeviseCreateUsers: migrating =====
-- create_table(:users)
-> 0.0152s
-- add_index(:users, :email, {:unique=>true})
-> 0.0037s
-- add_index(:users, :reset_password_token, {:unique=>true})
-> 0.0020s
== 20181006144425 DeviseCreateUsers: migrated (0.0225s) =====
```

Recorte de pantalla realizado: 6/10/2018 9:47 a.m.

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL 1: powershell

== 20181006144425 DeviseCreateUsers: migrated (0.0225s) =====

PS D:\ADRIANA\cursos los sabados\04-10-18\bookstore\bookstore> rails g devise:views
invoke Devise::Generators::SharedViewsGenerator
create app/views/devise/shared
create app/views/devise/shared/_links.html.erb
invoke form_for
create app/views/devise/confirmations
create app/views/devise/confirmations/new.html.erb
create app/views/devise/passwords
create app/views/devise/passwords/edit.html.erb
create app/views/devise/passwords/new.html.erb
create app/views/devise/registrations
create app/views/devise/registrations/edit.html.erb
create app/views/devise/registrations/new.html.erb
create app/views/devise/sessions
create app/views/devise/sessions/new.html.erb
create app/views/devise/unlocks
create app/views/devise/unlocks/new.html.erb
```

Recorte de pantalla realizado: 6/10/2018 9:47 a.m.
en otra terminal


```
14 ## Rememberable

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL 2: powershell

Windows PowerShell
Copyright (C) Microsoft Corporation. Todos los derechos reservados.

PS D:\ADRIANA\cursos los sabados\04-10-18\bookstore\bookstore> rails s
```

Recorte de pantalla realizado: 6/10/2018 9:48 a.m.



Recorte de pantalla realizado: 6/10/2018 9:49 a.m.

← → ↻ ⓘ localhost:3000/users/sign_up

Sign up

Email

Password (6 characters minimum)

Password confirmation

Sign up

[Log in](#)

Recorte de pantalla realizado: 6/10/2018 9:50 a.m.

← → ↻ ⓘ localhost:3000/users/sign_up

Sign up

Email

Password (6 characters minimum)

Password confirmation

[Log in](#)

Recorte de pantalla realizado: 6/10/2018 9:51 a.m.

DB Browser for SQLite - D:\ADRIANA\cursos los sabados\04-10-18\bookstore\bookstore\db\development.sqlite3

File Edit View Help

New Database Open Database Write Changes Revert Changes

Database Structure Browse Data Edit Pragma Execute SQL Edit Data

Table: users New Record Delete Record Mode:

	id	email	crypted_passwo	et_password_tol	t_password_ser	member_created	created_at
	Filter	Filter	Filter	Filter	Filter	Filter	Filter
1	1	chanitos19@h...	\$2a\$11\$d9pts...	NULL	NULL	NULL	2018-10-06 1...

Recorte de pantalla realizado: 6/10/2018 9:52 a.m.

Variables globales:

El usuario esta autenticado?

user_signed_in? Devuelve falso o verdadero

Desde <<https://github.com/plataformatec/devise#getting-started>>

Donde guardan las cookies informacion temporal del usuario

user_session

Desde <<https://github.com/plataformatec/devise#getting-started>>

Referencia del usuario autenticado

current_user


Desde <<https://github.com/plataformatec/devise#getting-started>>

SI TU ESTAS YA AUTENTICADO SI VUELVES ACA OTRA VEZ


← → ↻ ⓘ localhost:3000

- Cien años de soledad | [Eliminar](#) | [Editar](#)
- Mi libro cool | [Eliminar](#) | [Editar](#)
- Mi libro cool | [Eliminar](#) | [Editar](#)
- Carol | [Eliminar](#) | [Editar](#)
- CAS | [Eliminar](#) | [Editar](#)

NECESITAMOS UN LOG OUT



Recorte de pantalla realizado: 6/10/2018 10:32 a.m.




Recorte de pantalla realizado: 6/10/2018 10:37 a.m.

```

<% if user_signed_in? %>
<%= current_user.email %>
<a href="<%= destroy_user_session_path %>" data-method="delete">Cerrar
Sesion</a>
<% else %>
<a href="<%= new_user_password_path %>"> Log in </a>
<a href="<%= new_user_registration_path %>"> Registrarse </a>
<% end %>
<ul>
<% for book in @books %>
<li>
<%= book.title %> |
<a href="/libros/mostrar/<%= book.id %>">
Eliminar
</a>
|
<a href="/libros/edit/<%= book.id %>">
Editar
</a>
</li>
<% end %>
</ul>


```



Recorte de pantalla realizado: 6/10/2018 10:49 a.m.




Recorte de pantalla realizado: 6/10/2018 10:49 a.m.



Recorte de pantalla realizado: 6/10/2018 10:54 a.m.

Si estoy logueada



Recorte de pantalla realizado: 6/10/2018 10:55 a.m.


```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title>Bookstore</title>
5     <%= csrf_meta_tags %>
6     <%= csp_meta_tag %>
7
8     <%= stylesheet_link_tag 'application', media: 'all', 'data-turbolinks-track': 'reload' %>
9     <%= javascript_include_tag 'application', 'data-turbolinks-track': 'reload' %>
10  </head>
11
12  <body>
13    <%= yield %>
14  </body>
15 </html>
16
```

```
PS D:\ADRIANA\cursos los sabados\04-10-18\bookstore\bookstore> rake routes
Prefix Verb  URI Pattern
new_user_session GET    /users/sign_in(.:format)
user_session POST   /users/sign_in(.:format)
```

Recorte de pantalla realizado: 6/10/2018 10:57 a.m.

Todas las vistas que uno hace lo mete en application.html.erb

`<%= yield %>`


Recorte de pantalla realizado: 6/10/2018 10:47 a.m.

Cortamos el código de index y lo ponemos en yield


```
1 <html>
2   <head>
3     <title>Bookstore</title>
4     <%= csrf_meta_tags %>
5     <%= csp_meta_tag %>
6
7     <%= stylesheet_link_tag 'application', media: 'all', 'data-turbolinks-track': 'reload' %>
8     <%= javascript_include_tag 'application', 'data-turbolinks-track': 'reload' %>
9   </head>
10
11   <body>
12     <% if user_signed_in? %>
13       <%= current_user.email %>
14       <a href="<%= destroy_user_session_path %%" data-method="delete">Cerrar Sesión</a>
15     <% else %>
16       <a href="<%= new_user_password_path %%"> Log in </a>
17       <a href="<%= new_user_registration_path %%"> Registrarse </a>
18     <% end %>
19   </body>
20 </html>
```

```
PS D:\ADRIANA\cursos los sabados\04-10-18\bookstore\bookstore> rake routes
Prefix Verb  URI Pattern
new_user_session GET    /users/sign_in(.:format)
user_session POST   /users/sign_in(.:format)
destroy_user_session DELETE /users/sign_out(.:format)
new_user_password GET    /users/password/new(.:format)
edit_user_password GET    /users/password/edit(.:format)
user_password PATCH  /users/password(.:format)
```


Recorte de pantalla realizado: 6/10/2018 11:00 a.m.




Recorte de pantalla realizado: 6/10/2018 11:02 a.m.



Recorte de pantalla realizado: 6/10/2018 11:02 a.m.




Recorte de pantalla realizado: 6/10/2018 11:03 a.m.



Recorte de pantalla realizado: 6/10/2018 11:06 a.m.


Antes de cualquier cosa verifique que el usuario esta autenticado

No me permite crear o borrar el libro




Recorte de pantalla realizado: 6/10/2018 11:14 a.m.

Al intentar crear el libro



Recorte de pantalla realizado: 6/10/2018 11:15 a.m.




Recorte de pantalla realizado: 6/10/2018 11:15 a.m.


@authors

Es una variable de clase, que la puedo usar en toda la clase o en los template asociados a la clase

Recorte de pantalla realizado: 6/10/2018 11:13 a.m.




Recorte de pantalla realizado: 6/10/2018 11:35 a.m.




Recorte de pantalla realizado: 6/10/2018 11:42 a.m.


Para que permita que guarden el author id



Recorte de pantalla realizado: 6/10/2018 11:47 a.m.



Recorte de pantalla realizado: 6/10/2018 1:34 p.m.



Recorte de pantalla realizado: 6/10/2018 1:35 p.m.

Hace la relacion entre la tabla usuario y la tabla libro

The screenshot shows the Visual Studio Code interface with the following components:

- EXPLORER:** Displays the project structure. The `db/migrate` folder is expanded, showing several migration files. The file `20181006183431_create_user_books.rb` is selected.
- EDITOR:** Shows the content of `20181006183431_create_user_books.rb`. The code is a Ruby migration class:

```
1 class CreateUserBooks < ActiveRecord::Migration[5.2]
2   def change
3     create_table :user_books do |t|
4       t.references :user, foreign_key: true
5       t.references :book, foreign_key: true
6       t.timestamps
7     end
8   end
9 end
10
11
```
- TERMINAL:** Shows the command prompt output. The command `rails db:migrate` was executed, and the output shows the migration was successful:

```
PS D:\ADRIANA\cursos los sabados\04-10-18\bookstore\bookstore> rails db:migrate
== 20181006183431 CreateUserBooks: migrating =====
-- create_table(:user_books)
-> 0.0189s
== 20181006183431 CreateUserBooks: migrated (0.0194s) =====
PS D:\ADRIANA\cursos los sabados\04-10-18\bookstore\bookstore>
```

Recorte de pantalla realizado: 6/10/2018 1:36 p.m.

Crea la llave forane

Recorte de pantalla realizado: 6/10/2018 11:35 a.m.


The screenshot shows the Visual Studio Code interface with the following components:

- EXPLORER:** Displays the project structure. The `models` folder is expanded, showing several model files. The file `user_book.rb` is selected.
- EDITOR:** Shows the content of `user_book.rb`. The code is a Ruby model class:


```
1 class UserBook < ApplicationRecord
2   belongs_to :user
3   belongs_to :book
4 end
5
```
- TERMINAL:** Shows the command prompt output. The command `rails db:migrate` was executed, and the output shows the migration was successful:

```
create db/migrate/20181006183431_create_user_books.rb
create app/models/user_book.rb
```


Recorte de pantalla realizado: 6/10/2018 1:38 p.m.




Recorte de pantalla realizado: 6/10/2018 1:41 p.m.



Recorte de pantalla realizado: 6/10/2018 1:43 p.m.



Recorte de pantalla realizado: 6/10/2018 1:49 p.m.




Recorte de pantalla realizado: 6/10/2018 2:11 p.m.

```

irb(main):004:0> miusuario.books
Book Load (15.8ms) SELECT "books".* FROM "books" INNER JOIN "user_books" ON "books"."id" = "user_books"."book_id" WHERE "user_books"."user_id" = ?
LIMIT ? [["user_id", 1], ["LIMIT", 11]]
=> #<ActiveRecord::Associations::CollectionProxy []>
irb(main):005:0>

```

Recorte de pantalla realizado: 6/10/2018 2:11 p.m.



Recorte de pantalla realizado: 6/10/2018 1:50 p.m.

```

LIMIT ? [["user_id", 1], ["LIMIT", 11]]
=> #<ActiveRecord::Associations::CollectionProxy []>
irb(main):005:0> book = Book.first
Book Load (0.0ms) SELECT "books".* FROM "books" ORDER BY "books"."id" ASC LIMIT ? [["LIMIT", 1]]
=> #<Book id: 3, description: "Un libro de Gabriel Garcia Marquez", title: "Cien años de soledad", created_at: "2018-09-29 19:52:58", updated_at: "2018-09-29 19:52:58", author_id: nil>
irb(main):006:0> book.users
User Load (0.0ms) SELECT "users".* FROM "users" INNER JOIN "user_books" ON "users"."id" = "user_books"."user_id" WHERE "user_books"."book_id" = ? LIMIT ? [["book_id", 3], ["LIMIT", 11]]
=> #<ActiveRecord::Associations::CollectionProxy []>

```

Recorte de pantalla realizado: 6/10/2018 2:23 p.m.

```

irb(main):006:0> book.users
User Load (0.0ms) SELECT "users".* FROM "users" INNER JOIN "user_books" ON "users"."id" = "user_books"."user_id" WHERE "user_books"."book_id" = ? LIMIT ? [["book_id", 3], ["LIMIT", 11]]
=> #<ActiveRecord::Associations::CollectionProxy []>

```

Recorte de pantalla realizado: 6/10/2018 2:23 p.m.

```

irb(main):008:0> Book.last
Book Load (0.0ms) SELECT "books".* FROM "books" ORDER BY "books"."id" DESC LIMIT ? [["LIMIT", 1]]
=> #<Book id: 13, description: "dfasfaf", title: "para leo2", created_at: "2018-10-06 16:50:12", updated_at: "2018-10-06 16:50:12", author_id: 2>
irb(main):009:0>

```

Recorte de pantalla realizado: 6/10/2018 2:24 p.m.

SALIMOS Escribiendo exit


```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL 3: powershell
Copyright (C) Microsoft Corporation. Todos los derechos reservados.


PS D:\ADRIANA\cursos los sabados\04-10-18\bookstore\bookstore> rails g controller UserBook
create  app/controllers/user_book_controller.rb
invoke  erb
create  app/views/user_book
invoke  test_unit
create  test/controllers/user_book_controller_test.rb
invoke  helper
create  app/helpers/user_book_helper.rb
invoke  test_unit
invoke  assets
invoke  coffee
create  app/assets/javascripts/user_book.coffee
invoke  scss
create  app/assets/stylesheets/user_book.scss
PS D:\ADRIANA\cursos los sabados\04-10-18\bookstore\bookstore>

```


Recorte de pantalla realizado: 6/10/2018 2:50 p.m.



Recorte de pantalla realizado: 6/10/2018 2:53 p.m.




Recorte de pantalla realizado: 6/10/2018 2:56 p.m.




Recorte de pantalla realizado: 6/10/2018 2:59 p.m.


Creo un nuevo archivo



Recorte de pantalla realizado: 6/10/2018 3:00 p.m.




Recorte de pantalla realizado: 6/10/2018 3:07 p.m.



Recorte de pantalla realizado: 6/10/2018 3:09 p.m.




Recorte de pantalla realizado: 6/10/2018 3:16 p.m.




Recorte de pantalla realizado: 6/10/2018 3:19 p.m.

La copio



Recorte de pantalla realizado: 6/10/2018 3:20 p.m.




Recorte de pantalla realizado: 6/10/2018 3:22 p.m.

Clic en mostrar



Recorte de pantalla realizado: 6/10/2018 3:30 p.m.



Recorte de pantalla realizado: 6/10/2018 3:31 p.m.



Recorte de pantalla realizado: 6/10/2018 3:31 p.m.

search *por pg*

Advanced Search →
RESULTADO EXACTO

pg 1.1.3

Pg is the Ruby interface to the {PostgreSQL RDBMS}
[http://www.postgresql.org/]. It wor...

60.513.883

DOWNLOADS

Recorte de pantalla realizado: 6/10/2018 4:39 p.m.



pg 1.1.3

Pg is the Ruby interface to the {PostgreSQL RDBMS}
[http://www.postgresql.org/]. It works with {PostgreSQL 9.2 and later}
[http://www.postgresql.org/support/versioning/]. A small example usage:
#!/usr/bin/env ruby require 'pg' # Output a table of current connections
to the DB conn = PG.connect(dbname: 'sales') conn.exec("SELECT *
FROM pg_stat_activity") do |result| puts " PID | User | Query"
result.each do |row| puts " %7d | %-16s | %s " % row.values_at
('procpid', 'username', 'current_query') end end

VERSIONES:

Recorte de pantalla realizado: 6/10/2018 4:40 p.m.

TOTAL DOWNLOADS

60.513.883

PARA ESTA VERSIÓN

250.532


GEMFILE:

gem 'pg', '~> 1.1'




INSTALA


Copy To Clipboard




Recorte de pantalla realizado: 6/10/2018 4:42 p.m.



Recorte de pantalla realizado: 6/10/2018 4:43 p.m.




Recorte de pantalla realizado: 6/10/2018 4:47 p.m.



Recorte de pantalla realizado: 6/10/2018 4:52 p.m.

CREAMOS LA BASE DE DATOS BOOKSTORE



Recorte de pantalla realizado: 6/10/2018 4:56 p.m.

```

PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL

Use 'bundle info [gemname]' to see where a bundled gem is installed.
PS D:\ADRIANA\cursos los sabados\04-10-18\bookstore\bookstore> rails db:migrate
== 20180929190044 CreateBooks: migrating =====
-- create_table(:books)
-> 0.1124s
== 20180929190044 CreateBooks: migrated (0.1137s) =====

== 20181005001745 CreateAuthors: migrating =====
-- create_table(:authors)
-> 0.0924s
== 20181005001745 CreateAuthors: migrated (0.0937s) =====

```

Recorte de pantalla realizado: 6/10/2018 5:00 p.m.

Copiamos la estructura de la base de datos

127.0.0.1:50050/browser/

pgAdmin 4FileObjectToolsHelp

Databases (3)

BOOKSTORE

Casts

Catalogs (2)

ANSI (information_schema)

PostgreSQL Catalog (pg_catalog)

Event Triggers

Extensions

Foreign Data Wrappers

Languages

Schemas (1)

public

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Sequences

Tables (6)

ar_internal_metadata

authors

books

PropertiesSQLStatisticsDependenciesDependents

Name	Owner	Partitioned Table?	Comment
ar_internal_metadata	postgres	<input type="checkbox"/> False	
authors	postgres	<input type="checkbox"/> False	
books	postgres	<input type="checkbox"/> False	
schema_migrations	postgres	<input type="checkbox"/> False	
user_books	postgres	<input type="checkbox"/> False	
users	postgres	<input type="checkbox"/> False	

Recorte de pantalla realizado: 6/10/2018 5:09 p.m.

public

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Sequences

Tables (6)

ar_internal_metadata

authors

books

schema_migrations

user_books

users

Trigger Functions

Types

Views

postgis_24_sample

postgres

Login/Group Roles

Tablespaces

pgAgent jobs

Name	Owner	Partitioned Table?	Comment
ar_internal_metadata	postgres	<input type="checkbox"/> False	
authors	postgres	<input type="checkbox"/> False	
books	postgres	<input type="checkbox"/> False	
schema_migrations	postgres	<input type="checkbox"/> False	
user_books	postgres	<input type="checkbox"/> False	
users	postgres	<input type="checkbox"/> False	

Recorte de pantalla realizado: 6/10/2018 5:11 p.m.

Recorte de pantalla realizado: 6/10/2018 3:36 p.m.

Recorte de pantalla realizado: 6/10/2018 3:36 p.m.

Recorte de pantalla realizado: 6/10/2018 1:50 p.m.

Recorte de pantalla realizado: 6/10/2018 11:09 a.m.

Recorte de pantalla realizado: 6/10/2018 10:30 a.m.

Recorte de pantalla realizado: 6/10/2018 9:36 a.m.

Recorte de pantalla realizado: 6/10/2018 9:36 a.m.

Recorte de pantalla realizado: 6/10/2018 9:37 a.m.

Recorte de pantalla realizado: 6/10/2018 9:38 a.m.

Recorte de pantalla realizado: 6/10/2018 9:39 a.m.