



chanwe®

PACKAGE chanwer v2.3 • R DESIGN SYSTEM
FORMAT chanwe-report-typst • QUARTO EXTENSION
AUTHOR Chanwe • ALEJANDRO ABRAHAM

chanwer Showcase.

Every palette, scale, header treatment, surface, chart form and native Typst table pattern in the chanwer R package — static output for chanwe-report-typst



DOCUMENT MAP

Contents.

CAPÍTULOS 07
PÁGINAS 45

The complete static reference for chanwer: the brand color system and its validated palettes, the four scale jobs (categorical, ordinal, sequential, diverging), the signed system, every theme_chanwe() header treatment and surface, the chart forms, and the full native-Typst table API — all on the chanwe-report-typst tokens.

01	The Color System	06 – 08
1.1	The categorical eight	06
1.2	The signed trio	07
1.3	Semantic roles and family ramps	08

02	Scales	09 – 13
2.1	Categorical	09
2.2	Ordinal: one-hue ramp	10
2.3	Sequential	11
2.4	Diverging	12

03	The Signed System	14 – 16
----	--------------------------	---------

chanwe®	3.1	KPI scoreboard with valence	15
	3.2	Signed deltas in tables	15

04	Header Treatments	17 – 23	
	4.1	Header line and spacing	21

05

Surfaces and Frames

24 – 28

5.1

Frames

27

5.2

Inset figure

28

06	Chart Forms	29 – 32
----	-------------	---------

07

Typst Tables

33 — 45

7.1

Surfaces

34

7.2

Densities and column widths

38

7.3

Totals, highlights and rules

39

7.4

Header variants

40



Static Reference.

- DOCUMENT

CHW • DEV

- EDITION

SHOWCASE / 2026

- AUTHOR

ALEJANDRO ABRAHAM

- STATUS

STABLE • INTERNAL

One color system and one header grammar, mapped to every chart and table: the same tokens drive eyebrows, KPI arrows, table deltas, and this document.

This showcase covers every static output in the chanwer package: palette previews, categorical / ordinal / sequential / diverging scales, the signed positive-negative system with its KPI scoreboard, all header treatments (eyebrow, subtitle, note, KPI, title-only, no header line, compact and spacious), all four brand surfaces plus transparent, framed variants, the chart forms (scatter, bar, line, area, distribution, error bars, heatmap, facets), and every `chanwe_kbl()` pattern — surfaces, densities, totals, highlights, vertical rules, signed deltas, title-only and header-less tables. The interactive counterparts (`gt`, `highcharter`, `reactable`) live in `chanwer-showcase-html.qmd`.

01 The Color System

Every color in `chanwer` is a named token. `chanwe_palette()` returns the full inventory;

`chanwe_palette("<group>")` returns one group; `chanwe_preview_palette("<group>")` draws its swatch grid. The values mirror `color.palette` in the chanwe-brand `brand.yml`.

```
// THE MANUAL ASSIGNS EACH FAMILY A JOB
```

Orange is the one accent, blue is structural, green is positive, red is alert, ink is the neutral anchor. The scales below are built on those roles — positive/negative is never an arbitrary red/green pair.

1.1 The categorical eight

The slot order is `meta.chart-palette-order` from `brand.yml` — primary orange, blue, green, indigo, orange, teal, purple, red — the eight Apple-HIG-calibrated series hues, shared with the callouts. Red sits last: it is nearly the primary, so the two only meet in an eight-series chart.

Chanwe palette · chart



1.2 The signed trio

The brand's `kpi-green` and `kpi-red` with the slate `fg-muted` as neutral; each passes WCAG 4.5:1 small-text contrast on every brand surface.

Chanwe palette · signed



1.3 Semantic roles and family ramps

chanwe®

Chanwe palette · semantic



Chanwe palette · ramp_teal




Chanwe palette · mb_orange



02 Scales


2.1 Categorical

`scale_color_chanwe_d()` / `scale_fill_chanwe_d()` assign the chart palette in slot order, recycling past eight.



// SCATTER, BUBBLE, AND MAPS: THREE SERIES MAXIMUM


In those forms any two marks can sit side by side, so the palette must pass the stricter all-pairs check — the first three slots do. Fold extra series into “Other” or facet. Bars, lines, and stacks may use up to six.



2.2 Ordinal: one-hue ramp

When category order carries meaning, use a ramp group so the reader sees the order in the color:



```
scale_fill_chanwe_d(palette = "ramp_blue", reverse = TRUE)
```



2.3 Sequential chanwe®



`scale_color_chanwe_c()` / `scale_fill_chanwe_c()` encode magnitude with one-hue, light-to-dark

gradients built from the series hues: `orange` (default), `blue`, `indigo`, `teal`, `green`, `amber`, `red`, `purple`, plus `mustard` and `ink`.



2.4 Diverging chanwe®


`scale_fill_chanwe_div()` encodes polarity — red through a neutral midpoint to green, signed tokens at the poles. Give it symmetric limits so zero lands on the midpoint.



— DIVERGING - BARS

Highway MPG vs fleet average

Above average in green, below in red



SOURCE: G6PLOT2::MPG

03 The Signed System

One pair everywhere: `chanwe_palette("signed")` drives the KPI arrows, table deltas and the diverging poles. `direction` states the movement (▲/▼); `valence` states whether that movement is good news and drives the color.

// POSITIVE	// NEGATIVE	// NEUTRAL	// CONTRAST
#147705	#CC1914	#666666	4.9+
hue-true brand green	hue-true vermillion	brand ink-03	on all five surfaces

3.1 KPI scoreboard with valence



3.2 Signed deltas in tables

`chanwe_col_signed()` colors by the column's *raw* values; `flip` marks the smaller-is-better rows so color reads as valence, not sign.

SIGNED - TABLES

Quarterly performance

Signed deltas via `chanwe_col_signed()` - `flip` marks Opex and Churn so color reads as valence

METRIC	USD K	QOQ	YOY
Revenue	1,240.5	+12.4%	+28.1%
Gross margin	682.1	+4.2%	+9.6%
EBITDA	310.2	-3.1%	+11.2%
Opex	-420.3	-1.9%	+6.3%

SOURCE: FINANCE CLOSE, Q1 - SIMULATED

SIGNED - TABLES

Quarterly performance

Signed deltas via `chanwe_col_signed()` - flip marks Opex and Churn so color reads as valence


METRIC	USD K	QOQ	YOY
Net income	185.7	+5.8%	-2.4%
Churn	42.0	-0.8%	-4.1%

SOURCE: FINANCE CLOSE, Q1 - SIMULATED


04 Header Treatments

The header grammar: mono-caps eyebrow with an orange rule, Schibsted Grotesk title at 1.85x base, Inter subtitle, optional note line or KPI scoreboard, and an orange stamp source caption.


● EYEBROW • TITLE • SUBTITLE (DEFAULT)




● SUBTITLE WITH A NOTE LINE
█




● KPI SCOREBOARD



● KPI ONLY • NO SUBTITLE TEXT




● TITLE ONLY • HAS_SUBTITLE = FALSE



● PLAIN TITLE • NO EYEBROW


Plain title, no eyebrow

A plain string works when no eyebrow is needed



SOURCE: MOTOR TREND, 1974

● NO TITLE • NO SUBTITLE



SOURCE: MOTOR TREND, 1974


4.1 Header line and spacing

chanwe®

— HEADER LINE • FALSE

With subtitle • spacious • no line

compact_title = FALSE • header_line = FALSE




SOURCE: MOTOR TREND, 1974

— HEADER LINE • FALSE

With subtitle • compact • no line


compact_title = TRUE • header_line = FALSE



SOURCE: MOTOR TREND, 1974

— HEADER LINE • FALSE


No subtitle • spacious • no line



SOURCE: MOTOR TREND, 1974

— HEADER LINE • FALSE

No subtitle • compact • no line




SOURCE: MOTOR TREND, 1974

COMPACT_TITLE = FALSE

Spacious title

gap_in · 14pt · compact_title = FALSE




SOURCE: MOTOR TREND, 1974

05 Surfaces and Frames

`theme_chanwe()` exposes five named surfaces plus `"transparent"` and raw hex; grid colors adapt per surface.

● PAPER • DEFAULT




● WHITE

■

— SURFACE

bg_color • white

theme_chanwe(bg_color = "white")




SOURCE: MOTOR TREND, 1974

● SUNKEN

— SURFACE


bg_color • sunken

theme_chanwe(bg_color = "sunken")



SOURCE: MOTOR TREND, 1974

● SLATE



● WHITE • PADDING 18




● TRANSPARENT • ZONE-HIGHLIGHT

— SURFACE • ZONE-HIGHLIGHT

bg_color • transparent

The page zone supplies the surface




SOURCE: MOTOR TREND, 1974

5.1 Frames

— FRAME

plot_borders • TRUE

Thin ink frame lines on the white surface




SOURCE: MOTOR TREND, 1974

FRAME

plot_borders • top_bottom

plot_borders = "top_bottom" adds thin ink frame lines



SOURCE: MTCARS

5.2 Inset figure

FY 2025

Revenue by Segment

La categoría C presenta el valor más alto del conjunto. Los segmentos A y E muestran rendimiento dentro del rango esperado, mientras que F establece el piso de referencia para el análisis diferencial.

PLOT • INSET

Faceted by transmission

title - Schibsted Grotesk • padding - 18pt




SOURCE: MOTOR TREND, 1974

Data: FY 2025 — valores normalizados

06 Chart Forms

● LINE • DIRECT LABELS




● AREA



FORM - AREA

Unemployed persons

Millions, monthly since 2000




SOURCE: GGPlot2::ECONOMICS

● DISTRIBUTION • DENSITY


FORM - DENSITY

Fuel economy distribution


Manual transmissions skew to higher MPG



SOURCE: MTCARS

● ERROR BARS • MEAN $\pm$ SD

● FOCUS BAR • VALUE LABELS




● FACETS



FORM - FACETS

Faceted by transmission

Strip labels in JetBrains Mono Thin



SOURCE: MTCARS

07 Typst Tables

`chanwe_kbl()` generates native Typst — no HTML-to-PDF translation. Both densities, every surface, per-column formatting and coloring, stubs, totals, highlights and vertical rules.

● PAPER • DEFAULT

TABLE 1

TABLE • SPACIOUS • PAPER

bg • paper

density • spacious

MODEL	MPG	CYL	HP	WT
Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

SOURCE • MOTOR TREND, 1974 • MTCARS DATASET.

CHANWE / RESEARCH

● WHITE

chanwe®
TABLE 2

TABLE · SPACIOUS · WHITE

bg · white

density · spacious

MODEL	MPG	CYL	HP	WT
Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

SOURCE · MOTOR TREND, 1974 · MTCARS DATASET.

CHANWE / RESEARCH

• SUNKEN • TOP_BORDER = FALSE

chanwe®

TABLE 3

TABLE • SPACIOUS • SUNKEN

bg • sunken

top_border = FALSE

MODEL	MPG	CYL	HP	WT
Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

SOURCE • MOTOR TREND, 1974 • MTCARS DATASET.

● SLATE · PADDING 0

chanwe®
TABLE 4

TABLE · SPACIOUS · SLATE

bg · slate

padding = 0 · top_border = FALSE

MODEL	MPG	CYL	HP	WT
Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

SOURCE · MOTOR TREND, 1974 · MTCARS DATASET.

CHANWE / RESEARCH

7.2 Densities and column widths

chanwe®

TABLE 5

TABLES - SPACIOUS

Fleet summary by cylinder count

Spacious density - the presentation default

CYLINDERS	AVG MPG	AVG HP	AVG WEIGHT	VEHICLES
4	26.7	83	2.29	11
6	19.7	122	3.12	7
8	15.1	209	4.00	14

SOURCE: MTCARS

CHANWE / RESEARCH

TABLE 6

TABLES - COMPACT

Vehicle detail

Compact density for dense reporting tables - explicit col_widths

MODEL	MPG	CYL	HP	WEIGHT	TRANSMISSION
Mazda RX4	21.0	6	110	2.62	Manual
Mazda RX4 Wag	21.0	6	110	2.88	Manual
Datsun 710	22.8	4	93	2.32	Manual
Hornet 4 Drive	21.4	6	110	3.21	Automatic
Hornet Sportabout	18.7	8	175	3.44	Automatic
Valiant	18.1	6	105	3.46	Automatic
Duster 360	14.3	8	245	3.57	Automatic
Merc 240D	24.4	4	62	3.19	Automatic

SOURCE: MTCARS

CHANWE / RESEARCH

7.3 Totals, highlights and rules

chanwe®

TABLE 7

TABLES - TOTALS + HIGHLIGHT

Revenue by region

Total row via n_total; QoQ column highlighted and signed; vline separates quarters from the delta

REGION	Q1 USD K	Q2 USD K	QOQ %
North	412.1	438.0	+6.3%
Center	388.4	371.2	-4.4%
West	251.9	266.3	+5.7%
South	188.1	201.5	+7.1%
Total	1,240.5	1,277.0	+2.9%

SOURCE: FINANCE CLOSE - SIMULATED

CHANWE / RESEARCH

7.4 Header variants chanwe®

● TITLE ONLY

TABLE 8

TABLE • COMPACT HERO

title only • no subtitle

MODEL	MPG	CYL	HP	WT
Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

SOURCE • MOTOR TREND, 1974 • MTCARS DATASET.

CHANWE / RESEARCH

TABLE · COMPACT HERO

title only · zone-highlight

MODEL	MPG	CYL	HP	WT
Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

SOURCE · MOTOR TREND, 1974 · MTCARS DATASET.

• NO TITLE • NO SUBTITLE

chanwe®

TABLE 9

Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

SOURCE • MOTOR TREND, 1974 • MTCARS DATASET.

CHANWE / RESEARCH

• NO TITLE • NO SUBTITLE • ZONE-HIGHLIGHT

Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

SOURCE • MOTOR TREND, 1974 • MTCARS DATASET.

// THE SAME TOKENS, EVERYWHERE

The QoQ columns above, the KPI arrows and the diverging heatmap poles are the exact same three hexes — `chanwe_palette("signed")`. Change them once and every chart, table and report follows.

*Estrategia Activa,
Codo a codo.*

