




PROHIBIDA SU REPRODUCCIÓN SIN AUTORIZACIÓN | TODOS LOS DERECHOS RESERVADOS

PACKAGE	chanwer v2.2
	R design system
FORMAT	chanwe-publications-typst
	Quarto extension
AUTHOR	Chanwe
	Alejandro Abraham

chanwer: Complete Examples.

Every palette, scale, theme variant, header treatment, and table pattern in the chanwer R package



chanwe

DOCUMENT MAP

Contents.

The complete usage reference for the chanwer R package: the brand color system and its validated palettes, all four scale jobs (categorical, ordinal, sequential, diverging), the signed positive/negative system, every `theme_chanwe()` variant, all header treatments including the KPI scoreboard, and the full native-Typst table API.

01 The Color System 06 – 08

01	The categorical eight	06
02	The signed trio	07
03	Family ramps	07

02 Categorical Scales 09 – 11

01	Ordinal series take a one-hue ramp	10
----	------------------------------------	----

03 Sequential Scales 12 – 13

04 The Diverging Scale 14 – 15

05 The Signed System 16 – 18

01	KPI scoreboard	16
02	Signed deltas in tables	17

06 Theme Variants 19 – 23

01	Header spacing and rules	20
02	Subtitle with a note line	22
03	Faceting	23

07 Typst Tables 24 – 27

01	Densities	24
02	Totals, highlights, and rules	25

— TLDR;

Usage Reference.

DOCUMENT

CHW • PUBLICATION

EDITION

EXAMPLES / 2026

AUTHOR

Alejandro Abraham

STATUS

Stable • Internal

One color system, mapped everywhere: the same brand tokens drive charts, KPI arrows, table deltas, and this document.

chanwer v2.2 ships a brand-validated color system. The categorical palette carries a fixed, CVD-validated slot order; sequential ramps are one-hue brand families; the diverging scale and the signed tokens share the brand's designated positive (green) and alert (vermillion) families, darkened until they pass WCAG small-text contrast on every brand surface. Color always encodes valence, never a raw sign: KPI arrows and table deltas can flip for smaller-is-better metrics. This document demonstrates every public function with runnable patterns.

1 The Color System

Every color in `chanwer` is a named token. `chanwe_palette()` returns the full inventory (130+ tokens in 21 groups); `chanwe_palette("<group>")` returns one group; `chanwe_preview_palette("<group>")` draws its swatch grid.

```
chanwe_palette("chart")      # categorical 8, CVD-validated order
chanwe_palette("signed")     # canonical positive / negative / neutral
chanwe_palette("p15_teal")   # one of eleven 5-shade brand family ramps
chanwe_palette("semantic")   # roles: primary, success, danger, positive, ...
```


● // The manual assigns each family a job

Coral is the house lead, blue is structural, green is positive, vermillion is alert, ink is the neutral anchor. The scales below are built on those roles — positive/negative is never an arbitrary red/green pair.

1.1 The categorical eight

Fixed slot order — coral, blue, teal, green, violet, magenta, mustard, ink — validated for color-vision-deficiency separation (worst adjacent pair ΔE 17.5 under protan/deutan simulation). Mustard and ink sit last deliberately: charts with up to six series never reach them.

Chanwe palette • chart



1.2 The signed trio

Hue-true darkening of the brand's positive (green), alert (vermillion), and neutral (ink) families — stepped until each passes WCAG 4.5:1 small-text contrast on all five brand surfaces. The raw ramp poles do not: bright green `#1EB508` tops out at 2.7:1.


Chanwe palette • signed



1.3 Family ramps

Eleven 5-shade brand families (`p15_*`), plus the main-brand 10-step ramps (`mb_*`) and the legacy `p13_*` scales. Two examples:

Chanwe palette · p15_tea1




Chanwe palette · mb_orange



2 Categorical Scales

`scale_color_chanwe_d()` / `scale_fill_chanwe_d()` assign the chart palette in slot order, recycling past eight.

```
scale_color_chanwe_d() # default: the categorical eight
```




● // Scatter, bubble, and maps: three series maximum

In those forms any two marks can sit side by side, so the palette must pass the stricter all-pairs check — the first three slots do. Fold extra series into “Other” or facet. Bars, lines, and stacks may use up to six.

CATEGORICAL - STACKED BARS

Vehicles by class and drivetrain

Color encodes a second nominal variable - bars and stacks may use up to six series



// Source: ggplot2::mpg

2.1 Ordinal series take a one-hue ramp


When category order carries meaning (S/M/L, funnel stages, bands), use a ramp group so the reader sees the order in the color.

```
scale_fill_chanwe_d(palette = "p15_blue", reverse = TRUE)
```

ORDINAL - ONE HUE

Fleet by horsepower band

Low to High reads light to dark in a single family




// Source: mtcars

3 Sequential Scales

`scale_color_chanwe_c()` / `scale_fill_chanwe_c()` encode magnitude with one-hue, light-to-dark brand gradients.

Named ramps: `orange` (default), `coral`, `blue`, `teal`, `green`, `vermillion`, `magenta`, `violet`, `mustard`, `ink`. Green and vermillion end in the signed poles so the dark end stays readable, and every ramp's light pole is clamped one step above the family's lightest shade so minimum-value marks never vanish into the surface. Yellow and cyan are deliberately not offered — their whole family is too light to encode magnitude on brand surfaces.


```
scale_color_chanwe_c(palette = "teal")  
scale_fill_chanwe_c(palette = "green")    # dark pole = signed positive
```



— SEQUENTIAL - ORANGE (DEFAULT)

Unemployment, colored by savings rate

The default gradient anchors on the report primary



// Source: ggplot2::economics

4 The Diverging Scale


`scale_color_chanwe_div()` / `scale_fill_chanwe_div()` encode polarity: vermillion (negative) through a neutral gray midpoint to green (positive), with the signed tokens at the poles. Give the scale symmetric limits so zero lands exactly on the neutral midpoint.

```
m ← max(abs(x))  
scale_fill_chanwe_div(limits = c(-m, m))
```


— DIVERGING - HEATMAP

Weekly delta vs plan

Symmetric limits pin zero to the neutral midpoint



// Source: simulated




Near-zero values recede into the surface by design — a delta that barely moved should barely register.

● // **Red-green is the classic deuteranopia trap**

When the audience includes red-green colorblind readers, pass `cvd = TRUE` to `scale_fill_chanwe_div()` / `scale_color_chanwe_div()`: the positive arm switches to the brand's structural blue family while the negative arm stays vermillion, so polarity survives simulation and both arms remain brand families.

5 The Signed System


One pair everywhere: `chanwe_palette("signed")` drives the KPI arrows, table deltas, and the diverging poles.



5.1 KPI scoreboard

`chanwe_kpi()` wrapped in `chanwe_subtitle()` inserts the scoreboard between subtitle and chart. Arrow and color are two separate channels: `direction` states the movement (▲/▼), `valence` states whether that movement is good news and drives the signed color. Unemployment below is the canonical smaller-is-better case — the falling MoM and QoQ deltas wear a *green* ▼, the rising YoY delta a *red* ▲.

```
chanwe_subtitle("Share of population, monthly",
  kpi = chanwe_kpi(num = "3,9", label = "PCT", period = "APR·2015",
    mtc1_num = "0,1pp", mtc1_label = "MoM",
    mtc1_direction = "-", mtc1_valence = "good", ...))
```

5.2 Signed deltas in tables

`chanwe_col_signed()` is a ready-made `col_colors` function. Color functions receive the column's *raw* values (before `fmt`), so sign logic works even when the column renders as text. `flip` marks the smaller-is-better rows — it takes a logical vector, so one column can mix revenue-like and cost-like metrics and still color by valence: below, rising Opex prints red and falling Churn prints green.

```
flip ← df$metric %in% c("Opex", "Churn") # smaller is better
chanwe_kbl(df,
  fmt      = list(qoq = function(x) sprintf("%.1f%%", x)),
  col_colors = list(qoq = chanwe_col_signed(flip = flip)))
```

SIGNED - TABLES

Quarterly performance

Signed deltas via `chanwe_col_signed()` - flip marks the smaller-is-better rows (Opex, Churn) so color reads as valence, not sign

METRIC	USD K	QOQ	YOY
Revenue	1,240.5	+12.4%	+28.1%
Gross margin	682.1	+4.2%	+9.6%
EBITDA	310.2	-3.1%	+11.2%
Opex	-420.3	-1.9%	+6.3%
Net income	185.7	+5.8%	-2.4%
Churn	42.0	-0.8%	-4.1%

// Source: finance close, Q1 - simulated

6 Theme Variants


`theme_chanwe()` exposes five named surfaces (plus `"transparent"` and raw hex); grid colors adapt per surface.

```
theme_chanwe()           # "metallic" #F7F7F7 (default)
theme_chanwe(bg_color = "beige")      # #F5F1EB
theme_chanwe(bg_color = "white")      # #FFFFFF
theme_chanwe(bg_color = "gray")       # #EDF0F1
theme_chanwe(bg_color = "white-ivory")# #FAF9F7
```

THEME - BG

Beige surface

`theme_chanwe(bg_color = "beige")`




// Source: mtcars

THEME - BG

Paper white surface

theme_chanwe(bg_color = "white")




// Source: mtcars

THEME - BG

Gray surface

theme_chanwe(bg_color = "gray")




// Source: mtcars

6.1 Header spacing and rules

With `has_subtitle = FALSE` the header closes with its own separator rule directly below the title, keeping the same visual weight the subtitle normally provides.

— THEME - HAS_SUBTITLE = FALSE

No subtitle mode




// Source: mtcars

— THEME - HEADER_LINE = FALSE

Minimal header

No separator rule - for embedded layouts




// Source: mtcars

`THEME - PLOT_BORDERS`

Framed plot

`plot_borders = "top_bottom"` adds thin ink frame lines




6.2 Subtitle with a note line

`HEADER - NOTE LINE`


Transmission comparison

Linear fit per transmission type

Excludes exotics; n = 32; OLS with no interaction terms



6.3 Faceting



7 Typst Tables

`chanwe_kbl()` generates native Typst — no HTML-to-PDF translation losses. Both densities, every background, per-column formatting and coloring, stubs, totals, highlights, and vertical rules.

7.1 Densities

TABLES - SPACIOUS

Fleet summary by cylinder count

Spacious density - the presentation default

CYLINDERS	AVG MPG	AVG HP	AVG WEIGHT	VEHICLES
4	26.7	83	2.29	11
6	19.7	122	3.12	7
8	15.1	209	4.00	14

// Source: mtcars

TABLES - COMPACT

Vehicle detail

Compact density for dense reporting tables

MODEL	MPG	CYL	HP	WEIGHT	TRANSMISSION
Mazda RX4	21.0	6	110	2.62	Manual
Mazda RX4 Wag	21.0	6	110	2.88	Manual
Datsun 710	22.8	4	93	2.32	Manual
Hornet 4 Drive	21.4	6	110	3.21	Automatic
Hornet Sportabout	18.7	8	175	3.44	Automatic

// Source: mtcars

TABLES - COMPACT

Vehicle detail

Compact density for dense reporting tables

MODEL	MPG	CYL	HP	WEIGHT	TRANSMISSION
Valiant	18.1	6	105	3.46	Automatic
Duster 360	14.3	8	245	3.57	Automatic
Merc 240D	24.4	4	62	3.19	Automatic

// Source: mtcars

7.2 Totals, highlights, and rules

TABLES - TOTALS + HIGHLIGHT

Revenue by region

Total row via n_total; QoQ column highlighted and signed; vline separates quarters from the delta

REGION	Q1 USD K	Q2 USD K	QOQ %
North	412.1	438.0	+6.3%
Center	388.4	371.2	-4.4%
West	251.9	266.3	+5.7%
South	188.1	201.5	+7.1%
Total	1,240.5	1,277.0	+2.9%

// Source: finance close - simulated

● // The same tokens, everywhere

The QoQ column above, the KPI arrows in section 5, and the diverging heatmap poles in section 4 are the exact same three hexes — `chanwe_palette("signed")`. Change them once, and every chart, table, and report follows.

chanwe®



*Estrategia Activa,
Codo a codo.*

WEB

chanwe.com.ar

contacto@chanwe.com.ar

REPO

chanwe-ar/chanwer

github.com

DOCUMENT

CHW · DEV

Examples / 2026