SHOWCASE / 2026

CW- MACRO LAB

32°53'24.8"S 68°50'45.6"W
ELEV: 6967M // CERRO ACONCAGUA
CORDILLERA PRINCIPAL · MENDOZA, AR

PROHIBIDA SU REPRODUCCIÓN SIN AUTORIZACIÓN | TODOS LOS DERECHOS RESERVADOS

chanwe®

PACKAGE	chanwer v3.0	R DESIGN SYSTEM
FORMAT	chanwe-report-typst	QUARTO EXTENSION
AUTHOR	Chanwe	ALEJANDRO ABRAHAM

chanwer Showcase.

Every palette, scale, header treatment, surface, chart form and native Typst table pattern in the chanwer R package — static output for chanwe-report-typst

// CHANWE / RESEARCH

CHW · DEV

MENDOZA / ARGENTINA

DOCUMENT MAP

Contents.

CAPÍTULOS 08
PÁGINAS 46

The complete static reference for chanwer: the brand color system and its validated palettes, the four scale jobs (categorical, ordinal, sequential, diverging), the signed system, every theme_chanwe() header treatment and surface, the chart forms, and the full native-Typst table API — all on the chanwe-report-typst tokens.

01 **CHANWE v2 in charts** 06 – 07

02 **The Color System** 08 – 10

- 2.1 The categorical eight 08
- 2.2 The signed trio 09
- 2.3 Semantic roles and family ramps 10

03 **Scales** 11 – 15

- 3.1 Categorical 11
- 3.2 Ordinal: one-hue ramp 12
- 3.3 Sequential 13
- 3.4 Diverging 14

04 The Signed System 16 – 18

4.1 KPI scoreboard with valence 17

4.2 Signed deltas in tables 17

05 Header Treatments 19 – 25

5.1 Header line and spacing 23

06 Surfaces and Frames 26 – 30

6.1 Frames 29

6.2 Inset figure 30

07 Chart Forms 31 – 34

08 Typst Tables 35 – 46

8.1 Surfaces 36

8.2 Densities and column widths 40

8.3 Totals, highlights and rules 41

8.4 Header variants 42

TLDR;

Static Reference.

- DOCUMENT
  CHW · DEV
- EDITION
  SHOWCASE / 2026
- AUTHOR
  ALEJANDRO ABRAHAM
- STATUS
  STABLE · INTERNAL

One **color system and one header grammar, mapped to every chart and table: the same tokens drive eyebrows, KPI arrows, table deltas, and this document.**

This showcase covers every static output in the chanwer package: palette previews, categorical / ordinal / sequential / diverging scales, the signed positive-negative system with its KPI scoreboard, all header treatments (eyebrow, subtitle, note, KPI, title-only, no header line, compact and spacious), all four brand surfaces plus transparent, framed variants, the chart forms (scatter, bar, line, area, distribution, error bars, heatmap, facets), and every chanwe_kbl() pattern — surfaces, densities, totals, highlights, vertical rules, signed deltas, title-only and header-less tables. The interactive counterparts (gt, highcharter, reactable) live in chanwer-showcase-html.qmd.

01 CHANWE v2 in charts

chanwer 3.0.0 brings the charts and tables to the CHANWE v2 language (brand-v2 Q3, colour rule C1). Every value comes from the generated `chanwe_tokens` (chanwe-brandbook `tokens.json`): slate gridlines, horizontal only; no axis lines or ticks; Schibsted Grotesk titles; JetBrains Mono axis labels, legends and captions at the compact size; legend keys as pills; bars with 3px rounded ends (`geom_chanwe_col()` , `geom_chanwe_bar()`); tables as panes.

Orange is the one signal. The series that matters takes the focus orange and every other series sits on the slate ramp (`scale_fill_chanwe_focus()` , `scale_color_chanwe_focus()` , `chanwe_focus_colors()`). The categorical palette is for charts with no focus series.


Chanwe palette · focus



V2 - FOCUS BAR

Sales by region

Cuyo is the focus; the other regions recede on the slate ramp




SOURCE: SIMULATED

V2 - FOCUS LINE

Activity index

Argentina against its peers, 2015 = 50



SOURCE: SIMULATED

02 The Color System


Every color in `chanwer` is a named token. `chanwe_palette()` returns the full inventory; `chanwe_palette("<group>")` returns one group; `chanwe_preview_palette("<group>")` draws its swatch grid. The values are read from the generated `chanwe_tokens` (chanwe-brandbook `tokens.json`), never written by hand.

> // THE MANUAL ASSIGNS EACH FAMILY A JOB
>
> Orange is the one accent, blue is structural, green is positive, red is alert, ink is the neutral anchor. The scales below are built on those roles — positive/negative is never an arbitrary red/green pair.

2.1 The categorical eight

The slot order is `plot.categorical` from `tokens.json` — primary orange, blue, teal, indigo, purple, green, orange, red — the eight series hues, shared with the callouts. Red sits last: it is nearly the primary, so the two only meet in an eight-series chart. Use it only when no series is the focus.

Chanwe palette · chart



2.2 The signed trio

The brand's `kpi-green` and `kpi-red` with the slate `fg-muted` as neutral; each passes WCAG 4.5:1 small-text contrast on every brand surface.

Chanwe palette · signed



2.3 Semantic roles and family ramps

Chanwe palette · semantic



Chanwe palette · ramp_teal




Chanwe palette · mb_orange



03 Scales

3.1 Categorical

`scale_color_chanwe_d()` / `scale_fill_chanwe_d()` assign the chart palette in slot order, recycling past eight.




// SCATTER, BUBBLE, AND MAPS: THREE SERIES MAXIMUM

In those forms any two marks can sit side by side, so the palette must pass the stricter all-pairs check — the first three slots do. Fold extra series into “Other” or facet. Bars, lines, and stacks may use up to six.

CATEGORICAL - STACKED BARS

Vehicles by class and drivetrain

Color encodes a second nominal variable - bars and stacks may use up to six series



SOURCE: GGPLOT2::MPG


3.2 Ordinal: one-hue ramp

When category order carries meaning, use a ramp group so the reader sees the order in the color: `scale_fill_chanwe_d(palette = "ramp_blue", reverse = TRUE)`.

ORDINAL - ONE HUE

Fleet by horsepower band

Low to High reads light to dark in a single family



SOURCE: MTCARS


3.3 Sequential

`scale_color_chanwe_c()` / `scale_fill_chanwe_c()` encode magnitude with one-hue, light-to-dark gradients built from the series hues: `orange` (default), `blue`, `indigo`, `teal`, `green`, `amber`, `red`, `purple`, plus `mustard` and `ink`.

SEQUENTIAL - TEAL

Displacement gradient

One hue, light to dark, magnitude only




SOURCE: MTCARS

SEQUENTIAL - ORANGE (DEFAULT)

Unemployment, colored by savings rate

The default gradient anchors on the report primary



SOURCE: GGPLOT2::ECONOMICS

3.4 Diverging

`scale_fill_chanwe_div()` encodes polarity — red through a neutral midpoint to green, signed tokens at the poles. Give it symmetric limits so zero lands on the midpoint.

DIVERGING - HEATMAP

Weekly delta vs plan

Symmetric limits pin zero to the neutral midpoint




SOURCE: SIMULATED

DIVERGING - CVD = TRUE

Weekly delta vs plan, CVD-safe

Positive arm switches to structural blue; polarity survives deuteranopia



SOURCE: SIMULATED

DIVERGING - BARS

Highway MPG vs fleet average

Above average in green, below in red



SOURCE: GGPLOT2::MPG

04 The Signed System

One pair everywhere: `chanwe_palette("signed")` drives the KPI arrows, table deltas and the diverging poles. `direction` states the movement (▲/▼); `valence` states whether that movement is good news and drives the color.

// POSITIVE	// NEGATIVE	// NEUTRAL	// CONTRAST
#147705	#CC1914	#475569	4.9+ :1
hue-true brand green	hue-true vermillion	pizarra fg-muted	on all five surfaces

4.1 KPI scoreboard with valence

SIGNED - KPI SCOREBOARD

Unemployment rate

Share of population, monthly



SOURCE: GGPLOT2::ECONOMICS

4.2 Signed deltas in tables

`chanwe_col_signed()` colors by the column's *raw* values; `flip` marks the smaller-is-better rows so color reads as valence, not sign.

SIGNED - TABLES

Quarterly performance

Signed deltas via chanwe_col_signed() - flip marks Opex and Churn so color reads as valence

METRIC	USD K	QOQ	YOY
Revenue	1,240.5	+12.4%	+28.1%
Gross margin	682.1	+4.2%	+9.6%
EBITDA	310.2	-3.1%	+11.2%
Opex	-420.3	-1.9%	+6.3%
Net income	185.7	+5.8%	-2.4%

SOURCE: FINANCE CLOSE, Q1 - SIMULATED

SIGNED - TABLES

Quarterly performance

Signed deltas via chanwe_col_signed() - flip marks Opex and Churn so color reads as valence

METRIC	USD K	QOQ	YOY
Churn	42.0	-0.8%	-4.1%

SOURCE: FINANCE CLOSE, Q1 - SIMULATED

05 Header Treatments

The header grammar: mono-caps eyebrow with an orange rule, Schibsted Grotesk title at 1.85x base, Satoshi subtitle, optional note line or KPI scoreboard, and an mono source caption (`caption_style = "stamp"` brings back the orange stamp).

EYEBROW · TITLE · SUBTITLE (DEFAULT)




SUBTITLE WITH A NOTE LINE

HEADER · NOTE LINE

Transmission comparison

Linear fit per horsepower band

Excludes exotics; n = 32; OLS with no interaction terms



HP band Low Mid High

SOURCE: MOTOR TREND, 1974

KPI SCOREBOARD


BCRA · SECTOR EXTERNO

Reservas Internacionales

Evolución de reservas internacionales brutas (USD MM).

45,91 USD MM 05·MAY·2026

WOW	MOM	YOY
▲ 0,19%	▼ 3,17%	▲ 17,78%



HP band Low Mid High

SOURCE: MOTOR TREND, 1974


KPI ONLY · NO SUBTITLE TEXT

KPI · COMPACT

KPI only · no subtitle text

45,91 USD MM 05·MAY·2026

WOW ▲ 0,19% MOM ▼ 3,17% YOY ▲ 17,78%




SOURCE: MOTOR TREND, 1974

TITLE ONLY · HAS_SUBTITLE = FALSE

HEADER - HAS_SUBTITLE = FALSE

Title only · no subtitle



SOURCE: MOTOR TREND, 1974

PLAIN TITLE · NO EYEBROW



NO TITLE · NO SUBTITLE




5.1 Header line and spacing

HEADER LINE · FALSE

With subtitle · spacious · no line

compact_title = FALSE · header_line = FALSE




SOURCE: MOTOR TREND, 1974

HEADER LINE · FALSE

With subtitle · compact · no line


compact_title = TRUE · header_line = FALSE



SOURCE: MOTOR TREND, 1974

HEADER LINE · FALSE


No subtitle · spacious · no line



SOURCE: MOTOR TREND, 1974

HEADER LINE · FALSE

No subtitle · compact · no line




SOURCE: MOTOR TREND, 1974

COMPACT_TITLE = FALSE

Spacious title

gap_ln • 14pt • compact_title = FALSE




SOURCE: MOTOR TREND, 1974

06 Surfaces and Frames

`theme_chanwe()` exposes five named surfaces plus `"transparent"` and raw hex; the v2 grid (`plot.grid` , ink-fg at 25%) is the same on every surface.

PAPER · DEFAULT




WHITE

SURFACE

bg_color · white

theme_chanwe(bg_color = "white")




SOURCE: MOTOR TREND, 1974

SUNKEN

SURFACE

bg_color · sunken

theme_chanwe(bg_color = "sunken")



SOURCE: MOTOR TREND, 1974

SLATE

SURFACE

bg_color · slate

theme_chanwe(bg_color = "slate")




SOURCE: MOTOR TREND, 1974

WHITE · PADDING 18

SURFACE

bg_color · white

theme_chanwe(bg_color = "white", plot_padding = 18)



SOURCE: MOTOR TREND, 1974

TRANSPARENT · ZONE-HIGHLIGHT

SURFACE · ZONE-HIGHLIGHT

bg_color · transparent

The page zone supplies the surface




SOURCE: MOTOR TREND, 1974

6.1 Frames

FRAME

plot_borders · TRUE

Thin ink frame lines on the white surface




SOURCE: MOTOR TREND, 1974

FRAME

plot_borders · top_bottom

plot_borders = "top_bottom" adds thin ink frame lines



SOURCE: MTCARS

6.2 Inset figure

FY 2025

Revenue by Segment

La categoría C presenta el valor más alto del conjunto. Los segmentos A y E muestran rendimiento dentro del rango esperado, mientras que F establece el piso de referencia para el análisis diferencial.

PLOT · INSET

Faceted by transmission

title · Schibsted Grotesk · · padding · 18pt



SOURCE: MOTOR TREND, 1974

Data: FY 2025 — valores normalizados


07 Chart Forms

LINE · DIRECT LABELS

FORM - LINE

Monthly revenue by segment

Twelve trailing months, USD MM - series labelled where they end




SOURCE: INTERNAL LEDGER, SIMULATED

AREA

FORM - AREA

Unemployed persons

Millions, monthly since 2000




SOURCE: GGPLOT2::ECONOMICS

DISTRIBUTION · DENSITY

FORM - DENSITY

Fuel economy distribution

Manual transmissions skew to higher MPG




SOURCE: MTCARS

ERROR BARS · MEAN ± SD

FORM - ERROR BARS

Fuel economy by cylinders

Mean ± one standard deviation




SOURCE: MTCARS

FOCUS BAR · VALUE LABELS

FORM - FOCUS BAR

Fuel economy by cylinders

The focus in orange, the context on the slate ramp, values on the bars



SOURCE: MTCARS

FACETS

FORM - FACETS

Faceted by transmission

Strip labels in JetBrains Mono



SOURCE: MTCARS

08 Typst Tables

`chanwe_kbl()` generates native Typst — no HTML-to-PDF translation. Both densities, every surface, per-column formatting and coloring, stubs, totals, highlights and vertical rules.

8.1 Surfaces

PAPER · DEFAULT

TABLE 1

TABLE · SPACIOUS · PAPER

bg · paper

density · spacious

MODEL	MPG	CYL	HP	WT
Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

SOURCE · MOTOR TREND, 1974 · MTCARS DATASET.

CHANWE / RESEARCH

WHITE

TABLE 2

TABLE · SPACIOUS · WHITE

bg · white

density • spacious

MODEL	MPG	CYL	HP	WT
Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

SOURCE · MOTOR TREND, 1974 · MTCARS DATASET.

CHANWE / RESEARCH

SUNKEN · TOP_BORDER = FALSE

TABLE 3

TABLE · SPACIOUS · SUNKEN

bg · sunken

top_border = FALSE

MODEL	MPG	CYL	HP	WT
Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

SOURCE · MOTOR TREND, 1974 · MTCARS DATASET.

CHANWE / RESEARCH

SLATE · PADDING 0

TABLE 4

TABLE · SPACIOUS · SLATE

bg · slate

padding = 0 · top_border = FALSE

MODEL	MPG	CYL	HP	WT
Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

SOURCE · MOTOR TREND, 1974 · MTCARS DATASET.

CHANWE / RESEARCH

8.2 Densities and column widths

TABLE 5

TABLES - SPACIOUS

Fleet summary by cylinder count

Spacious density - the presentation default

CYLINDERS	AVG MPG	AVG HP	AVG WEIGHT	VEHICLES
4	26.7	83	2.29	11
6	19.7	122	3.12	7
8	15.1	209	4.00	14

SOURCE: MTCARS

CHANWE / RESEARCH

TABLE 6

TABLES - COMPACT

Vehicle detail

Compact density for dense reporting tables - explicit col_widths

MODEL	MPG	CYL	HP	WEIGHT	TRANSMISSION
Mazda RX4	21.0	6	110	2.62	Manual
Mazda RX4 Wag	21.0	6	110	2.88	Manual
Datsun 710	22.8	4	93	2.32	Manual
Hornet 4 Drive	21.4	6	110	3.21	Automatic
Hornet Sportabout	18.7	8	175	3.44	Automatic
Valiant	18.1	6	105	3.46	Automatic
Duster 360	14.3	8	245	3.57	Automatic
Merc 240D	24.4	4	62	3.19	Automatic

SOURCE: MTCARS

CHANWE / RESEARCH

8.3 Totals, highlights and rules

TABLE 7

TABLES - TOTALS + HIGHLIGHT

Revenue by region

Total row via n_total; QoQ column highlighted and signed; vline separates quarters from the delta

REGION	Q1 USD K	Q2 USD K	QOQ %
North	412.1	438.0	+6.3%
Center	388.4	371.2	-4.4%
West	251.9	266.3	+5.7%
South	188.1	201.5	+7.1%
Total	1,240.5	1,277.0	+2.9%

SOURCE: FINANCE CLOSE - SIMULATED

CHANWE / RESEARCH

8.4 Header variants

TITLE ONLY

TABLE 8

TABLE · COMPACT HERO

title only · no subtitle

MODEL	MPG	CYL	HP	WT
Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

SOURCE · MOTOR TREND, 1974 · MTCARS DATASET.

CHANWE / RESEARCH

TITLE ONLY · ZONE-HIGHLIGHT

TABLE · COMPACT HERO

title only · zone-highlight

MODEL	MPG	CYL	HP	WT
Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

SOURCE · MOTOR TREND, 1974 · MTCARS DATASET.

NO TITLE · NO SUBTITLE

TABLE 9

Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

SOURCE · MOTOR TREND, 1974 · MTCARS DATASET.

CHANWE / RESEARCH

NO TITLE · NO SUBTITLE · ZONE-HIGHLIGHT

Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

SOURCE · MOTOR TREND, 1974 · MTCARS DATASET.

// THE SAME TOKENS, EVERYWHERE

The QoQ columns above, the KPI arrows and the diverging heatmap poles are the exact same three hexes — `chanwe_palette("signed")`. Change them once and every chart, table and report follows.

chanwe®

32°53'24.8"S 68°50'45.6"W
ELEV: 6967M // CERRO ACONCAGUA
CORDILLERA PRINCIPAL · MENDOZA, AR

Estrategia Activa,
Codo a codo.

// CHANWE / RESEARCH
CHW · DEV
MENDOZA / ARGENTINA

WEB
CHANWE.COM.AR
CONTACTO@CHANWE.COM.AR

REPO
CHANWE-AR/CHANWER
GITHUB.COM

DOCUMENT
CHW · DEV
SHOWCASE / 2026