

— VISUAL REFERENCE

chanwer Showcase.

Every palette, scale, header treatment, surface, chart form and native Typst table pattern in the chanwer R package — static output for chanwe-report-typst

PACKAGE **chanwer v2.3**

R design system

FORMAT **chanwe-report-typst**

Quarto extension

AUTHOR **Chanwe**

Alejandro Abraham



S 32°53' · W 68°50'
CORDÓN DEL PLATA · ARG

chanwe®

DOCUMENT MAP

Contents.

The complete static reference for chanwer: the brand color system and its validated palettes, the four scale jobs (categorical, ordinal, sequential, diverging), the signed system, every theme_chanwe() header treatment and surface, the chart forms, and the full native-Typst table API — all on the chanwe-report-typst tokens.

01 The Color System 06 – 08

01	The categorical eight	06
02	The signed trio	06
03	Semantic roles and family ramps	07

02 Scales 09 – 13

01	Categorical	09
02	Ordinal: one-hue ramp	10
03	Sequential	11
04	Diverging	12

03 The Signed System 14 – 15

01	KPI scoreboard with valence	14
02	Signed deltas in tables	15

04 Header Treatments 16 – 22

01	Header line and spacing	20
----	-------------------------	----

05 Surfaces and Frames

23 – 27

01	Frames	26
02	Inset figure	27

06 Chart Forms

28 – 31

07 Typst Tables

32 – 42

01	Surfaces	32
02	Densities and column widths	36
03	Totals, highlights and rules	37
04	Header variants	38

— TLDR;

Static Reference.

DOCUMENT

CHW · DEV

EDITION

SHOWCASE / 2026

AUTHOR

Alejandro Abraham

STATUS

Stable · Internal

One color system and one header grammar, mapped to every chart and table: the same tokens drive eyebrows, KPI arrows, table deltas, and this document.

This showcase covers every static output in the chanwer package: palette previews, categorical / ordinal / sequential / diverging scales, the signed positive-negative system with its KPI score-board, all header treatments (eyebrow, subtitle, note, KPI, title-only, no header line, compact and spacious), all five brand surfaces plus transparent, framed variants, the chart forms (scatter, bar, line, area, distribution, error bars, heatmap, facets), and every `chanwe_kbl()` pattern — surfaces, densities, totals, highlights, vertical rules, signed deltas, title-only and header-less tables. The interactive counterparts (`gt`, `plotly`, `reactable`) live in `chanwer-showcase-html.qmd`.

1 The Color System

Every color in `chanwer` is a named token. `chanwe_palette()` returns the full inventory; `chanwe_palette("<group>")` returns one group; `chanwe_preview_palette("<group>")` draws its swatch grid.


● // The manual assigns each family a job

Coral is the house lead, blue is structural, green is positive, vermillion is alert, ink is the neutral anchor. The scales below are built on those roles — positive/negative is never an arbitrary red/green pair.

1.1 The categorical eight

Fixed, CVD-validated slot order — coral, blue, teal, green, violet, magenta, mustard, ink. Mustard and ink sit last deliberately: charts with up to six series never reach them.


Chanwe palette • chart



1.2 The signed trio

Hue-true darkenings of the brand's positive (green), alert (vermillion) and neutral (ink) families, stepped until each passes WCAG 4.5:1 small-text contrast on all five brand surfaces.

Chanwe palette • signed



1.3 Semantic roles and family ramps

Chanwe palette • semantic



Chanwe palette • p15_teal




Chanwe palette · mb_orange

mb-orange-100 #F8DDD9	mb-orange-200 #F6CFC7	mb-orange-300 #F5C0B6	mb-orange-400 #F2A393
mb-orange-500 #F09482	mb-orange-600 #EF8670	mb-orange-700 #ED775F	mb-orange-800 #EC684E
mb-orange-900 #EA5A3C	mb-orange-950 #E94B2B		

2 Scales


2.1 Categorical

`scale_color_chanwe_d()` / `scale_fill_chanwe_d()` assign the chart palette in slot order, recycling past eight.



● // Scatter, bubble, and maps: three series maximum


In those forms any two marks can sit side by side, so the palette must pass the stricter all-pairs check — the first three slots do. Fold extra series into “Other” or facet. Bars, lines, and stacks may use up to six.



2.2 Ordinal: one-hue ramp

When category order carries meaning, use a ramp group so the reader sees the order in the color:



```
scale_fill_chanwe_d(palette = "p15_blue", reverse = TRUE)
```



2.3 Sequential


`scale_color_chanwe_c()` / `scale_fill_chanwe_c()` encode magnitude with one-hue, light-to-dark brand gradients:

`orange` (default), `coral`, `blue`, `teal`, `green`, `vermillion`, `magenta`, `violet`, `mustard`, `ink`.



2.4 Diverging


`scale_fill_chanwe_div()` encodes polarity — vermillion through a neutral midpoint to green, signed tokens at the poles. Give it symmetric limits so zero lands on the midpoint.



// DIVERGING - BARS

Highway MPG vs fleet average


Above average in green, below in vermillion



// Source: ggplot2::mpg

3 The Signed System

One pair everywhere: `chanwe_palette("signed")` drives the KPI arrows, table deltas and the diverging poles. `direction` states the movement (▲/▼); `valence` states whether that movement is good news and drives the color.



3.1 KPI scoreboard with valence



3.2 Signed deltas in tables

`chanwe_col_signed()` colors by the column's *raw* values; `flip` marks the smaller-is-better rows so color reads as valence, not sign.

SIGNED - TABLES

Quarterly performance

Signed deltas via `chanwe_col_signed()` - flip marks Opex and Churn so color reads as valence


METRIC	USD K	QOQ	YOY
Revenue	1,240.5	+12.4%	+28.1%
Gross margin	682.1	+4.2%	+9.6%
EBITDA	310.2	-3.1%	+11.2%
Opex	-420.3	-1.9%	+6.3%
Net income	185.7	+5.8%	-2.4%
Churn	42.0	-0.8%	-4.1%

// Source: finance close, Q1 - simulated


4 Header Treatments

The header grammar: mono-caps eyebrow with an orange rule, Archivo title at 1.85x base, Satoshi subtitle, optional note line or KPI scoreboard, and a `//` source caption.


• EYEBROW • TITLE • SUBTITLE (DEFAULT)




● SUBTITLE WITH A NOTE LINE




● KPI SCOREBOARD




● KPI ONLY · NO SUBTITLE TEXT




● TITLE ONLY · HAS_SUBTITLE = FALSE





● PLAIN TITLE • NO EYEBROW



● NO TITLE • NO SUBTITLE




4.1 Header line and spacing



— HEADER LINE · FALSE


No subtitle · spacious · no line



// Source: Motor Trend, 1974

— HEADER LINE · FALSE

No subtitle · compact · no line




// Source: Motor Trend, 1974

// COMPACT_TITLE = FALSE

Spacious title

gap_in • 14pt • compact_title = FALSE




// Source: Motor Trend, 1974


5 Surfaces and Frames

`theme_chanwe()` exposes five named surfaces plus `"transparent"` and raw hex; grid colors adapt per surface.


● METALLIC • DEFAULT




● WHITE




● WHITE-IVORY



● GRAY



● BEIGE · PADDING 18




● TRANSPARENT • ZONE-HIGHLIGHT

— SURFACE • ZONE-HIGHLIGHT

bg_color • transparent

The page zone supplies the surface




// Source: Motor Trend, 1974

5.1 Frames


— FRAME

plot_borders • TRUE


Thin ink frame lines on the white surface



// Source: Motor Trend, 1974




5.2 Inset figure




6 Chart Forms


● LINE • DIRECT LABELS




● AREA




● DISTRIBUTION • DENSITY




● ERROR BARS • MEAN $\pm$ SD

● FOCUS BAR • VALUE LABELS



● FACETS



7 Typst Tables

`chanwe_kbl()` generates native Typst — no HTML-to-PDF translation. Both densities, every surface, per-column formatting and coloring, stubs, totals, highlights and vertical rules.

7.1 Surfaces

● WHITE-IVORY • DEFAULT

TABLE 1 •

TABLE • SPACIOUS • WHITE-IVORY

bg • white-ivory

density • spacious

MODEL	MPG	CYL	HP	WT
Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

// Source • Motor Trend, 1974 • mtcars dataset.

● WHITE

TABLE 2 ·

TABLE · SPACIOUS · WHITE

bg · white

density · spacious

MODEL	MPG	CYL	HP	WT
Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

// Source · Motor Trend, 1974 · mtcars dataset.

● BEIGE · TOP_BORDER = FALSE

TABLE 3 ·

TABLE · SPACIOUS · BEIGE

bg · beige

top_border = FALSE

MODEL	MPG	CYL	HP	WT
Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

// Source · Motor Trend, 1974 · mtcars dataset.

TABLE 4 •

TABLE • SPACIOUS • GRAY

bg • gray

padding = 0 • top_border = FALSE

MODEL	MPG	CYL	HP	WT
Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

// Source • Motor Trend, 1974 • mtcars dataset.

● METALLIC

TABLE 5 ·

TABLE · SPACIOUS · METALLIC

bg · metallic

density · spacious

MODEL	MPG	CYL	HP	WT
Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

// Source · Motor Trend, 1974 · mtcars dataset.

7.2 Densities and column widths

TABLE 6 ·

TABLES · SPACIOUS

Fleet summary by cylinder count

Spacious density - the presentation default

CYLINDERS	AVG MPG	AVG HP	AVG WEIGHT	VEHICLES
4	26.7	83	2.29	11
6	19.7	122	3.12	7
8	15.1	209	4.00	14

// Source: mtcars

TABLE 7 •

TABLES - COMPACT

Vehicle detail

Compact density for dense reporting tables - explicit col_widths

MODEL	MPG	CYL	HP	WEIGHT	TRANSMISSION
Mazda RX4	21.0	6	110	2.62	Manual
Mazda RX4 Wag	21.0	6	110	2.88	Manual
Datsun 710	22.8	4	93	2.32	Manual
Hornet 4 Drive	21.4	6	110	3.21	Automatic
Hornet Sportabout	18.7	8	175	3.44	Automatic
Valiant	18.1	6	105	3.46	Automatic
Duster 360	14.3	8	245	3.57	Automatic
Merc 240D	24.4	4	62	3.19	Automatic

// Source: mtcars

7.3 Totals, highlights and rules

TABLE 8 •

TABLES - TOTALS + HIGHLIGHT

Revenue by region

Total row via n_total; QoQ column highlighted and signed; vline separates quarters from the delta

REGION	Q1 USD K	Q2 USD K	QOQ %
North	412.1	438.0	+6.3%
Center	388.4	371.2	-4.4%
West	251.9	266.3	+5.7%
South	188.1	201.5	+7.1%
Total	1,240.5	1,277.0	+2.9%

// Source: finance close - simulated

7.4 Header variants

● TITLE ONLY

TABLE 9 ·

TABLE · COMPACT HERO

title only · no subtitle

MODEL	MPG	CYL	HP	WT
Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

// Source · Motor Trend, 1974 · mtcars dataset.

● TITLE ONLY · ZONE-HIGHLIGHT

TABLE · COMPACT HERO

title only · zone-highlight

MODEL	MPG	CYL	HP	WT
Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

// Source · Motor Trend, 1974 · mtcars dataset.

● NO TITLE · NO SUBTITLE

TABLE 10 ·

Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

// Source · Motor Trend, 1974 · mtcars dataset.

● NO TITLE · NO SUBTITLE · ZONE-HIGHLIGHT

Mazda RX4	21.00	6	110	2.62
Mazda RX4 Wag	21.00	6	110	2.88
Datsun 710	22.80	4	93	2.32
Hornet 4 Drive	21.40	6	110	3.21
Hornet Sportabout	18.70	8	175	3.44
Valiant	18.10	6	105	3.46
Duster 360	14.30	8	245	3.57
Merc 240D	24.40	4	62	3.19

// Source · Motor Trend, 1974 · mtcars dataset.

● // The same tokens, everywhere

The QoQ columns above, the KPI arrows and the diverging heatmap poles are the exact same three hexes — `chanwe_palette("signed")`. Change them once and every chart, table and report follows.

chanwe[®]



*Estrategia Activa,
Codo a codo.*

WEB

chanwe.com.ar

contacto\@chanwe.com.ar

REPO

chanwe-ar/chanwer

github.com

DOCUMENT

CHW · DEV

Showcase / 2026